

 <p><b>Perfect Crystal Windows Ltd.</b> Manufacturers &amp; Installers</p>	<b>Customer &amp; Order Information</b>	
	Mia 29 Regency Lodge	Input By: kladia Salesman: omasz Michalski Printed Date : 4-Dec-2014 Order Date : 4-Dec-2014
<b>Perfect Crystal Windows Ltd</b> 1 Cumberland Avenue Park Royal London  NW10 7RX Tel : 0208 9616111 Fax: 0208 9616136	NW3 Tel : 07817784381 Fax	<b>Job Spec</b> Glazed / Supply & fix
Job Reference : 29 Regency Lodge		

<b>1</b>	Aluminium Casement O/A Sizes 1500mm x 1510mm (Style FF)	<table border="1"> <thead> <tr> <th style="text-align: left;">Specification</th> <th style="text-align: right;">Chk</th> </tr> </thead> <tbody> <tr><td>Frame</td><td>Bevel Direct Fix [ ]</td></tr> <tr><td>Transom</td><td>20058 58mm Transom [ ]</td></tr> <tr><td>Mullion</td><td>20058 58mm Transom [ ]</td></tr> <tr><td>Sash</td><td>Ovolo Vent [ ]</td></tr> <tr><td>Cill</td><td>53264 145mm Cill [ ]</td></tr> <tr><td>Ventilator (Sash)</td><td>Trickle Vent [ ]</td></tr> <tr><td>Colour</td><td>White [ ]</td></tr> <tr><td>Handle</td><td>White Espag Handle [ ]</td></tr> <tr><td>Casement locking</td><td>Shootbolt [ ]</td></tr> <tr><td>Friction stay</td><td>Standard Stay [ ]</td></tr> <tr><td>Open in/out</td><td>Open out [ ]</td></tr> <tr><td>Tran/Mull joints</td><td>Mechanical joint [ ]</td></tr> </tbody> </table>	Specification	Chk	Frame	Bevel Direct Fix [ ]	Transom	20058 58mm Transom [ ]	Mullion	20058 58mm Transom [ ]	Sash	Ovolo Vent [ ]	Cill	53264 145mm Cill [ ]	Ventilator (Sash)	Trickle Vent [ ]	Colour	White [ ]	Handle	White Espag Handle [ ]	Casement locking	Shootbolt [ ]	Friction stay	Standard Stay [ ]	Open in/out	Open out [ ]	Tran/Mull joints	Mechanical joint [ ]
	Specification		Chk																									
Frame	Bevel Direct Fix [ ]																											
Transom	20058 58mm Transom [ ]																											
Mullion	20058 58mm Transom [ ]																											
Sash	Ovolo Vent [ ]																											
Cill	53264 145mm Cill [ ]																											
Ventilator (Sash)	Trickle Vent [ ]																											
Colour	White [ ]																											
Handle	White Espag Handle [ ]																											
Casement locking	Shootbolt [ ]																											
Friction stay	Standard Stay [ ]																											
Open in/out	Open out [ ]																											
Tran/Mull joints	Mechanical joint [ ]																											
Kitchen																												



Glazing Details & Appertures	
4-20-4 Clear 'K' : 20mm Grev Spacer	Georai H1 - (386 x 1336)

<b>2</b>	Aluminium Casement O/A Sizes 1500mm x 1510mm (Style FF)	<table border="1"> <thead> <tr> <th style="text-align: left;">Specification</th> <th style="text-align: right;">Chk</th> </tr> </thead> <tbody> <tr><td>Frame</td><td>Bevel Direct Fix [ ]</td></tr> <tr><td>Transom</td><td>20058 58mm Transom [ ]</td></tr> <tr><td>Mullion</td><td>20058 58mm Transom [ ]</td></tr> <tr><td>Sash</td><td>Ovolo Vent [ ]</td></tr> <tr><td>Cill</td><td>53264 145mm Cill [ ]</td></tr> <tr><td>Ventilator (Sash)</td><td>Trickle Vent [ ]</td></tr> <tr><td>Colour</td><td>White [ ]</td></tr> <tr><td>Handle</td><td>White Espag Handle [ ]</td></tr> <tr><td>Casement locking</td><td>Shootbolt [ ]</td></tr> <tr><td>Friction stay</td><td>Standard Stay [ ]</td></tr> <tr><td>Open in/out</td><td>Open out [ ]</td></tr> <tr><td>Tran/Mull joints</td><td>Mechanical joint [ ]</td></tr> </tbody> </table>	Specification	Chk	Frame	Bevel Direct Fix [ ]	Transom	20058 58mm Transom [ ]	Mullion	20058 58mm Transom [ ]	Sash	Ovolo Vent [ ]	Cill	53264 145mm Cill [ ]	Ventilator (Sash)	Trickle Vent [ ]	Colour	White [ ]	Handle	White Espag Handle [ ]	Casement locking	Shootbolt [ ]	Friction stay	Standard Stay [ ]	Open in/out	Open out [ ]	Tran/Mull joints	Mechanical joint [ ]
	Specification		Chk																									
Frame	Bevel Direct Fix [ ]																											
Transom	20058 58mm Transom [ ]																											
Mullion	20058 58mm Transom [ ]																											
Sash	Ovolo Vent [ ]																											
Cill	53264 145mm Cill [ ]																											
Ventilator (Sash)	Trickle Vent [ ]																											
Colour	White [ ]																											
Handle	White Espag Handle [ ]																											
Casement locking	Shootbolt [ ]																											
Friction stay	Standard Stay [ ]																											
Open in/out	Open out [ ]																											
Tran/Mull joints	Mechanical joint [ ]																											
Kitchen																												





Glazing Details & Appertures	
4-20-4 Clear 'K' : 20mm Grev Spacer	Georai H1 - (386 x 1336)

Aluminium Bay Layout		Specification	Chk
		Pole	135° Bay Pole [ ]
		Colour	White [ ]
		Bay type	Bay [ ]
		Shape	5 segment [ ]
		Measure	To back of cill [ ]
		Reveal	Bay to outer wall [ ]
<b>Bay/Bow Sizes</b>			
Overall height	1510 mm	A-B	506 mm
B-C	481 mm	C-D	481 mm
D-E	481 mm	E-F	506 mm
ABC	145°	BCD	145°
CDE	145°	DEF	145°
Baseline	1615 mm	Front frame wd	1747 mm
Frnt frm wd	1747 mm	Chk dim AC	941 mm
Chk dim AD	1290 mm	Chk dim AE	1518 mm

3	Aluminium Casement O/A Sizes 505mm x 1510mm (Style FF) Bay 1 of 5	Specification	Chk
		Frame	Bevel Direct Fix [ ]
		Sash	Ovolo Vent [ ]
		Cill	53264 145mm Cill [ ]
		Ventilator (Sash)	Trickle Vent [ ]
		Colour	White [ ]
		Handle	White Espag Handle [ ]
		Casement locking	Shootbolt [ ]
		Friction stay	Standard Stay [ ]
		Open in/out	Open out [ ]


Glazing Details & Appertures
4-20-4 Clear 'K' : 20mm Grey Spacer Georqi A1 - (362 x 1336)


4	Aluminium Casement O/A Sizes 479mm x 1510mm (Style 1)	Specification	Chk
	Bay 2 of 5	Frame	Bevel Direct Fix [ ]
		Cill	53264 145mm Cill [ ]
		Colour	White [ ]
			
Glazing Details & Appertures			
4-20-4 Clear 'K' : 20mm Grev Spacer Georqi A1 - (388 x 1388)			


5	Aluminium Casement O/A Sizes 479mm x 1510mm (Style FF)	Specification	Chk
	Bay 3 of 5	Frame	Bevel Direct Fix [ ]
		Transom	20058 58mm Transom [ ]
		Sash	Ovolo Vent [ ]
		Cill	53264 145mm Cill [ ]
		Ventilator (Sash)	Trickle Vent [ ]
		Colour	White [ ]
		Handle	White Espaq Handle [ ]
		Casement locking	Shootbolt [ ]
		Friction stay	Standard Stay [ ]
		Open in/out	Open out [ ]
		Tran/Mull joints	Mechanical joint [ ]
			
Glazing Details & Appertures			
4-20-4 Clear 'K' : 20mm Grev Spacer Georqi A4 - (388 x 1018)			


<b>6</b>	Aluminium Casement O/A Sizes 479mm x 1510mm (Style 1)	<b>Specification</b>		<b>Chk</b>
	Bay 4 of 5	Frame	Bevel Direct Fix	[ ]
		Cill	53264 145mm Cill	[ ]
		Colour	White	[ ]
		<b>Glazing Details &amp; Appertures</b>		
4-20-4 Clear 'K' : 20mm Grev Spacer Georqi A1 - (388 x 1388)				

<b>7</b>	Aluminium Casement O/A Sizes 505mm x 1510mm (Style FF)	<b>Specification</b>		<b>Chk</b>
	Bay 5 of 5	Frame	Bevel Direct Fix	[ ]
		Sash	Ovolo Vent	[ ]
		Cill	53264 145mm Cill	[ ]
		Ventilator (Sash)	Trickle Vent	[ ]
		Colour	White	[ ]
		Handle	White Espaq Handle	[ ]
		Casement locking	Shootbolt	[ ]
		Friction stay	Standard Stay	[ ]
		Open in/out	Open out	[ ]
		<b>Glazing Details &amp; Appertures</b>		
4-20-4 Clear 'K' : 20mm Grev Spacer Georqi A1 - (362 x 1336)				

<b>8</b>	Aluminium Casement O/A Sizes 900mm x 940mm (Style FF)	<table border="1"> <thead> <tr> <th style="text-align: left;">Specification</th> <th style="text-align: left;">Chk</th> </tr> </thead> <tbody> <tr><td>Frame</td><td>Bevel Direct Fix</td><td>[ ]</td></tr> <tr><td>Transom</td><td>20058 58mm Transom</td><td>[ ]</td></tr> <tr><td>Mullion</td><td>20058 58mm Transom</td><td>[ ]</td></tr> <tr><td>Sash</td><td>Ovolo Vent</td><td>[ ]</td></tr> <tr><td>Cill</td><td>53264 145mm Cill</td><td>[ ]</td></tr> <tr><td>Ventilator (Sash)</td><td>Trickle Vent</td><td>[ ]</td></tr> <tr><td>Colour</td><td>White</td><td>[ ]</td></tr> <tr><td>Handle</td><td>White Espag Handle</td><td>[ ]</td></tr> <tr><td>Casement locking</td><td>Shootbolt</td><td>[ ]</td></tr> <tr><td>Friction stay</td><td>Standard Stay</td><td>[ ]</td></tr> <tr><td>Open in/out</td><td>Open out</td><td>[ ]</td></tr> <tr><td>Tran/Mull joints</td><td>Mechanical joint</td><td>[ ]</td></tr> </tbody> </table>	Specification	Chk	Frame	Bevel Direct Fix	[ ]	Transom	20058 58mm Transom	[ ]	Mullion	20058 58mm Transom	[ ]	Sash	Ovolo Vent	[ ]	Cill	53264 145mm Cill	[ ]	Ventilator (Sash)	Trickle Vent	[ ]	Colour	White	[ ]	Handle	White Espag Handle	[ ]	Casement locking	Shootbolt	[ ]	Friction stay	Standard Stay	[ ]	Open in/out	Open out	[ ]	Tran/Mull joints	Mechanical joint	[ ]
	Specification		Chk																																					
Frame	Bevel Direct Fix	[ ]																																						
Transom	20058 58mm Transom	[ ]																																						
Mullion	20058 58mm Transom	[ ]																																						
Sash	Ovolo Vent	[ ]																																						
Cill	53264 145mm Cill	[ ]																																						
Ventilator (Sash)	Trickle Vent	[ ]																																						
Colour	White	[ ]																																						
Handle	White Espag Handle	[ ]																																						
Casement locking	Shootbolt	[ ]																																						
Friction stay	Standard Stay	[ ]																																						
Open in/out	Open out	[ ]																																						
Tran/Mull joints	Mechanical joint	[ ]																																						
Bathroom																																								
<b>Glazing Details &amp; Appertures</b>																																								
4-20-4 Obs 'K' : 20mm Grev Spacer Satin G F4 - (389 x 498)																																								

<b>9</b>	Aluminium Casement O/A Sizes 1500mm x 1210mm (Style FF)	<table border="1"> <thead> <tr> <th style="text-align: left;">Specification</th> <th style="text-align: left;">Chk</th> </tr> </thead> <tbody> <tr><td>Frame</td><td>Bevel Direct Fix</td><td>[ ]</td></tr> <tr><td>Mullion</td><td>20058 58mm Transom</td><td>[ ]</td></tr> <tr><td>Sash</td><td>Ovolo Vent</td><td>[ ]</td></tr> <tr><td>Cill</td><td>53264 145mm Cill</td><td>[ ]</td></tr> <tr><td>Colour</td><td>White</td><td>[ ]</td></tr> <tr><td>Handle</td><td>White Espag Handle</td><td>[ ]</td></tr> <tr><td>Casement locking</td><td>Shootbolt</td><td>[ ]</td></tr> <tr><td>Friction stay</td><td>Standard Stay</td><td>[ ]</td></tr> <tr><td>Open in/out</td><td>Open out</td><td>[ ]</td></tr> <tr><td>Tran/Mull joints</td><td>Mechanical joint</td><td>[ ]</td></tr> </tbody> </table>	Specification	Chk	Frame	Bevel Direct Fix	[ ]	Mullion	20058 58mm Transom	[ ]	Sash	Ovolo Vent	[ ]	Cill	53264 145mm Cill	[ ]	Colour	White	[ ]	Handle	White Espag Handle	[ ]	Casement locking	Shootbolt	[ ]	Friction stay	Standard Stay	[ ]	Open in/out	Open out	[ ]	Tran/Mull joints	Mechanical joint	[ ]
	Specification		Chk																															
Frame	Bevel Direct Fix	[ ]																																
Mullion	20058 58mm Transom	[ ]																																
Sash	Ovolo Vent	[ ]																																
Cill	53264 145mm Cill	[ ]																																
Colour	White	[ ]																																
Handle	White Espag Handle	[ ]																																
Casement locking	Shootbolt	[ ]																																
Friction stay	Standard Stay	[ ]																																
Open in/out	Open out	[ ]																																
Tran/Mull joints	Mechanical joint	[ ]																																
Bedroom 2																																		
<b>Glazing Details &amp; Appertures</b>																																		
4-20-4 Clear 'K' : 20mm Grev Spacer Georqi H1 - (386 x 1036)																																		

10	Aluminium Casement O/A Sizes 2500mm x 1500mm (Style FF) Living room	Specification	Chk
		Frame	[ ]
		Transom	[ ]
		Mullion	[ ]
		Sash	[ ]
		Cill	[ ]
		Colour	[ ]
		Handle	[ ]
		Casement locking	[ ]
		Friction stay	[ ]
		Open in/out	[ ]
Tran/Mull joints	[ ]		
<b>Glazing Details &amp; Appertures</b>			
4-20-4 Clear 'K' : 20mm Grev Spacer Georqi I4 - (386 x 955)			

11	Aluminium Casement O/A Sizes 1500mm x 1500mm (Style FF) Living room	Specification	Chk
		Frame	[ ]
		Transom	[ ]
		Mullion	[ ]
		Sash	[ ]
		Cill	[ ]
		Colour	[ ]
		Handle	[ ]
		Casement locking	[ ]
		Friction stay	[ ]
		Open in/out	[ ]
Tran/Mull joints	[ ]		
<b>Glazing Details &amp; Appertures</b>			
4-20-4 Clear 'K' : 20mm Grev Spacer Georqi H4 - (386 x 955)			

Extra Items			Gross	Disc.	Nett
11	off	Collecting rubbish			
11	off	FINISH INSIDE - Silicone, Trim			
11	off	FINISH OUTSIDE - Silicone, Tri			

Ancillary & Extra order Accessories					
Qty	Description			Qty	Description
11	Collecting rubbish	<i>Loose Item</i>	[ ]	11	FINISH INSIDE - Silicone, Trims <i>Loose Item</i> [ ]
11	FINISH OUTSIDE - Silicone, Trims, <i>Loose Item</i>		[ ]		
	Render				

<b>Sub-total</b>	<b>£5,393.00</b>
<b>VAT ( 20.00 %)</b>	<b>£1,078.60</b>
<b>Total Price</b>	<b>£6,471.60</b>