



EC.9 Proposed Rear Elevation (Rev B)

Castle NW1 LLP
 32 Bloomsbury Street
 London
 WC1B 3QJ
 Phone: 0207294288
 Email: property@shojin-capital.com

Notes:
Staircase Internal Wall (202mm):
 146 metallic stud (with 100mm insulation) +
 2 x 12.5mm fire proof plasterboard x2 +
 3mm plaster x2

Internal Wall (148mm):
 92 metallic stud (with 50mm insulation) + 2 x
 12.5mm fire proof plasterboard x2 + 3mm
 plaster x2

Internal Wall (103mm):
 72 metallic stud +12.5mm plasterboard x2
 + 3mm plaster x2

Sub-Floor build up:
 - Screed 60mm (16mm heating pipes
 incased
 within screed).
 - Insulation 100mm
 - Delta MS 20mm
 - Concrete Slab 150mm (Two Layers
 A393 Mesh)

New Floor Build Up:
 - Floor finishing Max 22mm
 - 16mm Heating Pipes
 - Aluminium diffusion plate
 - Resilient Hush strips above joists
 25mm x 50mm
 - Hush Slab 100mm
 - Joist 225mm x 50mm

B	09.12.14	Rebuild parapet wall and detailing above windows to be retained
A	07.07.14	Window amended Ground - Second Floor
	03.07.14	First Issued Drawings

Rev Date Status & Revision Notes

Project Ref:
 145 Chalton Street

Drawing Title:
 Rear Elevation

Drawing No.
 EC.9

Revision:
 B

Scale	Date
1:100 @ A3	09.12.14