

STEELWORK NOTES

- All Steelwork To Be Painted Finish RAL 7038 Matt
- Leigths Paint system D7 for Exposure category C5
- Epoxy Zinc Phosphate Primer with DFT Of 250 Microns (C400V3)
- High Performance, Non Metallic, Acrylic Urethane Top Coat with DFT of 75 Microns (C137V2)
- All Welds To Be 6mm Fillet Welds U.N.O
- All welds to be of architectural standard
- All Steel To Be Grade S275JR U.N.O upto 15mm thickness. All to steel over 15mm thickness to be S275J0 U.N.O in accordance with EN10025:2004:Part 2


GLASS NOTES

- All Glass To Be 17.5mm Laminated comprising 2no 8mm clear fully toughened c/w 1.52mm clear SGP interlayer


ALL RIGHTS RESERVED. THIS DRAWING OR ANY PART THEREOF MUST NOT BE REPRODUCED WITHOUT PERMISSION OF NOVUM STRUCTURES UK LTD.

NOTES!

1. For Project General Notes Etc Refer To Drawing No DR-100.
2. This Drawing Must Be Read In Conjunction With All Relevant Architects, Engineers, Services And Specialist Manufacturers Drawings And Specifications.
3. For Details Of Structural Steelwork Refer To Crofton Engineering Drawings.



PANEL HEIGHT TO BE INCREASED TO 47.885m



NOTE!
 ALL SETTING OUT DIMENSIONS SHOWN ON THIS DRAWING TO GRID ARE TO BE CHECKED AND VERIFIED ON SITE PRIOR TO ANY BUILDERS WORKS BEING UNDERTAKEN. ANY DISCREPANCIES MUST BE NOTIFIED IMMEDIATELY TO NOVUM SO THAT THE APPROPRIATE ACTION CAN BE TAKEN BEFORE FABRICATION OF THE STEELWORK AND GLASS COMMENCES

PLAN ON LEVEL 5 @ COPING STONE (+ 46.785) LEVEL SHOWING LAYOUT OF EXTERNAL GLASS BALUSTRADES

0	23.01.15	SB	PT
REVISED NOTATION			
0	16.01.15	SB	DR
FIRST ISSUE FOR APPROVAL			

REV. NO. DATE DWG. BY CHK. BY
 Novum Structures UK Ltd
 14 Hopperway
 Diss Business Park
 Diss, Norfolk, IP22 4GT
 T +44 1379 640 040
 www.novumstructures.com

NOVUM

STATUS: **CONSTRUCTION**

PROJECT: RCGP
 EUSTON ROAD

LONDON, UK

DRAWING DESCRIPTION:
 EXTERNAL BALUSTRADES
 LEVEL 5
 GENERAL ARRANGEMENT

DRAWN BY: SB	DATE: Nov
CHECKED BY: DR	ENGINEER: SB
SCALE: 1:40 @ A1	PROJECT MANAGER: LH

PROJECT NUMBER:
NFM14-6266

SHEET NUMBER: DR-260	REV: A
-----------------------------	---------------