



Prune London Plane (602) (ID# 1) located at the Opp 2 Raymond Building according to the following specifications:

- Clean to remove all dead, diseased and broken branches 3 centimetres in diameter and larger throughout crown to improve health and appearance and reduce risk of branch failure.
- Remove lower branches to a height of 5-5.5 metres to improve clearance over road.
- Thin crown to remove approximately 20% of live branches to improve light and air penetration through crown. Most thinning cuts will be between 2 and 3 centimetres in diameter.

Prune London Plane (606) (ID# 2) located at the Opp 4 Raymond Buildings according to the following specifications:

- Clean to remove all dead, diseased and broken branches 2 centimetres in diameter and larger throughout crown to improve health and appearance and reduce risk of branch failure.
- Thin crown to remove approximately 20% of live branches to provide branch definition. Most thinning cuts will be between 2 and 3 centimetres in diameter.

Prune London Plane (611) (ID# 3) located at the Head of Ped Wlk according to the following specifications:

- Reduce lateral on west side of main stem by approximately 2-2.5 metres to reduce risk of branch failure

Prune Silver Maple (614) (ID# 4) located at the Lawn Stone Chambers according to the following specifications:

- Clean to remove all dead, diseased and broken branches 2 centimetres in diameter and larger throughout crown to improve health and appearance and reduce risk of branch failure.
- Reduce crown height and spread by approximately 2-2.5 metres to reduce risk of branch or stem failure.

Prune London Plane (615) (ID# 5) located at the Rear of Atkin Building according to the following specifications:

- reduce by 4m in height and 2m in lateral spread to all cardinal points, back to suitable secondary growth points in order to reduce crown sail over weakened base.

Prune Red Maple (616) (ID# 5) located at the R/O Atkin Buildings according to the following specifications:

- Clean to remove all dead, diseased and broken branches 2 centimetres in diameter and larger throughout crown to improve health and appearance and reduce risk of branch failure.
- Reduce west side of crown by approximately 1-1.5 metres to enhance natural form.

Prune London Plane (619) (ID# 6) located at the On Bank R/O Raymond Building according to the following specifications:

- Clean to remove all dead, diseased and broken branches 2 centimetres in diameter and larger throughout crown to improve health and appearance and reduce risk of branch failure.
- Reduce west side of main stem by approximately 3-3.5 metres to reduce risk of branch or stem failure.

Prune Hornbeam (622) (ID# 7) located at the (End of Raymond) according to the following specifications:

- Clean to remove all dead, diseased and broken branches 2 centimetres in diameter and larger throughout crown to improve health and appearance and reduce risk of branch failure.

Prune False Acacia (625) (ID# 8) located at the North of Raymond Building according to the

following specifications:

- Clean to remove all dead, diseased and broken branches 2 centimetres in diameter and larger throughout crown to improve health and appearance and reduce risk of branch failure.

Prune London Plane (629) (ID# 9) located at the Upper Bank according to the following specifications:

- Clean to remove all dead, diseased and broken branches 2 centimetres in diameter and larger throughout crown to improve health and appearance and reduce risk of branch failure.
- Reduce crown height and spread by approximately 4-4.4 metres to reduce risk of branch, stem and/or root failure.

Prune London Plane (641) (ID# 10) located at the Gravel area/seat according to the following specifications:

- Clean to remove all dead, diseased and broken branches 2 centimetres in diameter and larger throughout crown to improve health and appearance and reduce risk of branch failure.
- Reduce crown height and spread by approximately 2-2.5 metres to reduce risk of branch, stem and/or root failure.

Prune London Plane (642) (ID# 11) located at the West lawn according to the following specifications:

- Clean to remove all dead, diseased and broken branches 2 centimetres in diameter and larger throughout crown to improve health and appearance and reduce risk of branch failure.
- Reduce western co-dominant stem and spread by approximately 6-6.4 metres to reduce risk of branch or stem failure.

Prune Red Oak (649) (ID# 12) located at the Main Avenue according to the following specifications:

- Clean to remove all dead, diseased and broken branches 2 centimetres in diameter and larger throughout crown to improve health and appearance and reduce risk of branch failure.

Prune Red Oak (650) (ID# 13) located at the Main Ave according to the following specifications:

- Clean to remove all dead, diseased and broken branches 3 centimetres in diameter and larger throughout crown to improve health and appearance and reduce risk of branch failure.
- Reduce western section of crown by approximately 2-2.5 metres to enhance natural form.

Prune Red Oak (661) (ID# 14) located at the Main Ave according to the following specifications:

- Clean to remove all dead, diseased and broken branches 2 centimetres in diameter and larger throughout crown to improve health and appearance and reduce risk of branch failure.

Prune Red Oak (663) (ID# 15) located at the Main Ave according to the following specifications:

- Clean to remove all dead, diseased and broken branches 2 centimetres in diameter and larger throughout crown to improve health and appearance and reduce risk of branch failure.

Prune London Plane (677) (ID# 16) located at the Adj main gate according to the following specifications:

- Clean to remove all dead, diseased and broken branches 2 centimetres in diameter and larger throughout crown to improve health and appearance and reduce risk of branch failure.

Remove all visible stem girdling roots from the London Plane (677) (ID# 16) located at the Adj main gate to prevent further damage to the plant.

Prune Crabapple (916) (ID# 17) located at the Lawn Area according to the following specifications:

- Clean to remove all dead, diseased and broken branches 2 centimetres in diameter and larger throughout crown to improve health and appearance and reduce risk of branch failure.

Prune Indian Bean Tree (922) (ID# 19) located at the lawn area according to the following specifications:

- Clean to remove all dead, diseased and broken branches 2 centimetres in diameter and larger throughout crown to improve health and appearance and reduce risk of branch failure.
- Reduce crown height and spread by approximately 1-2 metres to reduce risk of branch, stem and/or root failure.

Prune Hawthorn (924) (ID# 20) located at the Shrub area according to the following specifications:

- Reduce crown height and spread by approximately 1.75-2 metres to reduce risk of branch, stem and/or root failure.

Cut down the declining Purple Leaf Plum (925) (ID# 21) located at the Shrub area. Leave stump as close as grade as possible.

Prune Magnolia (921) (ID# 18) located at the Lawn Area according to the following specifications:

- Reduce crown height and spread by approximately 2-2.5 metres to enhance natural form.

Prune London Plane x 8 group (ID# 23) located at the Field Court according to the following specifications:

- Reduce height and spread of tree to approximately 4 metres to begin the annual pollarding process.

Dismantle the declining London Plane (932) (ID# 22) located at the Field Court. Leave stump as close as grade as possible and treat stump. Remove resulting debris

