

8th January 2015

Our Ref: MJ/MB/12.01.017a

Greig-Ling Consultancy Engineers
Studio 5
49-59 Old Street
London
EC1V 9HX

Slapton Hill Barn
Blakesley Road,
Slapton, Towcester,
Northamptonshire. NN12 8QD
Tel:- (01327) 860060
Fax:- (01327) 860430
Email:- info@listersgeotechnics.co.uk
Web:- www.listersgeotechnics.co.uk

For the attention of Mr Graham Ling

Dear Graham

Supplementary Groundwater Monitoring – 8 Pilgrams Lane, London, NW3 1SL

Introduction

Supplementary groundwater monitoring has been undertaken at the above site by Listers Geotechnical Consultants.

This supplementary groundwater monitoring has been requested to ascertain the depth to groundwater as part of the Planning Appeal for the proposed development.

Groundwater Monitoring Results

The results of the groundwater monitoring undertaken to date are shown below together with the results of the groundwater monitoring undertaken as part of the previous investigation.

Date	Test Location	Groundwater level (bgl)
29/03/2012	BH1	2.43
	BHA1	1.99
	BHA3	2.98
	BHA4	2.54
10/04/2012	BH1	2.42
	BHA1	1.94
	BHA3	2.70
	BHA4	2.53
22/07/2014	BH1	Covered with building materials
	BHA1	2.27
	BHA3	1.90
	BHA4	2.43
18/12/2014	BH1	2.13
	BHA1	1.83
	BHA3	1.59
	BHA4	1.97

Further groundwater monitoring may be undertaken on request.

Yours sincerely,



Matt Johnston BSc (Hons), FGS
LISTERS GEOTECHNICAL CONSULTANTS

REGISTERED OFFICE, TRADING ADDRESS & LABORATORIES:
Slapton Hill Barn, Blakesley Road, Slapton, Towcester, Northamptonshire. NN12 8QD
Company No:- 06294866 VAT Reg No:- 623 9276 28



MANAGING DIRECTOR
Dr Mark Cowley B.Sc, M.Sc, Ph.D, M.C.S.M, F.G.S, C.Geol, C.Sci
DIRECTORS
Murray Bateman B.Sc(Hons), M.Sc, D.I.C, F.G.S, C.Geol
Amanda David B.Sc(Hons), M.Sc, F.G.S
Mark Thornton Laboratory Manager
Ian Evetts M.Sc, H.N.C, F.G.S
PRACTICE MANAGER
Catherine Newman