

Email: planning@camden.gov.uk

Phone: 020 7974 4444 Fax: 020 7974 1680 Development Management Camden Town Hall Extension Argyle Street London WC1H 8EQ

Application for Planning Permission and consent to display advertisement(s). Town and Country Planning Act 1990 Town and Country Planning (Control of Advertisement) Regulations 2007

Publication of applications on planning authority websites.

Please note that the information provided on this application form and in supporting documents may be published on the Authority's website. If you require any further clarification, please contact the Authority's planning department.

| 1. Applicant Na | ame, Address and Contact Details | | | | |
|---------------------|---|-----------------------|--|--------------------|---------------------|
| Title: Mr | First name: Sean | Surname: Far | rell | | |
| Company name | The Boot Tree Ltd | | | | |
| Street address: | 1 Addison Bridge Place | | Country Code | National Number | Extension Number |
| | | Telephone number: | | | |
| | | Mobile number: | | | |
| Town/City | London | Face manufacture | | | |
| County: | London | Fax number: | | | |
| Country: | | Email address: | | | |
| Postcode: | W14 8XP | | | | |
| Are you an agent a | cting on behalf of the applicant? Yes (| No | | | |
| | ere submitted for this application | | | | |
| - | · | | | | |
| | proposed development including any change of use: g shoe shop. Changing the front door and cosmetic chnages to the i | nterior. | | | |
| Has the building, w | ork or change of use already started? • Yes • | No If Yes, please sta | ate the date wher ork, or use started | n I: | 09/02/2015 |
| Has the building, w | ork or change of use been completed? Yes • | No | | | |
| 4. Site Address | Details | | | | |
| Full postal address | of the site (including full postcode where available) | Description: | | | |
| House: | 70 Suffix: | | | | |
| House name: | | | | | |
| Street address: | Neal Street | | | | |
| | | | | | |
| Town/City: | London | | | | |
| County: | Camden | | | | |
| Postcode: | WC2H 9PA | | | | |
| | ion or a grid reference d if postcode is not known): | | | | |
| Easting: | 530117 | | | | |
| Northing: | 181220 | | | | |

| Has assistance or prior advice been sought from the local | authority about this application? | ○ Yes ● No | | | | | |
|---|---|--|----------------------|--|--|--|--|
| 6. Pedestrian and Vehicle Access, Roads and | d Rights of Way | | | | | | |
| Is a new or altered vehicle access proposed to or from the public highway? Yes No | | | | | | | |
| s a new or altered pedestrian access proposed to or from the public highway? | | | | | | | |
| Are there any new public roads to be provided within the site? Yes No | | | | | | | |
| Are there any new public rights of way to be provided within or adjacent to the site? Yes No | | | | | | | |
| Do the proposals require any diversions/extinguishments and/or creation of rights of way? Yes No | | | | | | | |
| Do the proposals require any diversions/extinguishments | and/or creation or rights or way: | O les (NO | | | | | |
| 7. Waste Storage and Collection | | | | | | | |
| Do the plans incorporate areas to store and aid the collect | tion of waste? | es No | | | | | |
| Have arrangements been made for the separate storage a | and collection of recyclable waste? | | | | | | |
| 8. Authority Employee/Member | | | | | | | |
| With respect to the Authority, I am: (a) a member of staff (b) an elected member (c) related to a member of staff (d) related to an elected member | Do any of these statements apply to y | ou? Yes • No | | | | | |
| 9. Materials | | | | | | | |
| Please state what materials (including type, colour and na | ıme) are to be used externally (if appli | cable): | | | | | |
| Please state what materials (including type, colour and name) are to be used externally (if applicable): Windows - description: | | | | | | | |
| Description of existing materials and finishes: | | | | | | | |
| Clear Glass Clear Glass | | | | | | | |
| Description of <i>proposed</i> materials and finishes: Clear Glass | | | | | | | |
| Doors - description: Description of existing materials and finishes: | | | | | | | |
| Timber | | | | | | | |
| Description of <i>proposed</i> materials and finishes: | | | | | | | |
| Timber Are you supplying additional information on submitted p | lan(s)/drawing(s)/design and access s | tatement? | ♠ Vos. ○ No. | | | | |
| | Are you supplying additional information on submitted plan(s)/drawing(s)/design and access statement? Yes No Yes No | | | | | | |
| 70 Proposed Shopfront as Submitted to Camden | <u> </u> | | | | | | |
| 10. Vehicle Parking | | | | | | | |
| Please provide information on the existing and proposed | number of on-site parking spaces: | | | | | | |
| Type of vehicle | Existing number of spaces | Total proposed (including spaces retained) | Difference in spaces | | | | |
| Cars | 0 | 0 | 0 | | | | |
| Light goods vehicles/public carrier vehicles | 0 | 0 | 0 | | | | |
| Motorcycles | 0 | 0 | 0 | | | | |
| Disability spaces | 0 | 0 | 0 | | | | |
| Cycle spaces | 0 | 0 | 0 | | | | |
| Other (e.g. Bus) Short description of Other | 0 | 0 | 0 | | | | |
| Short description of Other | | | | | | | |
| | | | | | | | |

5. Pre-application Advice

| 11. Foul Sewage | | | |
|--|------------------|---|----------------------|
| Please state how foul sewage is to be disposed of: | | | |
| Mains sewer Package treatment plant | | Unknown | \boxtimes |
| Septic tank Cess pit | | | |
| Other | | | |
| | | | |
| Are you proposing to connect to the existing drainage system? | es No | Unknown | |
| 12. Assessment of Flood Risk | | | |
| Is the site within an area at risk of flooding? (Refer to the Environment Agency's Floo flood zones 2 and 3 and consult Environment Agency standing advice and your loca requirements for information as necessary.) | | ority Yes • No | |
| If Yes, you will need to submit an appropriate flood risk assessment to consider the r | isk to the propo | sed site. | |
| Is your proposal within 20 metres of a watercourse (e.g. river, stream or beck)? | | Yes No | |
| Will the proposal increase the flood risk elsewhere? Yes No | | | |
| How will surface water be disposed of? | | | |
| Sustainable drainage system Main sewer | | Pond/lake | |
| Soakaway Existing wat | ercourse | | |
| | | | $\overline{}$ |
| 13. Biodiversity and Geological Conservation | | | |
| To assist in answering the following questions refer to the guidance notes for further or geological conservation features may be present or nearby and whether they are | | | ortant biodiversity |
| Having referred to the guidance notes, is there a reasonable likelihood of the followi on land adjacent to or near the application site: | ng being affecto | ed adversely or conserved and enhanced within the | application site, OR |
| a) Protected and priority species | | | |
| Yes, on the development site Yes, on land adjacent to or near to | he proposed de | velopment No | |
| b) Designated sites, important habitats or other biodiversity features | | | |
| Yes, on the development site Yes, on land adjacent to or near t | he proposed de | velopment No | |
| c) Features of geological conservation importance | | | |
| Yes, on the development site Yes, on land adjacent to or near ti | he proposed de | velopment (•) No | |
| | | | === |
| 14. Existing Use | | | |
| Please describe the current use of the site: Shoe Shop | | | |
| Is the site currently vacant? Yes No | | | |
| If Yes, please describe the last use of the site: | | | |
| Shoe Shop | - | | |
| When did this use end (if known) (DD/MM/YYYY)? Does the proposal involve any of the following? If yes, you will need to submit an appropriate contamination assessment with your a | pplication. | | |
| Land which is known to be contaminated? Yes No | | | |
| Land where contamination is suspected for all or part of the site? | Yes No | | |
| A proposed use that would be particularly vulnerable to the presence of contaminat | ion? | Yes No | |
| 15. Trees and Hedges | | | |
| Are there trees or hedges on the proposed development site? | es No | | |
| And/or: Are there trees or hedges on land adjacent to the proposed development sit development or might be important as part of the local landscape character? | e that could inf | uence the Yes • No | |
| If Yes to either or both of the above, you <u>may</u> need to provide a full Tree Survey, at the | ne discretion of | | uired, this and the |
| accompanying plan should be submitted alongside your application. Your local plan accordance with the current 'BS5837: Trees in relation to design, demolition and con | ning authority | should make clear on its website what the survey sh | |
| 16. Trade Effluent | | | |
| Does the proposal involve the need to dispose of trade effluents or waste? | | Yes • No | |

| 17. Residential Units | | | | | | | | | |
|--|---|---------------------------|-------------|---|-----------------|----------|----------|---------|--|
| Does your proposal include the gain or loss of residential units? Yes No | | | | | | | | | |
| 18. All Types of Development: | Non-residential Flo | oorspace | | | | | | | |
| Does your proposal involve the loss, gair | n or change of use of nor | n-residential floorspace? | | | ○ Yes • | No | | | |
| 19. Employment | | | | | | | | | |
| If known, please complete the following | information regarding e | mployees: | | | | | | | |
| | Full-time | Part-time | | | Equivalent numb | er of fu | ıll-time | | |
| Existing employees | 9 | 0 | | | 0 | | | | |
| Proposed employees | 9 | 0 | | | 0 | | | | |
| 20. Hours of Opening If known, please state the hours of openi | ng (e.g. 15:30) for each n | on-residential use propo | osed: | | | | | | |
| Use Monday to Frida | | | | | | | | | |
| Start Time End A1 10:00:00 | | | | 1 | |] | | KIIOWII | |
| 10.00.00 | 17.00.00 | 10.00.00 | 17.00.00 | | 12.00.00 | | 17.00.00 | | |
| 21. Site Area What is the site area? 100 | sq.metres | | | | | | | | |
| type of machinery which may be installed Air Conditioning | Please describe the activities and processes which would be carried out on the site and the end products including plant, ventilation or air conditioning. Please include the type of machinery which may be installed on site: Air Conditioning Is the proposal for a waste management development? Yes No | | | | | | | | |
| 23. Hazardous Substances Is any hazardous waste involved in the p | roposal? | ◯ Yes ⑤ No | | | | | | | |
| Please describe the proposed Advertisem 1. Fascia Sign - powder-coated aluminium metal lettering, fixed back to existing fac brackets and illuminated from above by 2. Projecting Sign – powder-coated aluminated lettering, fixed to concrete lintel or non-illuminated. 3. Pilasters – new plywood boxing with not house external lockable letterbox, to not cladding to existing pilaster on right side charcoal paint finish. 4. Column - existing stone-clad column to slats, to match door treatment. 5. Entrance – new curved sliding door in applied timber slats on the outer face, to replace existing door. Existing wooden power casings and painted satin-matt black. 6. Fascia – existing metal bulkhead to be pilaster finish. How many of the following type of adversarial sign(s) 1 Project | ment(s): m box, with pinned-off ia panel on steel linear LED strip light. inium box with pinnedo n steel brackets and metal skin to be formed match folded metal to be clad in timber glazed sections with be fabricated to osts to be clad in metal re-finished to match | | Hoarding(s) | 0 | Other | 0 | | | |
| | | | | | | | | | |

| 25. Location of Advertisement(s) |
|--|
| Is the advertisement(s) you are applying for already in place? Yes No |
| Is an existing advertisement(s) to be removed and replaced by the advertisement(s) in this proposal? Yes No Not Applicable |
| If Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or photograph(s). |
| Will the proposed advertisement(s) project over a footpath or other public highway? • Yes • No |
| 26. Advertisement(s) Period |
| Please state the period of time for which consent is sought for the advertisement |
| From: 14/04/2015 To: 14/04/2025 |
| 27. Interest in the Land |
| Does the applicant own the land or buildings where the adverts are to be placed? Yes No |
| If No, has the permission of the owner or any other person entitled to give permission for the display of an advertisement been obtained? Yes No |
| 28 (a). Details of Proposed Advertisement(s) - Fascia Sign |
| What is the height from the ground to the base of the advertisement (in metres)? |
| What is the maximum projection of the advertisement from face of building (in metres)? |
| What are the dimensions of the proposed advertisement? Height: 0.700 x Width: 1.800 x Depth: 0.550 metres |
| What materials will the sign be made of? 1. Fascia Sign - powder-coated aluminium box |
| What is the maximum height of any of the individual letters and symbols (in centimetres)? 20.000 cm |
| The colour of text and background: |
| Text:Black, Background:Grey |
| Will the sign be illuminated? • Yes • No |
| Will the sign be illuminated internally or externally? Illuminance Levels: Cd/m Externally |
| Will the illumination be static or intermittent? Static Intermittent |
| 28 (b). Details of Proposed Advertisement(s) - Hanging Sign |
| What is the height from the ground to the base of the advertisement (in metres)? 2.700 m |
| What is the maximum projection of the advertisement from face of building (in metres)? 0.700 m |
| What are the dimensions of the proposed advertisement? Height: 0.500 × Width: 0.700 × Depth: 0.100 metres |
| What materials will the sign be made of? |
| powder-coated aluminium box |
| What is the maximum height of any of the individual letters and symbols (in centimetres)? O.200 cm |
| Black Text, Grey Background |
| Will the sign be illuminated? Yes • No |
| 29. Site Visit |
| Can the site be seen from a public road, public footpath, bridleway or other public land? |
| If the planning authority needs to make an appointment to carry out a site visit, whom should they contact? (Please select only one) |
| The agent • The applicant Other person |
| |

| freehold intere | pplicant certifie est or leasehold in | s that on t | Certifica ntry Planning (Development Mana he day 21 days before the date of th he at least 7 years left to run) of any pa Iding ("agricultural holding" has the | is application nob rt of the land to wh | re) (England ody except m nich the appli | d) Order 2010 Certifingself/the applicant was cation relates, and the | as the ow at none of | ner <i>(own</i> f the land | ner is a person with a I to which the application |
|-----------------|--|-------------|---|--|--|---|-------------------------|-------------------------------|--|
| Title: Mr | Firs | t name: | Robert | | Surname: | Lusk | | | |
| Person role: | Applicant | | Declaration date: | 23/02/2015 | | \boxtimes | Declarat | ion made | 2 |
| additional info | pply for plannin ormation. I/we c | confirm tha | ion/consent as described in this forr at, to the best of my/our knowledge s of the person(s) giving them. | | , , , | • | \boxtimes | Date | 23/02/2015 |