











100
10
0
Millimetres

	MENS	HIGHGATE 1	VIADUCT	MIXED	HAMPSTEAD 1	MODEL BOATING
DEPTH TO SOFTBED	0-700	NA	NA	800	NA	NA
DEPTH TO HARDBED	700-1200	0-1500	400-1500	1000-1500	0-1000	700
LENGTH OF EDGE	114m	25m	25m	56m	82m	331m



SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION

In addition to the hazards/risks normally associated with the types of work detailed on this drawing, note the following:

CONSTRUCTION
- NO MANUAL HANDLING OF ROCK ROLLS (ITEMS >25KG).
- DEEP WATER >1M CONDITIONS, COMBINED WITH SOFT POND BED SEDIMENTS, ARE LIKELY TO BE ENCOUNTERED IN PROXIMITY TO WORKING AREA REQUIRED TO CREATE THE WETLAND PLANTING FEATURES.
- POND WATER LEVELS MAY RISE RAPIDLY DURING AND AFTER RAINFALL.

MAINTENANCE/CLEANING
- CARE SHOULD BE TAKEN NOT TO DAMAGE WETLAND PLANTS WHILST UNDERTAKING ROUTINE MAINTENANCE OF THE CHANNEL AND SCRAPES E.G. WEEDING OF DELETERIOUS SPECIES AND LITTER REMOVAL.

DECOMMISSIONING/DEMOLITION

It is assumed that all works will be carried out by a competent contractor working, where appropriate, to an approved method statement

NOTES

- ALL MEASUREMENTS IN MILLIMETRES AND LEVELS IN mAOD UNLESS OTHERWISE STATED.
- REFER TO INDIVIDUAL POND RESTORATION GENERAL ARRANGEMENTS FOR LOCATION AND EXTENT OF SPECIFIC EDGE DETAILS.
- ALL FIXED EDGE TYPES TO BE FINISHED 100mm BELOW POND TOP WATER LEVEL (TWL) AS SPECIFIED, UNLESS STATED OTHERWISE.
- ALL PLANTING PLATFORM AREAS CREATED THROUGH PLACEMENT OF DREDGED SEDIMENT FILL AND/OR LOCAL BED REPROFILING. ALL PLANTING PLATFORMS TO BE FREE OF DELETERIOUS MATERIAL.
- FENCING TO BE INSTALLED TO PROTECT ALL NEWLY PLANTED POND MARGINS. SEE DRAWING 5117039-ATK-ZZ-DR-L-7251 FOR DETAIL.
- POND BED AND BANK LEVELS AND BANK PROFILES VARY.
- EACH 2m x 1m COIR PALLET IS TO BE SECURED WITH 8No. BIODEGRADABLE 300 LONG WOODEN PEGS, BEING 6No. AT 1m CENTRES AROUND THE OUTSIDE OF THE PALLET AND 2No. IN THE HALF CENTRES.
- IN ADDITION COIR PALLETS TO BE SECURED BY USE OF COIR ROPE TIED TO TOPS OF STRAINING AND/OR SUPPORT STAKES OR WOODEN PEGS (TYPE 5 ONLY).

2- DETAIL NUMBER OR ELEVATION, SECTION LETTER.
P9-7501- SHORTENED DRAWING NUMBER REFERENCE (5117039-ATK-P9-ZZ-DR-L-7501).

C1	11/12/2014	FOR CONSTRUCTION	JEK	IPM	MJV
P2	24/10/14	FOR COSTING, ISSUED SUBJECT TO FINAL REVIEW BY PANEL ENGINEER	-	-	-
P1	03/10/2014	FIT FOR COSTING	GJB	MJV	-

FOR CONSTRUCTION **A**

ATKINS
Woodcote Grove
Ashley Road
Epsom
Surrey
KT18 5BW
Tel: +44 (0)1372 726140
Fax: +44 (0)1372 740055
www.atkinsglobal.com

Client
City of London Corporation

Project Title
HAMPSTEAD HEATH PONDS PROJECT

Drawing Title
POND RESTORATION TYPICAL DETAILS

Scale	Designed	Drawn	Checked	Authorised
AS SHOWN	MJV	GJB	MJV	-
Original Size	Date	Date	Date	Date
A1	-	-	-	-

Drawing Number
5117039-ATK-ZZ-DR-L-7250
Revision
C1