



Weathered upstand and flashings against building beyond - refer to separate details

Single-Ply Membrane roof covering, insulation and Vapour Barrier - J42/110

18mm WBP plywood roof deck - K11/515

Furrings at max. 400 centres to form roof falls

Rigid Insulation - P10/186

Double joists aligned over head of opening

Secondary joists suspended below roof joists above porch to engineer's detail to support brick slip soffit

Prefabricated brick slip soffit cladding - F30/820

Brick slips to soffit cladding cut from facing bricks as F10/110

Silicone sealant on backing bead

Top of steel level
53.090

200 x 50 joists at max. 400 centres to structural engineer's details

Timber packers below structure to support head fixings to door/screen

Ceiling level
52.725

Plasterboard Suspended Ceiling System - K10/236

Hardwood Glazed Screen and Door - refer to Door Schedule

GENERAL NOTES

- This drawing is the copyright of Haines Phillips Architects.
- Do not scale from this drawing. Use figured dimensions only.
- This drawing must not be used for land transfer purposes, or for construction purposes unless accompanied by an Architect's Instruction.

FILE REFERENCE
Stage F Sections 3

DRAWING ISSUE STATUS

ISSUE	STATUS	COMMENT
SK	SKETCH	
P	PRELIMINARY	For comment and review
PL	PLANNING	Planning/Listed Building Application
T	TENDER	For pricing purposes only
C	CONSTRUCTION	For procurement & construction
AB	AS-BUILT	Record drawings on completion
L	LEGAL	Conveyancing or other legal purposes

REVISIONS

REV	DATE	NOTES
1	01/2015	Preliminary Issue.
2	9/3/15	Detail updated and spec. ref's added. Issued for Billing.

HAINES PHILLIPS ARCHITECTS

Tankerton Works
12 Argyle Walk
London WC1H 8HA
t 020 7833 9324
f 020 7837 2864
e office@hainephillips.co.uk

JOB TITLE
LAUDERDALE HOUSE
Highgate N6 5HG

DRAWING TITLE
Head Detail
Door DG.11

DRAWN ED **DATE** 01/2015
SCALE 1:5 @ A3
JOB NR 3712 **DRAWING NR** D 506 **ISSUE** P **REV** 2

1 DG.11 Head Detail
D 506 Scale: 1:5