
WHEELCHAIR ACCESSIBLE LAYOUT FOR UNIT AG.01 (1 BED 2 PERSON)

- 1. DWELLING HAS BEEN DESIGNED ON ONE LEVEL.
- 2.THE MAIN ENTRANCE DOOR IS 1010MM WITH A MIN CLEAR OPENING OF 900MM
- 3.THE ENTRANCE HALL WAY HAS A MANOEUVRING AREA OF 1800MM X 1800MM BEHIND THE ENTRANCE DOOR
- 4. A SPACE TO STORE AND CHARGE AN ELECTRIC WHEELCHAIR IS PROVIDED IN THE CIRCULATION AREA
- 5. ALL HALLS HAVE BEEN BUILT TO ACCOMMODATE AND FACILITATE 90 DEGREE
- 6. ALL DOORS IN ROOMS HAVE BEEN DESIGNED WITH 550MM CLEAR ON THE PULL SIDE AND MIN 300MM CLEAR ON THE PUSH SIDE
- 7. 1800MM TURNING SPACE HAS BEEN PROVIDED WITHIN THE KITCHEN SPACE AND THE LAYOUT HAS BEEN DESIGNED TO ALLOW FOR FLEXIBILITY OF THE
- 8. ALL BEDROOMS HAVE A 1200 X1200MM CLEAR SPACE TO ONE SIDE OF
- 9. BATHROOMS HAVE BEEN PROVIDED TO FACILITATE FRONTAL AND SIDE TRANSFER TO TOILETS.
- 10.WHEELCHAIR ACCESSIBLE BATHROOMS HAS A 1800X1800MM MANOEUVRING SPACE CLEAR OF ALL FITTING

SHOWER AREA OF 1400 X 1400MM)

- 11. IN ALL WHEELCHAIR ACCESSIBLE BATHROOMS A DRAINAGE GULLY IS TO BE PROVIDED TO FACILITATE THE INSTALLATION OF LEVEL ENTRY SHOWER (FOR A
- 12. SUITABLE CONSTRUCTION IS IN PLACE TO ALLOW FOR A CEILING HOIST WITHIN THE APARTMENT BETWEEN MAIN BEDROOM AND BATHROOM
- 13. WINDOWS ARE ALL OPERABLE FROM A SEATED POSITION. HANDLE TO BE NO HIGHER THAN 800MM FROM FFL.
- 14. DOOR WAYS LEADING TO EXTERNAL TERRACE AREAS PROVIDE ADEQUATE
- 15. DESIGNED TO CAMDENS WHEEL CHAIR HOUSING GUIDE 2013. CONTRACTOR IS RESPONSIBLE TO REFER TO THE DOCUMENT TO ENSUREGUIDELINES WITHIN THE DOCUMENT ARE MET.

LEVELS OF ACCESSIBILITY FOR A WHEEL CHAIR USER.



KEY RESIDUAL RISK KEY PLAN BLOCK B BLOCK A UNIT AG.03 - 2B3P davidmillerarchitects ACCESSIBLE/AFFORDABLE WWW.DAVID-MILLER.CO.UK 159-161 IVERSON 335 FOR INFORMATION ROAD, WEST DATE CHECKED APPROVED HAMPSTEAD, 1:50 @A1 12/08/14 KM DMA LONDON, NW6 2RB PROJECT ORIGIN ZONE LEVEL TYPE ROLE SEQ NO REV IVR DMA ALL GND GA A3 110 A

A Discharge of Condition 20