## Dike, Darlene

From: Sent: To: Subject: BCTAdmin@thameswater.co.uk 24 April 2015 16:35 Planning 3rd Party Planning Application - 2015/0642/P Apr 15

London Borough of Camden Camden Town Hall Argyle Street Euston Road London WC1H 8EQ Our DTS Ref: 38801 Your Ref: 2015/0642/P Apr 15

24 April 2015

Dear Sir/Madam

Re: 79 CAMDEN ROAD AND, 86 -100 ST. PANCRAS WAY, LONDON, NW1 9EU

Waste Comments

Thames Water have reviewed the documentation provided and agree to discharge Condition 21a & 21b.

Water Comments

## Supplementary Comments

The information submitted by the Local Authority show that the proposed piling works are outside of the exclusion zone for Thames Water assets and as such, negligable impact is expected as a result of the proposed piling works. However, the proposed sheet piling works are within the 3m exclusion zone of an existing sewer in Rochester Place. Therefore, these sheet piling works may only proceed with a buildover agreement in place, for which the Developer will be liable for any damage to Thames Water assets. With regards to the proposed piling works, conditions 21a and 21b can be discharged.

Yours faithfully Development Planning Department

Development Planning, Thames Water, Maple Lodge STW, Denham Way, Rickmansworth, WD3 9SQ Tel:020 3577 9998 Email: devcon.team@thameswater.co.uk This is an automated email, please do not reply to the sender. If you wish to reply to this email, send to devcon.team@thameswater.co.uk

Did you know you can manage your account online? Pay a bill, set up a Direct Debit, change your details or even register a change of address at the click of a button, 24 hours a day. Please visit www.thameswater.co.uk.

Thames Water Limited (company number 2366623) and Thames Water Utilities Limited (company number 2366661) are companies registered in England and Wales each with their registered office at Clearwater Court, Vastern Road, Reading, Berkshire RG1 8DB. This email is confidential and intended solely for the use of the individual to whom it is addressed. Any views or opinions presented are solely those of the author and do not necessarily represent those of Thames Water Limited or its subsidiaries. If you are not the intended recipient of this email you may not copy, use, forward or disclose its contents to any other person; please notify our Computer Service Desk on +44 (0) 203 577 8888 and destroy and delete the message and any attachments from your system.

We provide the essential service that's at the heart of daily life.