

SR



Development Control  
Planning Services  
London Borough of Camden  
Town Hall  
Argyle Street  
London WC1H 8ND

Tel 020 7278 4444  
Fax 020 7974 1975  
Textlink 020 7974 6866

env.devcon@camden.gov.uk  
www.camden.gov.uk/planning

**RECEIVED 15 OCT 2003**

TGN Architects  
39-51 Highgate Road  
London  
NW5 1RS

Application Ref: **2003/1593/P**  
Please ask for: **Grant Leggett**  
Telephone: 020 7974 5562

14 October 2003

Dear Sir/Madam

### **DECISION**

Town and Country Planning Acts 1990 (as amended)  
Town and Country Planning (General Development Procedure) Order 1995  
Town and Country Planning (Applications) Regulations 1992

### **Full Planning Permission Granted**

Address:  
**113 Regents Park Road London NW1 8UR**

Proposal:  
Creation of recess in pitched roof behind front parapet for installation of air conditioning units; alterations including installation of roller shutters in front of new and replaced windows.

Drawing Nos: Site Plan, 0316-P.A4-1A, 2A, 3A, 4

The Council has considered your application and decided to grant permission subject to the following condition(s):

#### **Condition(s) and Reason(s):**

- 1 The development hereby permitted must be begun not later than the end of five years from the date of this permission.

Reason: In order to comply with the provisions of Section 91 of the Town and Country Planning Act 1990 (as amended).

- 2 At 1 metre outside the windows of any neighbouring habitable room the level of noise from all plant and machinery shall be at all times at least 5 decibels below the



existing background noise levels, expressed in dB(A) at such locations. Where the noise from the plant and machinery is tonal in character the differences in these levels shall be at least 10 dB(A).


Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policies RE2, EN5, EN6 and DS6 of the London Borough of Camden Unitary Development Plan 2000.

- 3 No sound emanating from the use shall be audible within any adjoining premises between 2300 hrs and 0700 hrs.

Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policies RE2, EN5, EN6 and DS6 of the London Borough of Camden Unitary Development Plan 2000.

Your attention is drawn to the notes attached to this notice which tell you about your Rights of Appeal and other information.

Yours faithfully



Environment Department

(Duly authorised by the Council to sign this document)