

NOTES:

- NOTES:

  1. NOT FOR CONSTRUCTION
  Do not measure from this drawing.
  All dimensions are to be verified on site
  Please note that for any construction,
  demolition fitting, installation, ect pricing or
  costing, a detailed survey of the related works is
  to be taken
  2. This is an indicative proposal and subject to all
  statutory requirements and input from SE an ME
  engineers. This drawing is to be read in
  conjunction with all relevant architectural and
  engineer drawings andspecifications
  3. All dimensions are in meters unless otherwise
  specified
  4. All details are subject to uncovering of existing
  and review
  5. Contractor to ensure all components are
  installed in sitric accordance with manufacturers
  and suppliers recommendations for that fit for
  purpose, particularly roof and waterprofring
  components so that building is watertight
  6. All below ground waterprofring and drainage
  to be in accordance with specialist
  specifications.
  8. Gutter to be min 150mm x 100mm, continuously

REV.	DATE	COMMENTS

PROJECT: 106 Priory road

ARCHITECTURAL DRAWINGS

AP200

00

KOKORELIAARCHITECTS

PROPOSED LOWER GROUND FLOOR

APPROVED BY

DRAWN BY

5 M

0 M

1/100@A3

DATE: 27 APRIL 2015

5 M

0 M

NOTES:

- NOTES:

  1. NOT FOR CONSTRUCTION
  Do not measure from this drawing.
  All dimensions are to be verified on site
  Please note that for any construction,
  demolition fitting, installation, ect pricing or
  costing, a detailed survey of the related works is
  to be taken

  2. This is an indicative proposal and subject to all
  statutory requirements and input from SE an ME
  engineers. This drawing is to be read in
  conjunction with all relevant architectural and
  engineer drawings andspecifications

  3. All dimensions are in meters unless otherwise
  specified

  4. All details are subject to uncovering of existing
  and review

  5. Contractor to ensure all components are
  installed in strict accordance with manufacturers
  and suppliers recommendations for that fit for
  purpose, particularly rod and waterprofring
  components so that building is watertight

  6. All below ground waterprofring and drainage
  to be in accordance with specialist
  specifications.

  8. Gutter to be min 150mm x 100mm, continuously
  lined with waterprof material so that there are
  not joints within this area, so that gutter is
  waterprof and does not leak from overflow

  10. All plumbing, drainage, wiring and electrical
  works will be designed instelled and insecret by

REV.	DATE	COMMENTS

PROJECT: 106 Priory road NW6 3SN

CLIENT:

ARCHITECTURAL DRAWINGS

00

KOKORELIAARCHITECTS

AP201

DRAWING

PROPOSED ROOF

APPROVED BY

DRAWN BY

scale 1/100@A3 DATE: 27 APRIL 2015

APPROVED BY

1/100@A3 27 APRIL 2015

DRAWN BY

KOKORELIAARCHITECTS
14 ABERDARE GARDEN NW6 3PV TFI. I IK (MAA) 30750-577

NOTES:



0 M 1 M 5 M 10 M



NOTES:

- NOTES:

  1. NOT FOR CONSTRUCTION
  Do not measure from this drawing.
  All dimensions are to be verified on site.
  Please note that for any construction,
  demolition fitting, installation, ect pricing or
  costing, a detailed survey of the related works is
  to be taken
  2. This is an indicative proposal and subject to all
  statutory requirements and input from SE an ME
  engineers. This drawing is to be read in
  conjunction with all relevant architectural and
  engineer drawings andspecifications
  3. All dimensions are in meters unless otherwise
  specified
  4. All details are subject to uncovering of existing
  and review
  5. Contractor to ensure all components are
  installed in strict accordance with manufacturers
  and suppliers recommendations for that fit for
  purpose, particularly roof and waterprofing
  components so that building is watertight
  6. All below ground waterproofing and drainage
  to be in accordance with specialist
  specifications.
  8. Guttle to be min 150mm x 100mm continuously

REV.	DATE	COMMENTS

PROJECT: 106 Priory road

ARCHITECTURAL DRAWINGS

00

KOKORELIAARCHITECTS

AP211

PROPOSED REAR ELEVATION

APPROVED BY

DRAWN BY

1/100@A3

5 M

0 M

27 APRIL 2015

OM 1 M 5 M 10 M

## NOTES:

- NOT FOR CONSTRUCTION
   Do not measure from this drawing.
  All dimensions are to be verified on site
  Please note that for any construction,
  demolition fitting, installation, ect pricing or
  costing, a detailed survey of the related wo
- to be taken

  2 This is an indicative proposal and subject to all statutory requirements and input from SE an M engineers. This drawing is to be read in conjunction with all released prohibitorial and
- All dimensions are in meters unless othe specified
- All details are subject to uncovering of example and regions.
- Contractor to ensure all components are installed in strict accordance with manufacturer and suppliers recommendations for that fit for purpose, particularly roof and waterproofing components on that building is waterfield.
- All below ground waterproofing and drainage to be in accordance with specialist
- Gutter to be min 150mm x100mm, continuou lined with waterproof material so that there a not joints within this area, so that gutter is waterproof and does not look from quafficus.
- works will be designed, installed and inspected be a competent person authorized by the Secretary of State for the self-certification scheme (ie a member of the prescribed competence person scheme)

REV.	DATE	COMMENTS

PROJECT: 106 Priory road NW6 3SN

CLIENT:

ARCHITECTURAL DRAWINGS

00

AP212	
-------	--

DRAWING

PROPOSED SIDE ELEVATION

APPROVED BY

DRAWN BY

scale 1/100@A3

DATE: 27 APRIL 2015

KOKORELIAARCHITECTS
14 ABERDARE GARDEN INVISADY TEL I IN (MAAA) SONSOSSEY

M 1 M 5 M 10 M

## NOTES:

- NOT FOR CONSTRUCTION
   Do not measure from this drawing.
  All dimensions are to be verified on site
  Please note that for any construction,
  demolition fitting, installation, ect pricing or
  costing, a detailed survey of the related wo
  to be taken.
- costing, a detailed survey of the related works i to be taken

  2 This is an indicative proposal and subject to all statutory requirements and input from SE an M engineers. This drawing is to be read in
- All dimensions are in meters unless othe specified
- 4 All details are subject to uncovering of ea
- Contractor to ensure all components are installed in strict accordance with manufacturer and suppliers recommendations for that fit for purpose, particularly roof and waterproofing components on that building is waterfield.
- All below ground waterproofing and draina to be in accordance with specialist
- Gutter to be min 150mm x100mm, continuou lined with waterproof material so that there a not joints within this area, so that gutter is waterproof and does not look from writing.
- All plumbing, drainage, wining and electrical works will be designed, installed and inspected to a competent person authorized by the Secretary of State for the self-certification scheme (ie a member of the prescribed competence person scheme)

REV.	DATE	COMMENTS

PROJECT: 106 Priory road NW6 3SN

CLIENT:

ARCHITECTURAL DRAWINGS

AP213 OO

DRAWING

PROPOSED SIDE ELEVATION

APPROVED BY

DRAWN BY

TE: 27 APRIL 2015

KOKORELIAARCHITECTS
14 ABERDARE GARDEN INNG SPOT TEL 1 IR (INZA) 2075902577

## NOTES:

- NOTES:

  1. NOT FOR CONSTRUCTION
  Do not measure from this drawing.
  All dimensions are to be verified on site.
  Please note that for any construction,
  demolition fitting, installation, ect pricing or
  costing, a detailed survey of the related works is
  to be taken
  2. This is an indicative proposal and subject to all
  statutory requirements and input from SE an ME
  engineers. This drawing is to be read in
  conjunction with all relevant architectural and
  engineer drawings andspecifications
  3. All dreamisons are in meters unless otherwise
  specified
  4. All details are subject to uncovering of existing
  and review
  5. Contractor to ensure all components are
  installed in strict accordance with manufacturers
  and suppliers recommendations for that fit for
  purpose, particularly roof and waterprocing
  components so that building is wateright
  6. All below ground waterprocing and drainage
  to be in accordance with specialist
  specifications.
  6. Gutter to be min 150mm x 100mm, continuously
  lined with waterproci material so that there are
  not joints within this area, so that gutter is
  waterproof and does not leak from overflow
  10. All plumbing, drainage, wiring and electrical
  works will be designed integrated and inspected by

REV.	DATE	COMMENTS

PROJECT: 106 Priory road NW6 3SN

CLIENT:

ARCHITECTURAL DRAWINGS

00

Г.,	
RAWING NO	AP220

DRAWING

PROPOSED SECTION

APPROVED BY

DRAWN BY

1/100@A3 DATE: 27 APRIL 2015 KOKORELIAARCHITECTS

14 ABERDARE GARDEN NW6 3PY TEL LIK (100.4A1 00780.0270)