

Wall will be constructed on beam supported on two piles. First 1m of piles will be excavated by hand; if significant roots are found the pile location will be removed.

Tree roots are unlikely to be present. No excavation will be carried out.

Public Highway - No excavation within RPA.

Construction exclusion zone.

Plywood boxing to protect stem and buttresses.

Ground Protection throughout Construction. All operations by hand only.

NEW BRICK WALL APPROX 1600mm HIGH IN YELLOW LONDON STOCK TO MATCH EXISTING ON MINI PILE FOUNDATIONS

EXISTING OPENINGS BRICKED OVER IN YELLOW LONDON STOCK TO MATCH EXISTING



5m 10m


G3

T2

T1

G4

Symbol Guide



BS5837:2012 - Tree Category

- Category A Trees High Quality
- Category B Trees Moderate Quality
- Category C Trees Low Quality
- Category U Trees Poor Quality/Remove
- Construction exclusion zone
- Hand Dig
- No excavation zone
- Location of Protective Box

Client: Frank Benhamou

Agent: Stagg Architects

Date: March 2015

Scale: 1:100 @ A3

Project Name: 97 Belsize Lane, London

Drawing Title: Tree Protection Plan

Drawing Number: 150304-1.1-97BL-TPP-NK



Treework Environmental Practice
 Monarch House
 1-7 Smyth Road
 Bedminster
 Bristol
 BS3 2BX

Tel: 01172 440012
 Web: www.treeworks.co.uk
 e.mail: info@treeworks.co.uk