



NOTE:
TEMPORARY WALLING AND PROPPING TO SHEET PILES REQUIRED UNTIL BASE AND CAPPING BEAM ARE CAST.
PROPP TO BRACE BACK TO LOWER GROUND FLOOR SLAB OF EXISTING BUILDING AND IS TO BE DESIGNED FOR 60kN/m (UNFACTORED).
THE TEMPORARY WORKS DESIGN IS SUBJECT TO THE APPROVAL OF THE STRUCTURAL ENGINEER AND, AS SUCH, THE CONTRACTOR IS TO PROVIDE THE DESIGN AND CALCULATIONS FOR APPROVAL 1 WEEK IN ADVANCE OF THESE WORKS COMMENCING.

P1	18/03/15	PRELIMINARY ISSUE FOR COMMENT.	MDG
Rev:	Date:	Description:	Initials:
			
Tudor House 1-3 The Avenue Lightwater Surrey GU18 5RF			
Telephone: 01276 451888 Facsimile: 01276 451888			

Client : **ROYAL FREE LONDON
NHS FOUNDATION TRUST**

Project : **EMERGENCY GENERATOR (G4)**

Drawing Title :

**PROPOSED CROSS-SECTIONS
SHEET 2**

Scales : 1:50 @ A1 UOS			
Originated :	MDG	Date :	JAN 2015
Checked :	DW	Date :	JAN 2015
Drawing Number : 15-1011-ST-003			
Revisions :	P1	Status :	PRELIMINARY