

	Notes: - Do not scale from drawings unless by agreement with HTA. Use figured dimensions only. Check all dimensions on site prior to commencing the works. Drawing to be read in conjunction with other relevant consultant information This drawing is the copyright of HTA Architects Ltd. and must not be copied or reproduced in part, or in whole, without the express permission of HTA Architects Drawing to be read in conjunction with outline specification. Drawing Notes: - Legend: -
Tree type T3	
Tree stakes with tie at 750mm above ground Flexible perforated watering tube with integral cap Mature bark mulch circle to 50mm depth.	
Minimum 600mm topsoil backfill mixture as specified Min 50mm horticultural sand	
Minimum 200mm free draining inert fill to base Break up bottom of tree pit to 300mm depth	
300mm depth	A 19.05.15 VME External level amended - 13.04.15 VME Initial Issue revision date drawn description FOR COMMENT PRIMUS WILLING HAM TERTACE CAMAGEN NW5 2UY client / job name
	Landscape drawing title Details WTC AA 14-9702 A drawing number revisior job reference scale drawing PLL-WCC 1:10 @ A1 VMI Om 200mm 400mm 600mm 800mm 1m Image: Details 106-110 Kentish Town Road London UK NW1 9PX P(020) 7485 8555 E (020) 7485 1232 info@hta coulding Info@hta coulding Info@hta coulding