

From: Stephen Scrivener [REDACTED]  
Sent: 30 July 2015 20:56  
To: Planning  
Subject: Re: Comments on 2015/2811/P have been received by the council.

TWIMC

I notice that my comment does not appear on the website along with the others that have been made on the application. Is this because there is a delay in posting new comments?

Atb

Stephen

Sent from my iPad

> On 30 Jul 2015, at 08:09, <planning@camden.gov.uk>  
<planning@camden.gov.uk> wrote:  
>  
> Removal of this local parking facility is likely to result in further noise and disturbance in the streets in the immediate vicinity of Russell Court owing to the fact that vehicles serving the locality are likely to seek parking in the streets nearby, so as to readily load and unload goods, etc.  
>  
> The application does not make it clear how the storage of hazardous materials will be policed or prevented. Coupled with this weakness, whilst the proposal speaks of an access alarm, clarification is required as to what other alarms systems will be installed that would be capable of dealing with the combustion, etc., of such materials, should they be covertly stored in the facility.  
>  
> Whilst I am not against change of use as a matter of principle, overall, in its present form the application lacks sufficient detail to be assured that the material conditions of residents will not be adversely affected by change of use.  
>  
> Comments made by Professor Stephen AR Scrivener of Flat 86 Russell Court [REDACTED] Preferred  
> Method of Contact is Email  
>  
> Comment Type is Comment  
>  
>