### 2.8 Revised Scheme

# drawn by checked scale Author Checket: 250 @ A1


### **Revisions**

1


Relocated mobility shop to improve access into the unit

14045 AX\_(00)\_ 1201

# 2.9 Permitted Planning Scheme



### 2.10 Revised Scheme




### Revisions


- Lift overruns with required access as a result of detailed design.
- Stair re-configured as part of detailed design to ensure compliance with fire escape and accessibility requirements.
- Roof plant reconfiguration for kitchen extracts as a result of detailed design.
- A2 Levels change (350mm higher) overall to avoid clash with existing National Grid oil lines crossing site.

# 2.11 Permitted Planning Scheme

### 2.0 Building A

### 2.12 Revised Scheme





1 Updated Rooftop Plant

# 2.13 Permitted Planning Scheme

### 2.0 Building A

### 2.14 Revised Scheme





1


Updated Rooftop Plant

# 2.15 Permitted Planning Scheme

### 2.0 Building A

### 2.16 Revised Scheme






- 1 Updated Rooftop Plant
- Lift overruns with required access as a result of detailed design.
  - Stair re-configured as part of detailed design to ensure compliance with fire escape and accessibility requirements.

### 3.0 Area B

### 3.1 Permitted Planning Scheme



02 SOUTH ELEVATION

NOTES / SPECIFICATION

[H] POWDER COATED METAL WINDOW FRAMES

[C] POWDER COATED PRESSED METAL WINDOW SURROUNDS
[D] TRANSLUCENT GLAZED BALUSTRADE TO BALCONY
[E] PRECAST CONCRETE BALCONY UPSTAND

[A] PRECAST CONCRETE SPANDREI [B] LAPPED CLAY TILE CLADDING

[F] BRICKWORK

# 3.0 Building W3.2 Revised Scheme

### Revisions

- Lift overrun shown (omitted from approved drawings)
  Top of Lift Run: +55.430 AOD
- Windows moved to accommodate structure
- 3 Entrance recessed by 1200mm to comply with Lifetime Homes criterion 4
- 4) Door removed due to relocation of plant room
- 5 New metal louvred door added for plant access
- 6 Door amended to accommodate cycle store behind
- 7 Balcony width reduced to accommodate structure
- 8 New opening added to provide dual aspect for apartment overlooking viaduct.
- 9 Parapet Level increased by +300mm (+54.900M) to hide roof plant
- Glazing increased by 300mm on the top two floors.
  Increased glazing height: 2700mm
- Brick fencing wall replaced with metal railing
- New metal louvred fixed panel added for plant ventilation behind
- Balconies orientation reconfigured
  - Window enlarged to match the internal layout change
- Satellite dish locations maximum 1800mm diameter

