

Project Name
 42 Avenue Road

Project No.
 GWPR1330

Co-ords: -

Hole Type
 WLS

Location: Primrose Hill, London NW8 6HS

Level: -

Scale
 1:50

Client: Greenway Architects c/o Vincent & Rymill

Dates: 09/07/2015

Logged By
 SJM

Well	Water Strikes	Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
		Depth (m)	Type	Results				
		0.30	D		0.20		MADE GROUND: TARMAC/TYPE ONE	
		0.50	D		0.60		MADE GROUND: Brown clay fill with brick and frequent roots.	
		0.80	D				HEAD DEPOSITS: Orange/grey silty gravelly CLAY. Gravel is occasional, medium flints.	
		1.00	SPT	N=11 (2,3/ 2,3,3,3)	2.10			LONDON CLAY FORMATION: Brown/blue CLAY with silt pockets and occasional traces of fine roots.
		1.00	D					
		1.50	D					
		2.00	SPT	N=14 (2,2/ 3,3,4,4)				
		2.00	D					
		2.50	D					
		3.00	SPT	N=11 (2,2/ 2,3,3,3)				
		3.00	D					
		3.50	D					
		4.00	SPT	N=15 (3,3/ 4,4,3,4)				
		4.00	D					
		4.50	D					
		5.00	SPT	N=20 (4,4/ 5,5,5,5)				
		5.00	D					
		5.50	D					
	6.00	SPT	N=20 (5,5/ 5,5,5,5)	6.20		LONDON CLAY FORMATION: Brown CLAY with silt layers and tiny crystals.		
	6.00	D						
	6.50	D						
	7.00	SPT	N=23 (5,5/ 5,6,6,6)					
	7.00	D						
	7.50	D						
	8.00	SPT	N=21 (4,5/ 5,5,6,5)					
	8.00	D						
	8.50	D						
	9.00	SPT	N=18 (4,5/ 4,4,5,5)					
	9.00	D						
	9.50	D		9.60		LONDON CLAY FORMATION: Grey CLAY with silty pockets and		

Continued next sheet

Remarks: As drillers logs, subject to engineer review.
 Fine roots noted to 1.80m bgl. Traces of roots noted at 5.70m bgl.
 Water seepage noted at 4.30m bgl.



Project Name
 42 Avenue Road

Project No.
 GWPR1330

Co-ords: -

Hole Type
 WLS

Location: Primrose Hill, London NW8 6HS

Level: -

Scale
 1:50

Client: Greenway Architects c/o Vincent & Rymill

Dates: 09/07/2015

Logged By
 SJM

Well	Water Strikes	Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description	
		Depth (m)	Type	Results					
Well		10.00	SPT	N=22	15.45			occasional tiny crystals.	
		10.00	D	(5,5/ 5,6,5,6)					
		10.50	D						
		11.00	SPT	N=25					
		11.00	D	(5,6/ 6,6,6,7)					
		11.50	D						
		12.00	SPT	N=30					
		12.00	D	(5,5/ 6,7,8,9)					
		12.50	D						
		13.00	SPT	N=28					
		13.00	D	(5,6/ 6,7,7,8)					
		13.50	D						
		14.00	SPT	N=33					
		14.00	D	(5,5/ 7,8,9,9)					
		14.50	D						
		15.00	SPT	N=31					
		15.00	D	(6,6/ 6,7,8,10)					

Remarks: As drillers logs, subject to engineer review.
 Fine roots noted to 1.80m bgl. Traces of roots noted at 5.70m bgl.
 Water seepage noted at 4.30m bgl.

