

Strip of D.P.C. between
battens and blockwork.

25mm deep x 47mm
softwood battens.

72.5mm Kingspan Kooltherm
K18 insulated plasterboard
finished with 3mm skim.

Steel bracket at
apex of Arch fixed to
blockwork and timber
frame.

215mm 7KN dense
concrete blockwork.

20mm Polymer render.

Structural support to arched
openings above. Create brick
arch using timber centre or a
steel two-piece inverted 'T'.

Double glazed Clear Glass
within painted timber frame.
Frame to overlap block
work / lintel by min. 20mm
to avoid thermal bridging.

Drawings to be read in conjunction with Building
Regulation Notes 1123BB001 (Word document).

Drawings to be read in conjunction with Structural
Engineers drawings ref: 12.583 sheets 1-4.



Please note that all dimensions must be
checked on site and not scaled off this drawing

Preliminary

Planning

Building Regs.


Tender

Construction

As-built

| Rev. | Date | Revision |
|------|----------|----------------------------|
| A | 24-08-15 | Amendment to window frame. |
| B | 15-09-15 | Amendment to detailing. |
| | | |
| | | |

File Ref: 1123 - BB - Plans 31a.pln © Copyright



Scholar's House, Shottery Brook Office Park,
Timothy's Bridge Road, Stratford-upon-Avon,
Warwickshire, CV37 9NR
Tel: 01789 294 560
donald@ds-architects.demon.co.uk

Client
Gallery Zadah
Pension Fund

Project
Lithos House,
307 Finchley Road

Drawing Title

Detail 001 - Window Head

Scale
1:5
Drawing
size.
A4

Date
April 2015

Reference
No.
1123-BB-112
Rev.
B