



20mm Polymer render.

215mm 7KN dense concrete blockwork.

Strip of D.P.C. between battens and blockwork.

25mm deep x 47mm softwood battens.

72.5mm Kingspan Kooltherm K18 insulated plasterboard finished with 3mm skim.

Double glazed Part Acid Etched Glass within painted timber frame. Frame to overlap block work by min. 20mm to avoid thermal bridging.

Dummy window at GF Mezz level (lower).

Outside

SHS 80 x 80 x 5.0 column fixed to blockwork to Structural Engineers connection details.  
Inside

Drawings to be read in conjunction with Building Regulation Notes 1123BB001 (Word document).

Drawings to be read in conjunction with Structural Engineers drawings ref: 12.583 sheets 1-4.



Please note that all dimensions must be checked on site and not scaled off this drawing

Preliminary	
Planning	
Building Regs.	
Tender	
Construction	
As-built	

Rev.	Date	Revision
A	24-08-15	Amendment to window frame.
B	15-09-15	Amendment to detailing.

File Ref: 1123 - BB - Plans 31a.pln © Copyright



Scholar's House, Shotton Brook Office Park, Tel: 01789 294 560  
 Timothy's Bridge Road, Stratford-upon-Avon,  
 Warwickshire, CV37 9NR donald@ds-architects.demon.co.uk

Client	Gallery Zadah Pension Fund
Project	Lithos House, 307 Finchley Road

Drawing Title	Detail 003 - Window Jamb - Cycle Store
---------------	--

Scale	1:5	Drawing size.	A4
-------	-----	---------------	----

Date	May 2015
------	----------

Reference No.	1123-BB-118	Rev.	B
---------------	-------------	------	---