




WALLS:

	EXISTING WALLS & COLUMNS to be retained
	NEW PARTITIONS & WALL LININGS partitions to achieve minimum 30 minute fire rating
	NEW PARTITIONS partitions to achieve minimum 60 minute fire rating

NOTES:

- 01 MAKE GOOD EXISTING TIMBER WINDOWS existing timber window frames / moulding and existing door lining made good where required. allow for paint touch up and sanding redecoration. extent of works to be agreed with pret PM.
- 02 NEW 1100w ENTRANCE DOOR existing entrance bay removed to suit new 1100w door remove returns & build new to suit door setting out. new joinery to match existing detailing including posts and stall riser detailing
- 03 EXISTING ENTRANCE THRESHOLD STEP allow to retain existing threshold floor finish and make good as required on site. include to fit external grade non slip stainless steel visually contrasting nosing to step.
- 04 DDA ENTRANCE DOORBELL disabled compliant height identified with dda sign to allow staff to assist wheelchair with access temporary ramp . located within accessible location on shopfront
- 06 LIGHTWEIGHT PORTABLE DDA RAMP stored within rear store. to be placed externally by staff upon activation of disabled entrance bell.
- 07 EXISTING DOOR TO AKA OFFICES to be retained.

REVISIONS

A: seating revised. service duct riser within cosh cupboard size requirements by scuddair. boxing our central column increased to suit beam over. 1100w new entrance

B: scale 1:50 at A1. notes removed where not relevant to application.

C: furniture / equipment / floor finishes and notes related omitted

D: text numbers revised



PROJECT
★ PRET A MANGER ★

LOCATION
 117 Shaftesbury Avenue
 LONDON WC2H 8AD

TITLE
 proposed layout
 ground floor

DRAWING No.
 TD15-PM46-PL03.1

REVISION	DATE	SCALE @ A1
D	21.09.15	1:50

All dimensions to be confirmed on site by Contractor. Structural works to be confirmed by Structural Engineer. All elements to comply with statutory requirements.

Copyright Tanner Design Limited
 2b/4b Gosport Street Lymington Hampshire S041 9BE
 tel. 01590 689609 email. studio@tannerdesign.co.uk
 www.tannerdesign.co.uk

Tannerdesign