

REVISION DETAILS	DATE	DRW	CHK
A Planning Condition 2(C)	03.03.15	KM	DMA
B Query Response to Planners	24.06.15	KM	DMA
C Revised Key to include Updated Copper Cladding & Balcony Balustrades	07.09.15	KM	DMA
D Drawing Revised to Discharge Condition 2	09.10.15	KM	DMA
E Location of External Lights to Discharge Condition 21	19.10.15	KM	DMA



1 NORTH ELEVATION - PLANNING
1 : 100



EXTERNAL LIGHT FIXTURE

ITEM NO	OE-LED-WP-22
INTPU VOLTAGE	240V AC 50-60Hz
LED QTY	120 PCS LED SMD EPSTAR
WATTAGE	22W
LUMINOUS EFFICIENCY	70lm/W
IP RATING	IP65
LUMENS	1500lm
COLOUR TEMP	6000k
CRI	>80
FINISH	BLACK POLYCARBONATE BASE & OPAL DIFFUSER
SIZE	305 x 255 x 101 mm
LIFETIME	50,000hrs
ENERGY SAVING	68%




EXTERNAL LIGHT FITTING



2 EAST ELEVATION - PLANNING
1 : 100

KEY RESIDUAL RISK

KEY PLAN



ORIGINATOR	DRAWING TITLE		
David Miller Architects WWW.DAVID-MILLER.CO.UK	NORTH & EAST ELEVATIONS		
JOB TITLE	JOB NO	STATUS	
159-161 IVERSON ROAD, WEST HAMPSTEAD, LONDON, NW6 2RB	335	FOR INFORMATION	
SCALE	DATE	CHECKED	APPROVED
1 : 100 @A1	03.03.15	KM	DMA
PROJECT	ORIGIN	ZONE	LEVEL
IVR	DMA	ALL	ELE
			GA
			A3
			800
			E

