



**CURTAIN WALL**  
KAWNEER AA100 MULLION DRAINED

**PRODUCT COLOUR:**  
MULLIONS: AKZO NOBEL: SILBIZG / RAL: 7024 MATT FINISH (30% GLOSS LEVEL) 60 MICRONS  
PICTURE FRAMES: GOLD GONDAR 2625 (INTERPON D2625 - YV106) 60 MICRONS

**MASTIC COLOUR:**  
BLACK

**GLAZING:**  
**OUTER PANE:** 8mm PUKINGTON SUNCOOL 70/40 TOUGHENED  
**CAVITY:** 16mm BLACK WARM EDGE SPACER ARGON GAS FILLED  
**INNER PANE:** 10mm CLEAR TOUGHENED  
**LINE LOAD:** 0.74KN/m  
**UNIFORM LOAD:** 1.0KN/m<sup>2</sup>  
**CONCENTRATED LOAD:** 0.5KN

**OUTER PANE:** 8mm PUKINGTON SUNCOOL 70/40 TOUGHENED  
**CAVITY:** 16mm BLACK WARM EDGE SPACER ARGON GAS FILLED  
**INNER PANE:** 10mm CLEAR ANNEALED LAMINATED  
**LINE LOAD:** 0.74KN/m  
**UNIFORM LOAD:** 1.0KN/m<sup>2</sup>  
**CONCENTRATED LOAD:** 0.5KN

**OUTER PANE:** 8mm CLEAR TOUGHENED COMPLETE WITH PRINTED ARTWORK TO FACE 2 (ARTWORK TO BE PROVIDED BY OTHERS)  
**CAVITY:** 16mm BLACK WARM EDGE SPACER ARGON GAS FILLED  
**INNER PANE:** 6mm CLEAR TOUGHENED

**LAMINATED GLASS:** 6mm CLEAR TOUGHENED, 1.52 PVB INTERLAYER, 6mm TOUGHENED COMPLETE WITH PRINTED ARTWORK TO FACE 2 (ARTWORK TO BE PROVIDED BY OTHERS)

**THIS DRAWING IS THE PROPERTY OF DRAYTON WINDOWS LTD. UNLESS OTHERWISE STATED. ALL RIGHTS ARE RESERVED BY THEM. THIS DRAWING IS ISSUED ON CONDITION THAT IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE PRIOR CONSENT IN WRITING OF DRAYTON WINDOWS LTD.**

**REVISION DETAILS:**  
Rev A: Updated to architects comments (LC 30-03-2015)  
Rev B: Levels / dimensions updated to comments, construction issue (LC 15-04-2015)  
Rev C: Levels and colour updated to latest information (LC 10-11-2015)  
Rev D: Colour amended to RAL7024 (LC 02-12-2015)

**DRAYTON WINDOWS LTD**  
Horizon House, Faversham Road,  
Newfield, Faversham, Kent, ME13 2ST  
Tel: 01622 326999 Fax: 01622 862220  
Email: sales@drayton-windows.co.uk  
Web: www.drayton-windows.co.uk

**PROJECT:**  
Whitfield Street  
(21 Construction)

**DRAWING TITLE:**  
Whitfield Street Facade  
Curtain Wall  
W4/02 W3/02 W2/02

**DRAWN BY:** LC  
**CHECKED BY:** LC

**SCALE:**  
1:20 @ A1  
1:40 @ A3

**DATE:**  
18-03-2015

**STATUS:**  
CONSTRUCTION

**PROJECT:** DRAWING: REVISION:  
A901 105 D

**PLEASE NOTE THE ROBUST**  
• RESTRRAINING POST OR SIMILAR SHOULD BE CONSIDERED TO BE SUPPLIED AND INSTALLED TO PREVENT DAMAGE TO THE GLASS OR PERSONAL INJURY IF THE LEAF IS CAUGHT BY A GUST OF WIND.  
• WE ARE ABLE TO ADVISE THE EFFECTIVE CLEAR OPENINGS AND DETAILS OF OUR DOORS, BUT NOTE THAT IT IS THE ARCHITECTS OR MAIN CONTRACTORS RESPONSIBILITY TO ENSURE THAT THESE COMPLY WITH EITHER OF THE FOLLOWING WHERE APPLICABLE:  
PART M - IN LINE WITH THE ARCHITECTS ACCESS STATEMENT.  
PART B - SUITABLE ESCAPE WIDTH FOR BUILDING OCCUPANCY.