



PLEASE NOTE THE ROBUST AND DOORS MAKES THEM SUITABLE FOR HIGH USAGE COMMERCIAL SITUATIONS, BUT DOES NOT NECESSARILY ENABLE A FULLY WEATHERIGHT SEAL TO BE ACHIEVED.

- WHEN INCORPORATING LOW THRESHHOLDS OR IN A SLIDING DOOR SITUATION, WEATHERING SHOULD BE PROVIDED BY THE BUILDING DESIGN.
- FOR AN OUTWARD OPENING DOOR, A RESTRAINING POST OR SIMILAR SHOULD BE CONSIDERED. TO BE SUPPLIED AND INSTALLED TO PREVENT THE DOOR OR PERSONAL INJURY IF THE LEAF IS CAUGHT BY A GUST OF WIND.
- WE ARE ABLE TO ADVISE THE EFFECTIVE CLEAR OPENINGS AND DETAILS OF OUR DOORS, BUT NOTE THAT IT IS THE ARCHITECTS OR MAIN CONTRACTORS RESPONSIBILITY TO ENSURE THAT THESE COMPLY WITH EITHER OF THE FOLLOWING WHERE APPLICABLE:
 - PART M - IN LINE WITH THE ARCHITECTS ACCESS STATEMENT.
 - PART B - SUITABLE ESCAPE WIDTH FOR BUILDING OCCUPANCY.

REVISION DETAILS:
Rev A: Channel clearing at jambs, corner joints updated.
(LC 30-03-2015)
Rev B: Pressing to window jambs.
Construction Issue (LC 15-04-2015)
Rev C: Colour amended to RAL7024 (LC 02-12-2015)

THIS DRAWING IS THE PROPERTY OF DRAYTON WINDOWS LTD. ANY UNAUTHORIZED REPRODUCTION OR COPIING IS RESERVED BY THEM. THIS DRAWING IS ISSUED ON CONDITION THAT IT IS NOT TO BE COPIED, USED OR REPRODUCED IN ANY MANNER WITHOUT THE PRIOR CONSENT IN WRITING OF DRAYTON WINDOWS LTD

Drayton Windows
Horizon House, Faversham Road,
Newham, Faversham, Essex,
Suffolk, UK, S11 2BT
Tel: 01629 326989 Fax: 01629 882229
Email: info@drayton-windows.co.uk
Web: www.drayton-windows.co.uk

PROJECT:
Whitfield Street
(21 Construction)

DRAWING TITLE:
Whitfield Street Facade
Curtain Wall
Section Details 30-34

DRAWN BY: LC
CHECKED BY: LC

SCALE:
1:20 @ A1
1:40 @ A3

DATE:
18-05-2015

STATUS:
CONSTRUCTION

PROJECT: DRAWING: REVISION:
A901 209 C