



PLEASE NOTE THE ROBUST AND DOORS MAKES THEM SUITABLE FOR HIGH USAGE COMMERCIAL SITUATIONS, BUT DOES NOT NECESSARILY ENABLE A FULLY WEATHER TIGHT SEAL TO BE ACHIEVED.

- WHEN INCORPORATING LOW THRESHOLDS ON A SLIDING DOOR ADDITIONAL DRAINAGE AND/OR WEATHERPROOFING SHOULD BE PROVIDED BY THE BUILDING DESIGN.
- FOR AN OUTWARD OPENING DOOR, A RESTRAINING POST OR SIMILAR SHOULD BE CONSIDERED TO BE SUPPLIED AND INSTALLED TO PREVENT SWELLING OR PERSONAL INJURY IF THE LEAF IS CAUGHT BY A GUST OF WIND.
- WE ARE ABLE TO ADVISE THE EFFECTIVE CLEAR OPENINGS AND DETAILS OF OUR DOORS, BUT NOTE THAT IT IS THE ARCHITECTS OR MAIN CONTRACTORS RESPONSIBILITY TO ENSURE THAT THESE COMPLY WITH EITHER OF THE FOLLOWING WHERE APPLICABLE:
 - PART M - IN LINE WITH THE ARCHITECTS ACCESS STATEMENT.
 - PART B - SUITABLE ESCAPE WIDTH FOR BUILDING OCCUPANCY.

REVISION DETAILS:
 Rev A: Dim updated to comments, text removed. Construction Issue. (LC 15-04-2015)
 Rev B: floor levels updated to site conditions (LC 02-12-2015)

THIS DRAWING IS THE PROPERTY OF DRAYTON WINDOWS LTD. NO PART OF THIS DRAWING IS TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT THE WRITTEN CONSENT IN WRITING OF DRAYTON WINDOWS LTD

Drayton Windows
 Horizon House, Faversham Road,
 Newbold, Faversham, Essex,
 Saffron Walden, MK23 2BT
 Tel: 01628 328929 Fax: 01628 882220
 Email: sales@drayton-windows.co.uk
 Web: www.drayton-windows.co.uk

PROJECT:
 Whitfield Street
 (21 Construction)

DRAWING TITLE:
 Whitfield Street Facade
 Curtain Wall
 Section Detail 66

DRAWN BY:	LC	CHECKED BY:	LC
SCALE:	1:20 @ A1 1:40 @ A3	DATE:	30-03-2015
STATUS:	CONSTRUCTION		
PROJECT:	DRAYTON WINDOWS LTD	DRAWING:	223
REVISION:	A901	REVISION:	B