



Lighting

[Choose a bulb](#)

[Products](#)

[Shop](#)

LED Spot (Dimmable)

[Product support](#) 4.5 W (35 W), GU10 cap, Warm white, Dimmable |

[Experience](#) 8718291192862 | [Find similar products](#) >

[Promotions](#)

[Register product](#)

[Parts & Accessories](#)

 [Buy from Retailers](#)

[Choose a bulb](#) > [Spot](#) > [4.5 W \(35 W\) GU10 cap Warm white Spot \(](#)

## Technical Specifications

## Bulb characteristics

|             |           |
|-------------|-----------|
| Shape       | Spot      |
| Cap/fitting | GU10      |
| Voltage     | 220-240 V |
| Dimmable    | Yes       |

## Light characteristics

|                              |                    |
|------------------------------|--------------------|
| Light output                 | 240 lumen          |
| Beam angle                   | 36 degree          |
| Colour                       | Warm White         |
| Colour temperature           | 2700 K             |
| Light effect/finish          | Warm White         |
| Colour rendering index (CRI) | 80                 |
| Starting time                | < 0.5 s            |
| Warm-up time to 60% light    | Instant full light |
| Colour consistency           | 6 SDCM             |
| Rated centre beam intensity  | 500 cd             |

## Rated values

|                     |        |
|---------------------|--------|
| Rated power         | 4.5 W  |
| Rated luminous flux | 240 lm |

## Power consumption

|                             |        |
|-----------------------------|--------|
| Wattage                     | 4.5 W  |
| Wattage equivalent          | 35 W   |
| Energy efficiency label     | A+     |
| Power consumption per 1000h | 5 kW·h |

## Durability

|                             |                |
|-----------------------------|----------------|
| Lifetime of lamp            | 15,000 hour(s) |
| Number of switch cycles     | 50,000         |
| Lumen maintenance factor    | 0.7            |
| Average life (at 3 hrs/day) | 15 year(s)     |

## Bulb dimensions

|        |       |
|--------|-------|
| Height | 55 mm |
| Width  | 50 mm |

## Other characteristics

|                 |       |
|-----------------|-------|
| Mercury content | 0 mg  |
| Power factor    | 0.7   |
| Lamp current    | 30 mA |

**Rated lifetime** 15,000 hour(s)

**Rated beam angle** 36 degree

## Eco passport

Philips EcoVision programme efforts have been recognised by membership to the Dow Jones Sustainability Index. We have joined the United Nations Global Compact, listing 10 principles in the areas of human rights and environment. In our eco-design process we use Green Focal Areas to show the products' environmental performance. Have a look at the following Green Focal Areas.

### Learn more about our Green Story

<http://www.philips.co.uk/about/sustainability/index.page>

#### **Energy**

- Power: *4.5 W*
- Rated luminous flux: *240 lm*
- Dimmable: *Yes*



#### **Recycling**

- Lumen maintenance factor: *0.7*

#### **Reliability**

- Rated Lifetime: *15,000 hour(s)*
- Number of switch cycles: *50,000*

#### **Substances**

- Mercury Content: *0 mg*

---

## Connect with Philips



**Fast delivery**

Delivery within 3 working days

**Flexible delivery**

Your choice of delivery time and place

**Free shipping**

For all orders over £50

**28 days returns**

Return goods within 28 days

**Need help?**

- [Support homepage](#)
- [Contact us](#)
- [Buy parts and accessories](#)
- [Register your product](#)

United Kingdom - English **Select Country/language**▼

[Investor Relations](#)   [Careers](#)   [Contact Philips](#)   [Philips](#)   [Privacy Notice](#)  
[Terms of use](#)   [Site Map](#)

©2004-2015 Philips Electronics N.V All Rights Reserved