



London Borough of Camden


TfL Bus Shelter Advertising Upgrade

Site Address IFO 79 CLERKENWELL ROAD LONDON. EC1R 5AR Bus Stop 0107/0224 - 1



Location Plan 1:1250






Site Address IFO 79 CLERKENWELL ROAD LONDON. EC1R 5AR Bus Stop 0107/0224 - 2



Site Plan 1:200





Site Address IFO 79 CLERKENWELL ROAD LONDON. EC1R 5AR Bus Stop 0107/0224 - 3





Site Images



Presentation

- Digital display in Forum design.
- Product specially designed for direct outdoor use in a wide range of environmental/temperature conditions and features.

General Product Information

Performance

- Excellent contrast and quality of image.
- Displays great quality fix images and video, thanks to its resolution 3840 x 2160 4K.
- Brightness up to 2500Cdm², the best performance available in the market for an LCD screen.

Robustness and Durability

- Product specially designed for direct outdoor use in a wide range of environmental/temperature conditions and features.
- Brightness level not affected by extreme temperatures and does not degrade over time like other technologies.
- Best in class product in term of visibility in direct sunshine. Improved reliability and life through expert thermal and solar management d€
- Bumpers option to protect the furniture.

Certifications

CE

Manageability

- Extensive monitoring capability through digital image verification that gives immediate feedback about display performance.
- Intelligent monitoring/control and maintenance features.

Modularity

- Available in Forum and iVision designs.
- Modular design for simple on-site service.

Vandalism

- Front-face in laminated 8mm tempered glass.
- Furniture opening guaranteed by the use of special keys.
- Screws and fixing gears are invisible.
- Furniture composed of unalterable materials.
- Encrypted transmission between JCDecaux NOC and the digital displays.
- High quality materials and coating.







Installation

Tested in factory before shipment. Civil Engineer Approved Transported full assembled, which minimize actions on site for the installation.

LCD

178⁰

178⁰

72%

White LED

16,7 Million

Sustainable Development

Power efficient: Lower power consumption thanks to dynamic dimming approximately 30-40% less. Minimizes the impact on the environment.

Digital furniture mainly integrated by long life and recyclable materials. Electricity Screen

Paper or Screen

3840 x 2160 4K

0,831mm(V) x 0,831mm(H)

Technology Pitch Rear face Resolution Brightness Angle of Visibility Horizontal Angle of Visibility Vertical Display color Backlight technology Number of colors

Operating Conditions

Temperature Humidity Possible screen orientation Other

Lifespan

Lifespan Typical Daily maximum operating time 24h

-10⁰ c/+50⁰ c 20%-90% Portrait Direct sunlight

5 years

2500 cd/m² Auto adjust to ambient levels



 Global
 1338(W) x 2957 (H) x 245 (D) mm

 Visible
 1866mm(H)x1052mm(W)2142mm(D)

 Visible area
 1.9m²

 Screen aspect ratio
 16/9

CE.

230v

Certificates

Certifications

omments :

This screen is best in class in term of visibility in full sunshine. It includes state-of-the-art features to lower TCO : - Improved reliability and life through expert thermal and solar management design.

- Modular design.
- Replaceable external 8mm front glass

- Extensive monitoring capability through Digital Image verification that gives immediate feedback about display performance.

Premium product for reliability, monitoring and maintenance features

Site Address IFO 79 CLERKENWELL ROAD LONDON. EC1R 5AR Bus Stop 0107/0224 - 6






Double-sided freestanding Forum Structure, featuring 1 x Digital 84" screen on one side and a static poster advertisement panel on the reverse. The Digital screen is capable of displaying illuminated, static and dynamic content, supplied via secure remote connection. In the event of an emergency, TfL will be able to override the advertisement function and display an 'Emergency Message', alerting the public of immediate danger.

Elevation Drawings





Site Address IFO 79 CLERKENWELL ROAD LONDON, EC1R 5AR Bus Stop 0107/0224 - 7