




London Borough of Camden


TfL Bus Shelter Advertising Upgrade

Site Address IFO CAMDEN CENTRE, EUSTON ROAD LONDON, NW1 2ST Bus Stop 0107/0140-1





Site Address IFO CAMDEN CENTRE, EUSTON ROAD LONDON, NW1 2ST Bus Stop 0107/0140-2



Site Address IFO CAMDEN CENTRE, EUSTON ROAD LONDON, NW1 2ST Bus Stop 0107/0140-3





Site Images



JCDecaux Roadside

Site Address IFO CAMDEN CENTRE, EUSTON ROAD LONDON, NW1 2ST Bus Stop 0107/0140-4

JCDecaux

Presentation

- Digital display in Forum design.
- Product specially designed for direct outdoor use in a wide range of environmental/temperature conditions and features.

General Product Information

Performance

- Excellent contrast and quality of image.
- Displays great quality fix images and video, thanks to its resolution 3840 x 2160 4K.
- Brightness up to 2500Cdm², the best performance available in the market for an LCD screen.

Robustness and Durability

- Product specially designed for direct outdoor use in a wide range of environmental/temperature conditions and features.
- Brightness level not affected by extreme temperatures and does not degrade over time like other technologies.
- Best in class product in term of visibility in direct sunshine. Improved reliability and life through expert thermal and solar management de
- Bumpers option to protect the furniture.

Certifications

CE

Manageability

- Extensive monitoring capability through digital image verification that gives immediate feedback about display performance.
- Intelligent monitoring/control and maintenance features.

Modularity

- Available in Forum and iVision designs.
- Modular design for simple on-site service.

Vandalism

- Front-face in laminated 8mm tempered glass.
- Furniture opening guaranteed by the use of special keys.
- Screws and fixing gears are invisible.
- Furniture composed of unalterable materials.
- Encrypted transmission between JCDecaux NOC and the digital displays.
- High quality materials and coating.

Site Address IFO CAMDEN CENTRE, EUSTON ROAD LONDON, NW1 2ST Bus Stop 0107/0140-5





JCDecaux



Installation

Tested in factory before shipment. Civil Engineer Approved Transported full assembled, which minimize actions on site for the installation.

Sustainable Development

Power efficient: Lower power consumption thanks to dynamic dimming approximately 30-40% less. Minimizes the impact on the environment.

Digital furniture mainly integrated by long life and recyclable materials. Electricity Screen

Paper or Screen

3840 x 2160 4K

0,831mm(V) x 0,831mm(H)

I CD

178⁰

178⁰

72% White LED

16,7 Million

OUICEII
Technology
Pitch
Rear face
Resolution
Brightness
Angle of Visibility Horizontal
Angle of Visibility Vertical
Display color
Backlight technology
Number of colors

Operating Conditions

Temperature Humidity Possible screen orientation Other

Lifespan

Lifespan Typical Daily maximum operating time 24h

-10 ⁰ c/+50 ⁰ c	
20%-90%	
Portrait	
Direct sunlight	

5 years

2500 cd/m² Auto adjust to ambient levels

Weight and Conditions Global

Visible Visible area Screen aspect ratio 1338(W) x 2957 (H) x 245 (D) mm 1866mm(H)x1052mm(W)2142mm(D)

en aspeci

Certificates Certifications

Comments :



- Extensive monitoring capability through Digital Image verification that gives immediate feedback about display performance.

230v

1.9m²

16/9

CE.

Premium product for reliability, monitoring and maintenance features

Site Address IFO CAMDEN CENTRE, EUSTON ROAD LONDON, NW1 2ST Bus Stop 0107/0140-6


JCDecaux

Elevation Drawings



1550

Double-sided freestanding Forum Structure, featuring 1 x Digital 84" screen on one side and a static poster advertisement panel on the reverse. The Digital screen is capable of displaying illuminated, static and dynamic content, supplied via secure remote connection. In the event of an emergency, TfL will be able to override the advertisement function and display an 'Emergency Message', alerting the public of immediate danger.



Site Address IFO CAMDEN CENTRE, EUSTON ROAD LONDON, NW12ST Bus Stop 0107/0140-7