



MINIMUM 50mm VENTILATION ZONE MAINTAINED BELOW NEW LEAD ROOF

VENTILATION SLOT FOR INTAKE AIR

FIRE CURTAIN MOUNTED ABOVE OPENING TO ACHIEVE 60 MINUTE FIRE RESISTANCE. COOPERS FIRE DOMESTIC RANGE OR EQUAL AND APPROVED. FINISH TO INTERIOR DESIGNER'S SPECIFICATION.

STONE THRESHOLD LEVEL TO REMAIN CONSISTENT

FOR FLOOR TYPE REFER TO (23) SERIES AND INTERIOR DESIGNER'S FINISHES DRAWINGS AND SCHEDULES

PROPOSED STRIP FOUNDATION TO NEW LINK BUILDING TO STRUCTURAL ENGINEER'S DETAILS

Section AA

BUILDING DESIGN PARTNERSHIP LTD SHALL HAVE NO RESPONSIBILITY FOR ANY USE MADE OF THIS DOCUMENT OTHER THAN FOR THAT WHICH IT WAS PREPARED AND ISSUED.
 ALL DIMENSIONS SHOULD BE CHECKED ON SITE.
 DO NOT SCALE FROM THIS DRAWING.
 ANY DRAWING ERRORS OR DIVERGENCES SHOULD BE BROUGHT TO THE ATTENTION OF BUILDING DESIGN PARTNERSHIP LTD AT THE ADDRESS SHOWN.

REVISION/DESCRIPTION	DRAWN	CHECKED	DATE	REVISION/DESCRIPTION	DRAWN	CHECKED	DATE	REVISION/DESCRIPTION	DRAWN	CHECKED	DATE	REVISION/DESCRIPTION	DRAWN	CHECKED	DATE	KEY PLAN

- LBC APPLICATION
 JJA MB 29.10.2015

CLIENT LOGO



16 Brewhouse Yard
 Clerkenwell
 London, EC1V 4LJ
 United Kingdom
 T +44 (0)20 7812 8000
 F +44 (0)20 7812 8399
 www.bdp.com

PROJECT TITLE 42 BEDFORD SQUARE	
PROJECT NUMBER P2005698	SCALE B/A1
DRAWING TITLE LINK BUILDING SECTION AA	DATE 08.2015
DRAWING NO. LBC 4b_(30)AS001	REVISION -