

| | | |
|--------------|-----|----|
| | YES | NO |
| LISTED | X | |
| CONSERVATION | X | |
| LL CONSENT | X | |

CLIENT:

Williams & Glyn

PROJECT TITLE:

Williams & Glyn - London, High Holborn - External Signage

REVISION HISTORY:

| REV | RA | RB | RC | | |
|--|----------|----------|---|--|--|
| DATE | 24.11.15 | 17.12.15 | 29.01.16 | | |
| INITIALS | JD | JD | SB | | |
| colours shown are purely representative, please match to colour references only! | | | NOTE: All dimensions are in millimetres u.s.o. and are approximate only. | | |




Sandfield Close
Moulton Park
Northampton
United Kingdom
NN3 6EU

Tel: +44 (0)1604 790000
Fax: +44 (0)1604 790190
Email: info@hawes.co.uk
Web: www.hawes.co.uk


OPEN
HERE

SITE LOCATION PLAN



ELEVATIONS

EXISTING



High Holborn Elevation

Front Elevation

PROPOSED



High Holborn Elevation

Front Elevation

ELEVATIONS

EXISTING



Southampton Place Elevation

PROPOSED



Southampton Place Elevation

MONTAGE - FASCIA



EXISTING



PROPOSED

| | |
|--|---|
| | CREAM: CMYK 0/0/8/6 OTHER: RAL 110 92 05 (satin) |
| | LIGHT GREEN: CMYK 52/0/32/0 OTHER: RAL 6027 (satin) |
| | DARK GREEN: CMYK 100/52/58/32 OTHER: RAL 6004 (satin) |
| | WHITE: CMYK 0/0/0/0 OTHER: RAL 9016 (satin) / PERSPEX OPAL 050 |
| | STONE GREY: CMYK 20/10/20/40 OTHER: RAL 7030 (satin) |

FONTS: Gotham Med (Sample TEXT 1234)
Gotham Book (Sample TEXT 1234)
**All fonts to have -7% character spacing applied*

1 SIGN SPECIFICATION

Fascia panel to be 3mm folded aluminium powder coated cream @ 2900mm lengths, dark green line to be powder coated to face, underside and side returns. Roundel to be non-illuminated 5mm thick aluminium powder coated light green with raised pushed through ampersand. "s" and "G" letters to be raised pushed through roundel and fascia panel with remaining word marque letters to be raised pushed through fascia panel. Ampersand to be both edge and face illuminated, letters to be edge illuminated with dark green vinyl to face. Logo and letters to be positioned centrally on the fascia panel.

QUANTITY - 1

STATUS (X) Issue (!) Take Note (ü) Passed

(!) Illumination unknown

Illuminated Fascia Sign



NON - ILLUMINATED FASCIA



EXISTING



PROPOSED

- CREAM:** CMYK 0/0/8/6
OTHER: RAL 110 92 05 (satin)
- LIGHT GREEN:** CMYK 52/0/32/0
OTHER: RAL 6027 (satin)
- DARK GREEN:** CMYK 100/52/58/32
OTHER: RAL 6004 (satin)
- WHITE:** CMYK 0/0/0/0
OTHER: RAL 9016 (satin) / PERSPEX OPAL 050
- STONE GREY:** CMYK 20/10/20/40
OTHER: RAL 7030 (satin)


FONTS: Gotham Med (Sample TEXT 1234)
Gotham Book (Sample TEXT 1234)
**All fonts to have -7% character spacing applied*

2 SIGN SPECIFICATION

Fascia panel to be 3mm folded aluminium powder coated cream @ 2900mm lengths, dark green line to be powder coated to face, underside and side returns. Roundel to be non-illuminated 5mm thick aluminium powder coated light green with raised pushed through ampersand. "s" and "G" letters to be raised pushed through roundel and fascia panel with remaining word marque letters to be raised pushed through fascia panel. Logo and letters to be positioned centrally on the fascia panel.

QUANTITY - 1

STATUS (X) Issue (!) Take Note (ü) Passed



MONTAGE - FASCIA



EXISTING



PROPOSED

- CREAM:** CMYK 0/0/8/6
OTHER: RAL 110 92 05 (satin)
- LIGHT GREEN:** CMYK 52/0/32/0
OTHER: RAL 6027 (satin)
- DARK GREEN:** CMYK 100/52/58/32
OTHER: RAL 6004 (satin)
- WHITE:** CMYK 0/0/0/0
OTHER: RAL 9016 (satin) / PERSPEX OPAL 050
- STONE GREY:** CMYK 20/10/20/40
OTHER: RAL 7030 (satin)

FONTS: Gotham Med (Sample TEXT 1234)
Gotham Book (Sample TEXT 1234)
**All fonts to have -7% character spacing applied*

3 SIGN SPECIFICATION

Fascia panel to be 3mm folded aluminium powder coated cream @ 2900mm lengths, dark green line to be powder coated to face, underside and side returns. Roundel to be non-illuminated 5mm thick aluminium powder coated light green with raised pushed through ampersand. "s" and "G" letters to be raised pushed through roundel and fascia panel with remaining word marque letters to be raised pushed through fascia panel. Ampersand to be both edge and face illuminated, letters to be edge illuminated with dark green vinyl to face. Logo and letters to be positioned centrally on the fascia panel.

QUANTITY - 1

STATUS (X) Issue (!) Take Note (ü) Passed

(!) Illumination unknown

Illuminated Fascia Sign



NON - ILLUMINATED FASCIA



EXISTING



PROPOSED


- CREAM:** CMYK 0/0/8/6
OTHER: RAL 110 92 05 (satin)
 - LIGHT GREEN:** CMYK 52/0/32/0
OTHER: RAL 6027 (satin)
 - DARK GREEN:** CMYK 100/52/58/32
OTHER: RAL 6004 (satin)
 - WHITE:** CMYK 0/0/0/0
OTHER: RAL 9016 (satin) / PERSPEX OPAL 050
 - STONE GREY:** CMYK 20/10/20/40
OTHER: RAL 7030 (satin)
- FONTS:** Gotham Med (Sample TEXT 1234)
Gotham Book (Sample TEXT 1234)
**All fonts to have -7% character spacing applied*

4 SIGN SPECIFICATION

Fascia panel to be 3mm folded aluminium powder coated cream @ 2900mm lengths, dark green line to be powder coated to face, underside and side returns. Roundel to be non-illuminated 5mm thick aluminium powder coated light green with raised pushed through ampersand. "s" and "G" letters to be raised pushed through roundel and fascia panel with remaining word marque letters to be raised pushed through fascia panel. Logo and letters to be positioned centrally on the fascia panel.

QUANTITY - 1

STATUS (X) Issue (!) Take Note (ü) Passed



MONTAGE - FASCIA



EXISTING



PROPOSED

- CREAM:** CMYK 0/0/8/6
OTHER: RAL 110 92 05 (satin)
 - LIGHT GREEN:** CMYK 52/0/32/0
OTHER: RAL 6027 (satin)
 - DARK GREEN:** CMYK 100/52/58/32
OTHER: RAL 6004 (satin)
 - WHITE:** CMYK 0/0/0/0
OTHER: RAL 9016 (satin) / PERSPEX OPAL 050
 - STONE GREY:** CMYK 20/10/20/40
OTHER: RAL 7030 (satin)
- FONTS:** Gotham Med (Sample TEXT 1234)
Gotham Book (Sample TEXT 1234)
**All fonts to have -7% character spacing applied*

5 SIGN SPECIFICATION

Fascia panel to be 3mm folded aluminium powder coated cream @ 2900mm lengths, dark green line to be powder coated to face, underside and side returns. Roundel to be non-illuminated 5mm thick aluminium powder coated light green with raised pushed through ampersand. "s" and "G" letters to be raised pushed through roundel and fascia panel with remaining word marque letters to be raised pushed through fascia panel. Ampersand to be both edge and face illuminated, letters to be edge illuminated with dark green vinyl to face. Logo and letters to be positioned centrally on the fascia panel.

QUANTITY - 1

STATUS (X) Issue (!) Take Note (ü) Passed
(!) Illumination unknown



NON - ILLUMINATED FASCIA



EXISTING



PROPOSED


- CREAM:** CMYK 0/0/8/6
OTHER: RAL 110 92 05 (satin)
 - LIGHT GREEN:** CMYK 52/0/32/0
OTHER: RAL 6027 (satin)
 - DARK GREEN:** CMYK 100/52/58/32
OTHER: RAL 6004 (satin)
 - WHITE:** CMYK 0/0/0/0
OTHER: RAL 9016 (satin) / PERSPEX OPAL 050
 - STONE GREY:** CMYK 20/10/20/40
OTHER: RAL 7030 (satin)
- FONTS:** Gotham Med (Sample TEXT 1234)
Gotham Book (Sample TEXT 1234)
**All fonts to have -7% character spacing applied*

6 SIGN SPECIFICATION

Fascia panel to be 3mm folded aluminium powder coated cream @ 2900mm lengths, dark green line to be powder coated to face, underside and side returns. Roundel to be non-illuminated 5mm thick aluminium powder coated light green with raised pushed through ampersand. "s" and "G" letters to be raised pushed through roundel and fascia panel with remaining word marque letters to be raised pushed through fascia panel. Logo and letters to be positioned centrally on the fascia panel.

QUANTITY - 1

STATUS (X) Issue (!) Take Note (ü) Passed



MONTAGE - FASCIA



EXISTING



PROPOSED

- CREAM:** CMYK 0/0/8/6
OTHER: RAL 110 92 05 (satin)
 - LIGHT GREEN:** CMYK 52/0/32/0
OTHER: RAL 6027 (satin)
 - DARK GREEN:** CMYK 100/52/58/32
OTHER: RAL 6004 (satin)
 - WHITE:** CMYK 0/0/0/0
OTHER: RAL 9016 (satin) / PERSPEX OPAL 050
 - STONE GREY:** CMYK 20/10/20/40
OTHER: RAL 7030 (satin)
- FONTS:** Gotham Med (Sample TEXT 1234)
Gotham Book (Sample TEXT 1234)
**All fonts to have -7% character spacing applied*

7 SIGN SPECIFICATION

Fascia panel to be 3mm folded aluminium powder coated cream @ 2900mm lengths, dark green line to be powder coated to face, underside and side returns. Roundel to be non-illuminated 5mm thick aluminium powder coated light green with raised pushed through ampersand. "s" and "G" letters to be raised pushed through roundel and fascia panel with remaining word marque letters to be raised pushed through fascia panel. Ampersand to be both edge and face illuminated, letters to be edge illuminated with dark green vinyl to face. Logo and letters to be positioned centrally on the fascia panel.

QUANTITY - 1

STATUS (X) Issue (!) Take Note (ü) Passed
(!) Illumination unknown



MONTAGE - PROJECTION SIGN



EXISTING



PROPOSED

| | |
|--|---|
| | CREAM: CMYK 0/0/8/6 OTHER: RAL 110 92 05 (satin) |
| | LIGHT GREEN: CMYK 52/0/32/0 OTHER: RAL 6027 (satin) |
| | DARK GREEN: CMYK 100/52/58/32 OTHER: RAL 6004 (satin) |
| | WHITE: CMYK 0/0/0/0 OTHER: RAL 9016 (satin) / PERSPEX OPAL 050 |

FONTS: Gotham Med (Sample TEXT 1234)
Gotham Book (Sample TEXT 1234)
**All fonts to have -7% character spacing applied*


8 SIGN SPECIFICATION

Internally illuminated projection sign. Face panel to be constructed from aluminium with raised pushed through ampersand. Inner rim of sign and bracket constructed from mild steel powder coated cream. Bracket sleeve folded from single aluminium sheet powder coated cream. The projecting sign can be fascia or wall mounted on the left or right and should be positioned where most visible or above the ATM. Fascia mounted is the preference. If it is not possible to fascia mount the projecting sign then it should be wall mounted in a suitable location above.

QUANTITY - 1

STATUS (X) Issue (!) Take Note (ü) Passed

W&G-ES1.10-A
Ø600mm Projecting Sign



MONTAGE - PROJECTION SIGN



EXISTING



PROPOSED

- CREAM: CMYK 0/0/8/6
OTHER: RAL 110 92 05 (satin)
- LIGHT GREEN: CMYK 52/0/32/0
OTHER: RAL 6027 (satin)
- DARK GREEN: CMYK 100/52/58/32
OTHER: RAL 6004 (satin)
- WHITE: CMYK 0/0/0/0
OTHER: RAL 9016 (satin) / PERSPEX OPAL 050

FONTS: Gotham Med (Sample TEXT 1234)
 Gotham Book (Sample TEXT 1234)
**All fonts to have -7% character spacing applied*


9 SIGN SPECIFICATION

Internally illuminated projection sign. Face panel to be constructed from aluminium with raised pushed through ampersand. Inner rim of sign and bracket constructed from mild steel powder coated cream. Bracket sleeve folded from single aluminium sheet powder coated cream. The projecting sign can be fascia or wall mounted on the left or right and should be positioned where most visible or above the ATM. Fascia mounted is the preference. If it is not possible to fascia mount the projecting sign then it should be wall mounted in a suitable location above.

QUANTITY - 1

STATUS (X) Issue (!) Take Note (ü) Passed

W&G-ES1.10-A
Ø600mm Projecting Sign



MONTAGE - ATM SURROUND



EXISTING



PROPOSED

W&G-ES1.24-E
 Wincor 2050 - 780x1430mm (640x1010mm aperture)



-  **CREAM:** CMYK 0/0/8/6
OTHER: RAL 110 92 05 (satin)
-  **LIGHT GREEN:** CMYK 52/0/32/0
OTHER: RAL 6027 (satin)
-  **DARK GREEN:** CMYK 100/52/58/32
OTHER: RAL 6004 (satin)
-  **WHITE:** CMYK 0/0/0/0
OTHER: RAL 9016 (satin) / PERSPEX OPAL 050

FONTS: Gotham Med (Sample TEXT 1234)
 Gotham Book (Sample TEXT 1234)
 *All fonts to have -7% character spacing applied

10 SIGN SPECIFICATION

Specialist plastic surround with opal returns, halo LED illumination. Logo in reverse colours, face illuminated. Aperture to sit around site specific bezel sizes. Non illuminated variants are manufactured to the same specification as the illuminated version excluding internal LEDs.

The ATM bezel should always finish flush with or protrude beyond the face of the surround. If the ATM bezel sits recessed it should be brought forward to sit flush.

QUANTITY - 1

STATUS (X) Issue (!) Take Note (ü) Passed


MONTAGE - WINDOW GRAPHICS



EXISTING



PROPOSED



- CREAM:** CMYK 0/0/8/6
OTHER: RAL 110 92 05 (satin)
- LIGHT GREEN:** CMYK 52/0/32/0
OTHER: RAL 6027 (satin)
- DARK GREEN:** CMYK 100/52/58/32
OTHER: RAL 6004 (satin)
- WHITE:** CMYK 0/0/0/0
OTHER: RAL 9016 (satin) / PERSPEX OPAL 050

FONTS: Gotham Med (Sample TEXT 1234)
Gotham Book (Sample TEXT 1234)
**All fonts to have -7% character spacing applied*

11 SIGN SPECIFICATION

Self adhesive vinyl dots to be applied to any unbroken expanse of external glazing including fully glazed doors. Where poster frames or marketing graphics are to be deployed, manifestations are to be applied to any clear glazing either side or between.


QUANTITY - X

STATUS (X) Issue (!) Take Note (ü) Passed


WELCOME SIGN - ACRYLIC PANEL



EXISTING



PROPOSED



| | |
|--|---|
| | CREAM: CMYK 0/0/8/6 OTHER: RAL 110 92 05 (satin) |
| | LIGHT GREEN: CMYK 52/0/32/0 OTHER: RAL 6027 (satin) |
| | DARK GREEN: CMYK 100/52/58/32 OTHER: RAL 6004 (satin) |
| | WHITE: CMYK 0/0/0/0 OTHER: RAL 9016 (satin) / PERSPEX OPAL 050 |
| | RED: CMYK 0/95/85/0 OTHER: |
| FONTS: Gotham Med (Sample TEXT 1234) Gotham Book (Sample TEXT 1234) <i>*All fonts to have -7% character spacing applied</i> | |

12 SIGN SPECIFICATION

The standard Welcome Sign with insert (wall mounted) is the proffered option for ease of making changes to the content. Clear acrylic face panel reverse decorated with digitally printed graphic, printed (in reverse) on to optically clear 3M Clear View Graphic Film IJ 8150 backed with white vinyl, aperture cut away to leave viewing portal for insert. Face panel mounted on to clear acrylic insert track and mounted within backtray on keyhole fixing system. Backtray produced from aluminium powder coated dark green. Insert produced from thin polycarbonate with face applied digitally printed graphic on white vinyl, with matt laminate.

QUANTITY - 1

STATUS (X) Issue (!) Take Note (ü) Passed

(!) Bank manager name & number TBC
Text phone number TBC


MONTAGE - CCTV SIGN - DTM VINYL



EXISTING



PROPOSED



-  **CREAM:** CMYK 0/0/8/6
OTHER: RAL 110 92 05 (satin)
-  **LIGHT GREEN:** CMYK 52/0/32/0
OTHER: RAL 6027 (satin)
-  **DARK GREEN:** CMYK 100/52/58/32
OTHER: RAL 6004 (satin)
-  **WHITE:** CMYK 0/0/0/0
OTHER: RAL 9016 (satin) / PERSPEX OPAL 050

FONTS: Gotham Med (Sample TEXT 1234)
Gotham Book (Sample TEXT 1234)
**All fonts to have -7% character spacing applied*

13 SIGN SPECIFICATION

Sign to be either (A) wall mounted shallow folded lid, powder coated white with screen printed logo and text, or (B) reverse applied digitally printed graphic (proffered option).

QUANTITY - 1

STATUS (X) Issue (!) Take Note (ü) Passed
(!) Information contact TBC

SITE PHOTOS - EXTERNALS



EXTERNAL



EXTERNAL



EXTERNAL



EXTERNAL



EXTERNAL



EXTERNAL