

1	Eurocell Vertical Slider (Glazed) Qty (2) O/A Sizes 860mm x 1650mm (V/S)	Specification		Chk
		Frame (Head)	VSW001 V/S Outerframe	[]
		Frame (Cill)	VSW005 Cill Adapter	[]
		Frame (Left jamb)	VSW001 V/S Outerframe	[]
		Frame (Right jamb)	VSW001 V/S Outerframe	[]
		Sash	VSW002 57mm Slim Sash	[]
		Sash #2	VSW003 68mm Med Sash	[]
		Colour	White	[]
		Sash colour	White	[]
		Bead type	Ovolo Bottom V/S Bead	[]
		Open in/out	Open in	[]
		Glazed in/out	Glazed in	[]
		VS Hardware Colour	White	[]
		VS Sash Horn	with Horns	[]
		VS Travel Restrictor	Travel Restrictor	[]

Glazing Details & Appertures

Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer Georgian Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (661 x 708) A6 - (662 x 707)

2	Eurocell Vertical Slider (Glazed) Qty (2) O/A Sizes 1110mm x 2250mm (V/S)	Specification		Chk
		Frame (Head)	VSW001 V/S Outerframe	[]
		Frame (Cill)	VSW005 Cill Adapter	[]
		Frame (Left jamb)	VSW001 V/S Outerframe	[]
		Frame (Right jamb)	VSW001 V/S Outerframe	[]
		Sash	VSW002 57mm Slim Sash	[]
		Sash #2	VSW003 68mm Med Sash	[]
		Colour	White	[]
		Sash colour	White	[]
		Bead type	Ovolo Bottom V/S Bead	[]
		Open in/out	Open in	[]
		Glazed in/out	Glazed in	[]
		VS Hardware Colour	White	[]
		VS Sash Horn	with Horns	[]
		VS Travel Restrictor	Travel Restrictor	[]

Glazing Details & Appertures


Energy Rated "C" - V/S 4-16-4 Clear Tuff : 16mm Swiss V Spacer Georgian Bar 18mm Bar White Std Joints Argon Gas Filled

A6 - (912 x 1007)

Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer Georgian Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (911 x 1008)


3	Eurocell Vertical Slider (Glazed) Qty (2) O/A Sizes 450mm x 1740mm (V/S)	Specification		Chk
		Frame (Head)	VSW001 V/S Outerframe	[]
		Frame (Cill)	VSW005 Cill Adapter	[]
		Frame (Left jamb)	VSW001 V/S Outerframe	[]
		Frame (Right jamb)	VSW001 V/S Outerframe	[]
		Sash	VSW002 57mm Slim Sash	[]
		Sash #2	VSW003 68mm Med Sash	[]
		Colour	White	[]
		Sash colour	White	[]
		Bead type	Ovolo Bottom V/S Bead	[]
		Open in/out	Open in	[]
		Glazed in/out	Glazed in	[]
		VS Hardware Colour	White	[]
		VS Sash Horn	with Horns	[]
		VS Travel Restrictor	Travel Restrictor	[]

**Glazing Details & Appertures**

Energy Rated C - V/S 4-16-4 Obs Low E : 16mm Swiss V Spacer
 Stippolyte Georgian Bar 18mm Bar White Std Joints Argon
 Gas Filled

A1 - (251 x 753) A6 - (252 x 752)


4	Eurocell Vertical Slider (Glazed) O/A Sizes 1260mm x 1850mm (V/S)	Specification		Chk
		Frame (Head)	VSW001 V/S Outerframe	[]
		Frame (Cill)	VSW005 Cill Adapter	[]
		Frame (Left jamb)	VSW001 V/S Outerframe	[]
		Frame (Right jamb)	VSW001 V/S Outerframe	[]
		Sash	VSW002 57mm Slim Sash	[]
		Sash #2	VSW003 68mm Med Sash	[]
		Colour	White	[]
		Sash colour	White	[]
		Bead type	Ovolo Bottom V/S Bead	[]
		Open in/out	Open in	[]
		Glazed in/out	Glazed in	[]
		VS Hardware Colour	White	[]
		VS Sash Horn	with Horns	[]
		VS Travel Restrictor	Travel Restrictor	[]

**Glazing Details & Appertures**

Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer Georgian
 Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (1061 x 808) A6 - (1062 x 807)


5	Logik 70mm Residential Door (Glazed) O/A Sizes 820mm x 1980mm (Style 1)	Specification		Chk
		Frame (Head)	EWS 7006 75mm Outerframe	[]
		Open in/out	Open out	[]
		Glazed in/out	Glazed in	[]
		Frame (Cill)	EWS 7006 75mm Outerframe	[]
		Frame (Left jamb)	EWS 7006 75mm Outerframe	[]
		Frame (Right jamb)	EWS 7006 75mm Outerframe	[]
		Midrail	EWS 7009 115mm T Section	[]
		Sash	EWS 7018/7019 105mm T/Z Sash	[]
		Cill	150mm Cill	[]
		Colour	White	[]
		Sash colour	White	[]
		Cill colour	White	[]
		Bead type	Ovolo Glazing Bead	[]
		Handle	White Lever/Lever Handle	[]
		Door hinge	Evolution Door Hinge	[]
		Door lock	Mila door lock	[]
		Cylinder	Standard Cylinder	[]
		Door hinge quantity	3 hinges	[]

**Glazing Details & Appertures**

Energy Rated "C" 4-20-4 Clear Unit TOUGHNED : 20mm Silver Spacer
Argon Gas Filled

A1 - (548 x 904) A7 - (548 x 694)

6	Eurocell Vertical Slider (Glazed) O/A Sizes 860mm x 1620mm (V/S)	Specification		Chk
		Frame (Head)	VSW001 V/S Outerframe	[]
		Frame (Cill)	VSW005 Cill Adapter	[]
		Frame (Left jamb)	VSW001 V/S Outerframe	[]
		Frame (Right jamb)	VSW001 V/S Outerframe	[]
		Sash	VSW002 57mm Slim Sash	[]
		Sash #2	VSW003 68mm Med Sash	[]
		Colour	White	[]
		Sash colour	White	[]
		Bead type	Ovolo Bottom V/S Bead	[]
		Open in/out	Open in	[]
		Glazed in/out	Glazed in	[]
		VS Hardware Colour	White	[]
		VS Sash Horn	with Horns	[]
		VS Travel Restrictor	Travel Restrictor	[]

**Glazing Details & Appertures**

Energy Rated "C" - V/S 4-16-4 Clear Tuff : 16mm Swiss V Spacer

Georgian Bar 18mm Bar White Std Joints Argon Gas Filled

A6 - (662 x 692)

Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (661 x 693)

7	Eurocell Vertical Slider (Glazed) O/A Sizes 860mm x 1580mm (V/S)	Specification		Chk
		Frame (Head)	VSW001 V/S Outerframe	[]
		Frame (Cill)	VSW005 Cill Adapter	[]
		Frame (Left jamb)	VSW001 V/S Outerframe	[]
		Frame (Right jamb)	VSW001 V/S Outerframe	[]
		Sash	VSW002 57mm Slim Sash	[]
		Sash #2	VSW003 68mm Med Sash	[]
		Colour	White	[]
		Sash colour	White	[]
		Bead type	Ovolo Bottom V/S Bead	[]
		Open in/out	Open in	[]
		Glazed in/out	Glazed in	[]
		VS Hardware Colour	White	[]
		VS Sash Horn	with Horns	[]
		VS Travel Restrictor	Travel Restrictor	[]

Glazing Details & Appertures

Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer Georgian
Bar 18mm Bar White Std Joints Argon Gas Filled
A1 - (661 x 673) A6 - (662 x 672)

8	Eurocell Vertical Slider (Glazed) Qty (2) O/A Sizes 1070mm x 1520mm (V/S)	Specification		Chk
		Frame (Head)	VSW001 V/S Outerframe	[]
		Frame (Cill)	VSW005 Cill Adapter	[]
		Frame (Left jamb)	VSW001 V/S Outerframe	[]
		Frame (Right jamb)	VSW001 V/S Outerframe	[]
		Sash	VSW002 57mm Slim Sash	[]
		Sash #2	VSW003 68mm Med Sash	[]
		Colour	White	[]
		Sash colour	White	[]
		Bead type	Ovolo Bottom V/S Bead	[]
		Open in/out	Open in	[]
		Glazed in/out	Glazed in	[]
		VS Hardware Colour	White	[]
		VS Sash Horn	with Horns	[]
		VS Travel Restrictor	Travel Restrictor	[]

Glazing Details & Appertures

Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer Georgian
Bar 18mm Bar White Std Joints Argon Gas Filled
A1 - (871 x 643) A6 - (872 x 642)