

Brick panel with lime mortar

Application: Brickwork will feature to all elevations of the house as well as the various garden walls and structures.

Bricks:

Type: Handmade, naturally variable in appearance

Supplier: Petersen Tegl

Brick Dimension: 228x108x40mm

Colour: Mixture of reds and greys as shown in the sample panel

Lime mortar:

The photo shows 3 different shades of lime mortar. The exact shade is still to be determined upon completion of the mock-up

Supplier: LimeTech

Colours considered:

- Milton Coleford Brown
- St James Brown




Lime Render Panel

Application: Lime render cladding will be applied to the first floor walls of the house, predominantly along the north, south and west facades.

Supplier: LimeTech

Colour: "Princess" off white




Bronze Coloured Metalwork

Application: This powder coating will be applied to the following steel and aluminium components of the project:

- Roof coping
- External door and window frames
- Discreet areas of facade cladding
- Fences and gates

Product: IGP DURA XAL powder coating



Portland Stone

Application: Portland stone will be incorporated to the first floor roof coping as well as the first floor balcony paving

Type: Portland Jordans Basebed



Vals Stonework (Layered Masonry)

Application: This Gneiss stonework will be incorporated predominantly to the garden areas as paving or wall cladding to retaining walls. There is a further area in proximity to the main entrance where this material is used.

This stonework comes in two configurations - as layered masonry (shown here) which is stacked much like brickwork, and as cladding panels/paving (see overleaf). Within these categories there are numerous finishes as shown.



White Selection



Broken Face



Diamond Sawn

Vals Stonework (Panels)

Please refer to description on previous
page



Natural Clef



Honed