



- Counter battens @ 400mm spacing
- 18mm WBP plywood deck
- Fibre Cement Panels (2500x1220) by Equitone Colour as per elevations
- Secret fixing with hanging hooks on horizontal rails @ 400mm centres
- Sarnafil roofing membrane continues to external wall
- 150x50 C24 @ 400 centres
- 2 No. 150x50
- Concealed fixing for fibre concrete panels
- 150mm insulated panel.
- Breather membrane
- 18mm WBP Plywood sheathing
- External Fibre Cement Panels (2500x1220) by Equitone Colour as per elevations

- 120x80x10 RHS
See SE details
- Service Void
- 12.5mm Gyproc wallBoard DUPLEX with vapour control membrane
- Proposed exposed steel column
203 UC 46 Portal Frame

REV. C - 02.02.16 - Subission of condition no. 4
 Rev B - 25.01.16 Grid updated



Norton Ellis Architects Ltd
 14 Baltic Street East
 London EC1Y 0UJ
 Tel: 020 7490 3142
 www.nortonellis.co.uk
 mail@nortonellis.co.uk

These particulars do not constitute, nor constitute any part of, an offer or a contract. All statements contained in these particulars as to this property are made without the responsibility on the part of Norton Ellis Architects Ltd, or the Vendors or Lessors. None of the statements contained in these particulars as to this property are to be relied on as statements or representations of fact. All measurements are approximate and no responsibility is taken for any error, omission, or mis-statement and any intending purchaser or tenants must satisfy themselves by inspection or otherwise as to the correctness of each of the statements contained in these particulars/ plans.

All dimensions to be checked on site and any discrepancy to be reported to the Architect prior to construction.
 This drawing to be read in conjunction with all other drawings including those of other consultants.
 Samples of all materials to be provided for comment/ approval prior to fabrication/construction

© 2015 Norton Ellis Architects Ltd.

Typical FCP Facade hinge detail

| PURPOSE OF ISSUE | |
|------------------|-------------------------------------|
| Preliminary | <input type="checkbox"/> |
| Planning | <input checked="" type="checkbox"/> |
| Tender | <input type="checkbox"/> |
| Construction | <input type="checkbox"/> |

266-264
 Rev: C
 Date: 21.08.15
 Scale: 1:5 @ A3

norton ellis architects **nea**
 61-63 Rochester Place, NW1 9JU

Typical FCP Facade hinge detail