

- Notes
- This drawing has been prepared in accordance with the scope of RPS's appointment with its client and is subject to the terms and conditions of that appointment. RPS accepts no liability for any use of this document other than by its client and only for the purposes for which it was prepared and provided.
 - If received electronically it is the recipient's responsibility to print to correct scale. Only written dimensions should be used.

LANDSCAPE KEY

- Proposed 4 No. root fixed Zenith wooden benches with Stainless Steel frame by Furnitubes or similar approved.
- Location of 2No. existing column mounted floodlights to be adapted with wall brackets and located 6450mm affl to top. Final layout to be determined on site and agreed prior to installation. For further information refer to drawing P3088-ME-001 Proposed Incoming and Site Services Layout by Pinnacle ESP.
- Existing lighting column to be removed. For further information refer to Pinnacle drawings.
- Existing lighting columns to be retained.
- Proposed 5 No. Phosco P567A HBM 78w LED High Frequency traditional reflector style luminaires made with a high pressure die cast aluminium body. To be mounted on 5m high columns. For further information refer to drawing P3088-ME-001 Proposed Incoming and Site Services Layout by Pinnacle ESP.
- 3 No. full size tennis tables of durable aluminium construction suitable for permanent outdoor location.
- 2 No. Brexap Apollo cycle shelter constructed in mild steel, galvanneal with a polyester powder coated finish with 4. No root fixed Sheffield cycle stands.
- 4 No. 600mm high planter beds. The beds shall be constructed in timber sleepers on edge properly splayed and top jointed. Refer to drawing AL-2002 for Detailed Soft Landscape Proposals.
- Proposed self binding Brexap gravel surface or similar approved. Lead to manufacturer's specifications. Colour: Buff.
- Proposed Addagrip resin bound gravel surface or similar approved. Size: 3mm. Lead to manufacturer's specifications. Colour: Buff.
- Proposed Marshalls Tegular concrete sett paving or similar approved. Size: 120mm height x 60mm width x 60mm depth. Lead to manufacturer's specification. Colour: Traditional.
- Proposed SSP-LK weep safety surfacing or similar approved. Lead to manufacturer's specifications. Colour: Buff Change. For further information refer to drawing AL-200
- Proposed 2 No. bi-fold gates or similar approved. Size and supplier to be confirmed by Client. To match mesh fence type 358. Finish to match existing. Installation as per manufacturer's recommendations.
- Proposed 1m width x 2.4m high single leaf close board gate or similar approved. To be installed to manufacturer's recommendations.
- 3. 1m high timber structure sleeper wall with beams at 2m centres with 3m high security mesh fence type 358 or similar approved. Installation as per engineer's recommendations.
- Proposed 1m width x 4m high single leaf gate. Finish to match security mesh fence type 358 or similar approved. To be installed to manufacturer's recommendations. Making good noted above.
- Proposed 1m width x 2.2m high single leaf gate. Finish to match ball fence type or similar approved. To be installed to manufacturer's recommendations.

Rev	Description	Date	Initial	Checked
T	Updated to Higgins requests. Notes amended, addition of tarmac crossover area.	14.03.16	LB	DMB
S	Updated to suit LPA requests. The kerb edging used to demarcate Highways ownership. Making good noted above.	14.03.16	LB	DMB
P	Drawing status updated to 'Construction'.	18.02.16	LB	DMB
N	Updated to suit Higgins request. 3m ball fence added to soft landscaping beds to rear of Block B. Cycle shelter area and area near bi-folding gates amended to block paving.	21.01.16	LB	DMB
M	Updated to suit Higgins request. Location of gate No. 5 and associated fencing amended to suit with Higgins request.	11.12.15	LB	DMB
L	Updated to suit Client requests. Fence types amended to boundary near Bayham Place. 2 No. additional gates and path access added to proposals.	24.09.15	LB	DMB
K	Updated to suit Higgins request. Proposed 2 No. 4m high x 4.5m wide gates amended to 2 No. bi-fold gates.	01.09.15	LB	DMB
J	Updated to suit Higgins request. Remove yellow screening of outdoor creche area. 12m sliding gate amended to 2 No. 4m high x 4.5m wide gates.	14.07.15	LB	DMB
H	Update to suit Client comment. Proposed 2m high wall with 2m high wire mesh type 358 fixed to wall above located at school boundary omitted from proposals.	30.06.15	LB	DMB
G	Updated to suit Client comment. Existing 5m high ball stop fence located along school northern boundary to be removed and replaced with 2m high wall with 2m high wire mesh type 358 fixed to wall above.	29.06.15	LB	DMB
F	Updated to suit Client request. Previously labelled Points 1 and 2 omitted (existing gate information). Existing ballstop and planter shown as removed. Proposed access to school omitted and replaced with landscaping.	29.06.15	LB	DMB
E	Updated to suit Client comment. Landscaping to south amended 1m north to allow for 1m gap between existing school fence and proposed wall and mesh fence. Gate to south omitted.	29.06.15	LB	DMB
D	Updated to suit M&E Comments. Locations of existing and proposed lighting columns amended. Drawing updated to Planning status.	23.03.15	LB	DMB
C	Updated to suit latest layout. Fence and gate information added, one planter removed and planter bed amended due to relocation of car parking bays. Location of lighting columns amended. Boundary line location amended.	24.02.15	LB	DMB
B	Updated to suit latest layout. Swatches selected. Tegular concrete sett paving, Weep safety surfacing, Addagrip resin bound gravel, ball and box boxes, benches, light columns.	21.03.14	LB	DMB
A	Updated to suit latest layout. Substation relocated into Block A. Suggested Possible boundary treatment added.	04.03.14	LB	DMB

