

## Current List of Planning Amendments to be submitted (Architects to provide relevant Mark-ups)

No.	Block Affected	Amendment Description	Drawing Example	Owner
<b>1.0 Window/ Door Amendments</b>				
1.1	Blemundsbury, Devonshire, Windmill, Richbell, Springwater, Falcon	Minor Alterations to Window Positions	Refer to comparison document - 2013.1014.P - NMA - Avanti	AVA
1.2	Mews Bookend, New Blemundsbury,	Various revisions to glazing/panel/door configuration (handed/low level panels added/high level panels over doors/stair windows) across DMA units, to suit revised internal layouts (whitelines, compliance and alternative private layout options)	Refer to comparison document - 2013.1014.P - NMA - MAE	DMA
1.3	Mews Houses/ Devonshire	Mews and Devonshire window sizes updated in line with design & construction development	Refer to comparison document - 2013.1014.P - NMA - DMA	MAE
1.4	Blemundsbury	Lower Ground Floor- New Entrance Door and new window opening for caretaker	Refer to comparison document - 2013.1014.P - NMA - Avanti	AVA
1.5	Blemundsbury, Windmill, Richbell,	Minor Alterations to Entrance Door and Panel Heights	Refer to comparison document - 2013.1014.P - NMA - Avanti	AVA
1.6	Blemundsbury	New brick plinth in side entrance wall.	Refer to comparison document - 2013.1014.P - NMA - Avanti	AVA
1.7	Blemundsbury	Lower Ground Floor: Doors in the under build flat units (Flat Type 04) have been moved 120 mm to the left to allow 300 mm clear space to the leading edge on the pull side of the entrance doors.	Refer to comparison document - 2013.1014.P - NMA - Avanti	AVA
1.8	Richbell	Entrance: New opening in one side brick wall, 1360 mm wide.	Refer to comparison document - 2013.1014.P - NMA - Avanti	AVA
1.9	Richbell	Core, SE facade: Slimmer window dimensions, 600 mm, and placed in swapped positions in each floor. C13	Refer to comparison document - 2013.1014.P - NMA - Avanti	AVA
1.9	Richbell	Flat 5.A.1: New window for bathroom. Flat 5.A.2: Window position moved from SE façade to NE façade.	Refer to comparison document - 2013.1014.P - NMA - Avanti	AVA
1.10	Springwater, Falcon	Secure fence and door: Position of door has changed	Refer to comparison document - 2013.1014.P - NMA - Avanti	AVA
1.11	Falcon	Opening in the NW façade brick wall is 1685 mm longer.	Refer to comparison document - 2013.1014.P - NMA - Avanti	AVA
1.12	Falcon	Flat 6.A.7: Different window positions due to a different internal layout design	Refer to comparison document - 2013.1014.P - NMA - Avanti	AVA
1.13	Falcon	Overbuild flat type 16: The position of two windows (bathroom and Kitchen) has been swapped to suit the new internal layout of the compliant flat type.	Refer to comparison document - 2013.1014.P - NMA - Avanti	AVA
1.14	Blemundsbury Bookend	Revisions to glazing/panel configuration, including low level rainscreen panels to suit revised internal layouts	Refer to comparison document - 2013.1014.P - NMA - DMA	DMA
1.15	Devonshire	Windows in the living room, NE façade side, have been moved 1000 mm to fit accordingly with the updated compliant flat types 05.	Refer to comparison document - 2013.1014.P - NMA - Avanti	AVA
1.16	Devonshire Court	Ground Floor window on south elevation resized and moved to allow for an optimised plan layout.	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
1.17	Mews Bookend	Revisions to glazing/panel configuration, including low level rainscreen panels to suit revised internal layouts	Refer to comparison document - 2013.1014.P - NMA - DMA	DMA
1.18	Mews Houses	Single bedroom Mews windows updated to be openable for ventilation.	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
1.19	Mews Houses	Window adjacent to door omitted on terrace of Mews Houses 1.A.2, 1.A.3 & 1.A.6	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
1.191	Mews Houses	Window Handed in Units 1.A.4	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE

## Current List of Planning Amendments to be submitted (Architects to provide relevant Mark-ups)

No.	Block Affected	Amendment Description	Drawing Example	Owner
1.192	New Devonshire	Glazing obscured to bathrooms	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
1.193	New Devonshire	Windows become openable and Juliette balconies added.	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
<b>2.0 Material Amendments</b>				
2.1	Springwater	Typical Floor: Change of wall finish material from brick to rainscreen cladding in the SW elevation. Roof Extension: Change of wall type from glazed to solid, rainscreen cladding, in the SW façade.	Refer to comparison document - 2013.1014.P - NMA - Avanti	AVA
2.2	Mews Houses	> Panel adjacent to entrance in ALL Mews Houses Units replaced with brick structure.	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
2.21	Mews Houses	Walls lining fire escape route changed from 1100mm brickwork with ballustrading up to 1800mm to full height brickwork to aid privacy between Units 1.A.1 and 1.A.2. Space between walls still visible from terrace of 1.A.2	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
2.22	Mews Houses	Precast canopy to Mews Houses 1.A.2, 1.A.3 & 1.A.6 forms designed to include precast soffit/lintel to adjacent windows. Essentially, brick soffit to windows replaced with precast concrete.	Refer to comparison document - 2013.1014.P - NMA - MAE	
2.3	Devonshire	Potential changes to Devonshire staircase to rationalise design for in-situ concrete construction rather than precast. Both construction methods are still on the table	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
2.31	Devonshire	> Brick cills replaced with precast reconstituted stone to match elevation with Mews and improve waterproofing, buildability, architectural definition and speed of construction on site.	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
2.32	Devonshire	Existing wall to Devonshire Court to be retained rather than removed and space behind remodelled with new low brick wall and planting.	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
2.33	Devonshire	Cladding panel replaced with brick for fire protection on walkways of floors 2 and 3.	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
2.34	Devonshire	Cladding to inside of parapet redesigned and vertical timbers. Please refer to 1211_Z3-752 for details.	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
2.35	Devonshire	Imperforate ballustrade to 2nd and 3rd floors changed from glass balcking to metal PPC panel.	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
2.4	Site Wide	Site wide masonry brick - Following review of sample panels and as built buildings the specified facing brick was changed from a Floren 'Vega' (dark brown / black spots) masonry brick to a Floren 'Pallas' (ivory/brown textured brick with flush mortar joints), which relates to and reflects the original D&A material palette.	Refer to comparison document - 2013.1014.P - NMA - DMA	DMA
2.5	Site Wide	Masonry brick defensible strip to DMA Units – Following technical performance issues with the specified brick paviour (Floren 'Vega' masonry brick), the specification was changed to a Weinerberger "Triton Tumbled" (brown) rustic paviour.	Refer to comparison document - 2013.1014.P - NMA - DMA	DMA
2.6	Site Wide	Site wide mortar – Changed from a grey mortar to a beige/ white mortar.	Refer to comparison document - 2013.1014.P - NMA - DMA	DMA
2.7	Site Wide	Site wide window, door and rainscreen panel finish - Altered from 'bronze' anodised finish to a 'natural' anodised finish.	Refer to comparison document - 2013.1014.P - NMA - DMA	DMA

## Current List of Planning Amendments to be submitted (Architects to provide relevant Mark-ups)

No.	Block Affected	Amendment Description	Drawing Example	Owner
2.8	Site Wide	Anodised metalwork soffits (as part of rainscreen / window & door system) added to New Blemundsbury Houses main entrances at Units 2.A.1 – 2.A.10	Refer to comparison document - 2013.1014.P - NMA - DMA	DMA
2.9	Site Wide	Ancillary metalwork, balustrades and gates and ventilation finishes - Altered from 'bronze' anodised finish to a 'natural' anodised finish.	Refer to comparison document - 2013.1014.P - NMA - DMA	DMA
2.10	Site Wide	Recessed terraces, roof terraces – Altered from masonry finish to a hardwood 'silvered' weathered finish.	Refer to comparison document - 2013.1014.P - NMA - DMA	DMA
<b>3.0 Roof Light Amendments</b>				
3.1	Mews Houses	2no. Roof lights omitted. (Units 1.A.4 & 1.A.5) 1no. Floor light omitted. (Unit 1.A.3)	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
3.2	Devonshire Court	Roof light above stair omitted.	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
3.3	Mews and Blemundsbury Bookend	Revisions to design of 2No pop up rooflights to Mews and Blemundsbury bookend (height reduced and balustrade incorporated)	Refer to comparison document - 2013.1014.P - NMA - DMA	DMA
3.3	Mews Houses	Roof lights updated and refined to all Mews dwellings. Roof lights will not open, separate access hatch to all Mews houses.	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
3.4	Devonshire Court	Roof hatch added to roof of staircore.	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
<b>4.0 Site Wide Amendments</b>				
4.1	Site Wide?	Revisions to refuse strategy	Refer to comparison document - 2013.1014.P - NMA - DMA	DMA
4.2	Blemundsbury Courtyard	Landscape - Revisions to rear steps / terrace access to Blemundsbury Courtyard, minor amendments to Doumbey street courtyard garden Final detail in development Refer Camlins landscape architects construction information. <i>(updated comment from previous)</i>	Refer to drawing no. 0677_LL434-400-0002_A	Camlins
4.3	Mews Bookend	Amendments to Mews Bookend Orde Hall Street (East Elevation) to include new access to communal bin store from street (adjacent to communal entrance)	Refer to comparison document - 2013.1014.P - NMA - DMA	DMA
4.4	Site Wide	Ancillary metalwork, balustrades and gates and ventilation design - Altered from original flat bar balusters and handrails to a flat bar head and cill rail with angled square bar baluster inserts.	Refer to comparison document - 2013.1014.P - NMA - DMA	DMA
4.5	Devonshire	Refuse stores for 3.A.1 & 3.A.2 moved from front doors into communal binstore within Devonshire court.	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
4.6	Devonshire	Devonshire Refuse store doors to open only into Devonshire Court. Separate door between stores for	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
4.7	Devonshire	Slab length on walkway increased towards existing building.	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
4.8	Mews Houses	Privacy screen added to Mews House 1.A.6. Please refer to 1211_Z1-752	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
<b>5.0 Tower Entrances</b>				
5.1	Tower Entrances	Chancellor's CHP and access (design review pending survey information, compliance, DBK, MNP information)	Refer to comparison document - 2013.1014.P - NMA - DMA	DMA
5.2	Tower Entrances	Tower Entrances & immediate landscape design (design development ongoing).	Refer to comparison document - 2013.1014.P - NMA - DMA	DMA
<b>6.0 Other</b>				
6.1	Springwater	Zone for Pre-cast concrete overcladding to the lift and stair cores. (Now shown in plan to reflect intent shown in planning elevations)	Refer to comparison document - 2013.1014.P - NMA - Avanti	AVA
6.2	Falcon	Terrace: The balcony is 500 mm longer.	Refer to comparison document - 2013.1014.P - NMA - Avanti	AVA

## Current List of Planning Amendments to be submitted (Architects to provide relevant Mark-ups)

No.	Block Affected	Amendment Description	Drawing Example	Owner
6.3	Blemundsbury	Roof extension: Riser dimensions to be checked and confirmed. If it is not enough, the space allowance will have to be extended and the façade accordingly amended (TBC).	Refer to comparison document - 2013.1014.P - NMA - Avanti	AVA
6.4	Blemundsbury Bookend	Design changes to GF access of Blemundsbury Bookend, Dombey Street Courtyard due to adoption of new Energy Strategy 4 (DBK/MNP to advise)	Refer to comparison document - 2013.1014.P - NMA - DMA	DMA
6.5	Mews Houses	Wall nib adjacent to bin stores removed to allow better access to bins. (Units 1.A.1, 1.A.4, 1.A.5)	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
6.6	New Blemundsbury Houses	Façade opening to entrances of New Blemundsbury Houses 2.A.1 & 2.A.6 enlarged to comply with DDA / LTH requirements and increase light into kitchen area.	Refer to comparison document - 2013.1014.P - NMA - DMA	DMA
6.7	New Blem, Mews Bookend	Low level circular perforations added to all DMA service doors (plant rooms, bin & bike storage areas) to enable natural ventilation to non-mechanically ventilated spaces.	Refer to comparison document - 2013.1014.P - NMA - DMA	DMA
6.8	Site Wide	Extract vents, RWPs, flues – Final positions and setting out added, as per previous comments. All external metalwork colour matched to window and door metalwork finishes.	Refer to comparison document - 2013.1014.P - NMA - DMA	DMA
6.9	New Blem, Mews Bookend	Parapets – Parapets increase in thickness to relate to position of structural walls below. Parapets – Where parapets exceed 215mm (brick length) to top face of coping, coping finish is made up of a pre-cast concrete, colour matched to façade mortar.	Refer to comparison document - 2013.1014.P - NMA - DMA	DMA
6.91	Mews Houses	Eastern Mews Houses Ground FFLs adjusted by Camlins. 1st Floor FFLs adjusted.	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
6.92	Mews Houses	Mews Houses TOP levels increased in the East by 173mm, in the West by 103mm.	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
6.93	Mews Houses	Top level of West Courtyard wall reduced by 32mm	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
6.94	Mews Houses	Precast panel at ground floor reduced in height following development.	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
6.95	Devonshire Court	Ballustrade to 5th Floor in Devonshire Staircore omitted as this is no longer a pedestrian route for	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE
6.96	New Devonshire	TOP 4th Floor increased by 28mm. TOP Roof increased by 13mm.	Refer to comparison document - 2013.1014.P - NMA - MAE	MAE