

Project Name
 6 Stukley Street

Project No.
 GWPR1437

Co-ords: -

Hole Type
 WS

Location: London WC2B 5LQ

Level: -

Scale
 1:50

Client: Derek Savage

Dates: 02/11/2015-03/11/2015

Logged By
 JD

Well	Water Strikes	Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
		Depth (m)	Type	Results				
		0.30	D		0.65		MADE GROUND: Light brown silty gravelly sand. Sand is fine to coarse grained. Gravel is occasional to abundant, fine to medium, sub-angular to sub-rounded flint, brick, concrete and occasional tarmac.	
		0.50	D					
		0.75	D					
		0.80	D					
		1.00	D					
		1.50	D		1.60		MADE GROUND: Light brown slightly sandy gravelly clay. Sand is fine to medium grained. Gravel is occasional, fine to medium, sub-rounded to sub-angular brick, concrete and lignite.	
		2.00	D					
		2.50	D					
		3.00	D		2.20		MADE GROUND: Dark brown gravelly silty clay. Gravel is rare to occasional, fine, sub-rounded flint and brick.	
		3.50	D					
		5.00	D		3.20		MADE GROUND: Dark grey-brown gravelly clay. Gravel is rare to occasional, fine to medium, sub-rounded flint.	
		5.20	D					
		5.80	D					
		6.20	D					
		6.80	D					
	7.30	D		3.20		LYNCH HILL GRAVEL MEMBER: Light brown clayey sandy GRAVEL. Gravel is abundant, fine to medium, sub-angular to rounded flint. Sand is fine grained.		
	7.80	D						
				5.00			LONDON CLAY FORMATION: Dark grey silty CLAY.	
				8.00			End of Borehole at 8.00 m	

Remarks: Window Sample to 3.50m bgl. Hollow stem auger to 8.00m bgl.
 50mm diameter combined bio-gas and groundwater monitoring well installed to 8.00m bgl.
 No groundwater encountered. May have been obscured by drilling process.

