

NEW INTERNAL WATERPROOFING TO ALL VAULTS ("SAFEGUARD" [Oldroyd XV or XV20 membrane on floor & XV on walls/ceilings, with Oldroyd Aquadrain perimeter drainage and wall (12.5mm plasterboard on Safeguard Fastframe Drylining System Components), ceiling (12.5mm plasterboard on steel channel sections) and floor finishes (55mm screed)]; Thermal insulation only in Utility Room. Sump & pump to be included as part of the system in all three vaults. Tel:01403210204 www.safeguardeurope.com; OR SIMILAR QUALITY STUDDED MEMBRANE PRODUCT)

NOTES for Vaults 1, 2 & 3 internal waterproofing:

Product applicators/contractor should refer to the manufacturer's application/installation guidelines

Sump chambers and jetting inspection points should be installed so that they are permanently accessible.

Ideally jetting/inspection points should be installed at every change of direction of linear run.

Thermal insulation added only in Vault 1 (drawing SA0815/806)


Moisture resistant lining to be used within Vault 2 and 3 (because of access doors with grills and exposure to external moisture through them)

PROPOSED SECTION B-B

NOTES

CONTRACTORS MUST VERIFY ALL DIMENSIONS ON SITE BEFORE COMMENCING ANY WORK OR SHOP DRAWINGS. FIGURED DIMENSIONS ARE TO BE USED IN PREFERENCE TO SCALED DIMENSIONS. IF THIS DRAWING EXCEEDS THE QUANTITIES TAKEN IN ANY WAY, THE ARCHITECTS ARE TO BE INFORMED BEFORE THE WORK IS INITIATED. SEIFERT COPYRIGHT

D	Change to dressing room ceiling	08.03.16	EB	
C	Change to kitchen ceiling and ceiling on level 1 to allow space for ac unit	07.02.16	EB	
B	Internal door elevations and internal wall thickness updated	14.05.15	JZ	
A	Roof terrace flooring updated (stone slabs replaced by timber decking); Fireplaces at Ground and First Floor updated; Kitchen ceiling has been raised; Jacuzzi section at Lower Ground updated internally; Railings design around back patio updated; Condenser units location shown at Lower Ground and at Roof Terrace level	02.04.15	JZ	
-	FIRST ISSUE	08.10.14	JZ	
REV.	DESCRIPTION	DATE	INIT.	



York House  
1 Seagrave Road  
London  
SW6 1RP

T: 020 7935 6984  
F: 020 7486 6507  
www.sigma-architects.com

STATUS

TENDER

CLIENT

John Seifert

JOB

5 Chester Terrace  
Regents Park, NW1 4ND

TITLE

PROPOSED  
SECTION B-B

SCALE

A1 @ 1:50  
A3 @ 1:100

DRAWING No.

SA 0815/304

DATE

04/04/14

REVISION No.

D