

66 Porchester Road
London W2 6ET
United Kingdom

info@flanaganlawrence.com
+44(0) 20 7706 6166

flanaganlawrence.com

Refurbishment of Grade II* Listed Office Building

6 Bloomsbury Square
London
WC1A 2LP

PLANNING ISSUE : **Revision A 18th April 2016**

Prepared on behalf of:

Danny Ungar
South Bloom Ltd.
14 cavendish Place
London
W10 9DJ

Note: This document to be read with Door Schedule Revision C

| | |
|--------|---|
| Set 1 | DB.1/DB.3 |
| Set 2 | DB.4 |
| Set 3 | D3.2/D3.3/D3.4/D2.3/D2.5/D2.6/D1.1/D1.4/D0.3/D0.5/D0.6/DB.7/DB.11/DB.12/DB.13 |
| Set 4 | D3.1/D3.8/D.2.1/D2.2/D2.4/D2.7/D2.11/D1.2/D1.5/D0.4/D0.7/D0.9/DB.16/ |
| Set 4A | D3.5/D2.8/D1.6/D0.8/DB.15 |
| Set 5 | DB.14 |
| Set 7 | DB.9 |
| Set 8 | D3.6/D2.9/D1.7/D0.8A/DB.5/DB.6/DB.9A/DB.15A |
| Set 9 | D0.2 |
| Set 10 | D0.1 |
| Set 11 | D0.3A |
| Set 12 | D1.9 |

| Floor | Door | Set | Hinge | Door closer | Dedlock | Pull handles / door knobs | Door stop | Other |
|-------|--------|--------|---|---|---|--|-----------------------------|---|
| L3 | D3.1 | Set 4 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | Concealed Perko Chain door closer | 1no Union 2682 Mortice Lock Knob operation (P28) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | N/A |
| L3 | D3.2 | Set 3 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | Concealed Perko Chain door closer | 1no Union L2370 Mortice Night latch (P30) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | N/A |
| L3 | D3.3 | Set 3 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | Concealed Perko Chain door closer | 1no Union L2370 Mortice Night latch (P30) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | N/A |
| L3 | D3.4 | Set 3 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | Concealed Perko Chain door closer | 1no Union L2370 Mortice Night latch (P30) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | N/A |
| L3 | D3.5 | Set 4A | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | N/A | Union 2274 Mortice Bathroom Lock (p27) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | | 1no WC thumb-turn Allgood "Sembla" 77IQ2532 (p19) |
| L3 | D3.6 | Set 8 | N/A | N/A | Portman 7515 Satin Chrome Finish - For door leaf 40-48mm (P21) | | | |
| L3 | D3.8 | Set 4 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | N/A | 1no Union 2682 Mortice Lock Knob operation (P28) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | N/A |
| L2 | D2.1 | Set 4 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | N/A | 1no Union 2682 Mortice Lock Knob operation (P28) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | N/A |
| L2 | D2.2 | Set 4 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | Concealed Perko Chain door closer | 1no Union 2682 Mortice Lock Knob operation (P28) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | N/A |
| L2 | D2.3 | Set 3 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | Concealed Perko Chain door closer | 1no Union L2370 Mortice Night latch (P30) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | N/A |
| L2 | D2.4 | Set 4 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | Concealed Perko Chain door closer | 1no Union 2682 Mortice Lock Knob operation (P28) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | N/A |
| L2 | D2.5 | Set 3 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | Concealed Perko Chain door closer | 1no Union L2370 Mortice Night latch (P30) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | N/A |
| L2 | D2.6 | Set 3 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | Concealed Perko Chain door closer | 1no Union L2370 Mortice Night latch (P30) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | N/A |
| L2 | D2.7 | Set 4 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | N/A | 1no Union 2682 Mortice Lock Knob operation (P28) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | N/A |
| L2 | D2.8 | Set 4A | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | N/A | Union 2274 Mortice Bathroom Lock (p27) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | | 1no WC thumb-turn Allgood "Sembla" 77IQ2532 (p19) |
| L2 | D2.9 | Set 8 | N/A | N/A | Portman 7515 Satin Chrome Finish - For door leaf 40-48mm (P21) | | | |
| L2 | D2.11 | Set 4 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | N/A | 1no Union 2682 Mortice Lock Knob operation (P28) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | N/A |
| L1 | D1.1 | Set 3 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | Concealed Perko Chain door closer | 1no Union L2370 Mortice Night latch (P30) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | N/A |
| L1 | D1.2 | Set 4 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | Concealed Perko Chain door closer | 1no Union 2682 Mortice Lock Knob operation (P28) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | N/A |
| L1 | D1.3 | Set 3 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | Concealed Perko Chain door closer | 1no Union L2370 Mortice Night latch (P30) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | N/A |
| L1 | D1.4 | Set 3 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | Concealed Perko Chain door closer | 1no Union L2370 Mortice Night latch (P30) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | N/A |
| L1 | D1.5 | Set 4 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | N/A | 1no Union 2682 Mortice Lock Knob operation (P28) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | N/A |
| L1 | D1.6 | Set 4A | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | N/A | Union 2274 Mortice Bathroom Lock (p27) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | | 1no WC thumb-turn Allgood "Sembla" 77IQ2532 (p19) |
| L1 | D1.7 | Set 8 | N/A | N/A | Portman 7515 Satin Chrome Finish - For door leaf 40-48mm (P21) | | | |
| L1 | D1.9 | Set 12 | 8no Union Powerload 603 (P24) | N/A | 1no Union 2670 Mortice Latch lever handle (p29) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | | 2no Hafele 246.84.713 (P13) |
| GF | D0.1 | Set 10 | Existing | Existing (none) | 1no Banham L2000 Product 360 with latch back (P10) | Existing | | Leterbox, number and door knob existing |
| GF | D0.2 | Set 9 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | 2no Concealed O/Head Hafele 931.14.329 Satin s/s (p4) | 1no Union 2670 mortice latch lever handle operation (p29) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | | |
| GF | D0.3 | Set 3 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | Concealed Perko Chain door closer | 1no Union L2370 Mortice Night latch (P30) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | |
| GF | D0.3A | Set 11 | 3no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | N/A | 1no Union 2670 Mortice Latch lever handle (p29) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | | |
| GF | D0.4 | Set 4 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | Concealed Perko Chain door closer | 1no Union 2682 Mortice Lock Knob operation (P28) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | |
| GF | D0.5 | Set 3 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | Concealed Perko Chain door closer | 1no Union L2370 Mortice Night latch (P30) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | |
| GF | D0.6 | Set 3 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | Concealed Perko Chain door closer | 1no Union L2370 Mortice Night latch (P30) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | |
| GF | D0.7 | Set 4 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | N/A | 1no Union 2682 Mortice Lock Knob operation (P28) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | |
| GF | D0.8 | Set 4A | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | N/A | Union 2274 Mortice Bathroom Lock (p27) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | | 1no WC thumb-turn Allgood "Sembla" 77IQ2532 (p19) |
| GF | D0.8A | Set 8 | | | Portman 7515 Satin Chrome Finish - For door leaf 40-48mm (P21) | | | |
| GF | D0.9 | Set 4 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | N/A | 1no Union 2682 Mortice Lock Knob operation (P28) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | |
| BF | DB.1 | Set 1 | 3no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | N/A | Union L2183 Horizontal mortice dedlock with euro profile cylinder (P26) | 1no Hafele 162.02.301 (P16) | | |
| BF | DB.3 | Set 1 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | N/A | Union L2183 Horizontal mortice dedlock with euro profile cylinder (P26) | 1no Hafele 162.02.301 (P16) | | |
| BF | DB.4 | Set 2 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | N/A | | 1no Union OAD805N with knob (P32) | | 1no Union PL803N single door panic Latch (P31) |
| BF | DB.5 | Set 8 | | | Portman 7515 Satin Chrome Finish - For door leaf 40-48mm (P21) | | | |
| BF | DB.6 | Set 8 | | | Portman 7515 Satin Chrome Finish - For door leaf 40-48mm (P21) | | | |
| BF | DB.7 | Set 3 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | Concealed Perko Chain door closer | 1no Union L2370 Mortice Night latch (P30) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | |
| BF | DB.9 | Set 7 | | Existing vault | | | | |
| BF | DB.9A | Set 8 | | | Portman 7515 Satin Chrome Finish - For door leaf 40-48mm (P21) | | | |
| BF | DB.11 | Set 3 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | Concealed Perko Chain door closer | 1no Union L2370 Mortice Night latch (P30) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | |
| BF | DB.12 | Set 3 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | Concealed Perko Chain door closer | 1no Union L2370 Mortice Night latch (P30) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | |
| BF | DB.13 | Set 3 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | N/A | 1no Union L2370 Mortice Night latch (P30) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | |
| BF | DB.13A | | | IQ Glass door | | | | |
| BF | DB.14 | Set 5 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | N/A | 1no Union 2670 Mortice Latch lever handle (p29) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | | |
| BF | DB.15 | Set 4A | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | N/A | Union 2274 Mortice Bathroom Lock (p27) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | | 1no WC thumb-turn Allgood "Sembla" 77IQ2532 (p19) |
| BF | DB.15A | Set 8 | | | Portman 7515 Satin Chrome Finish - For door leaf 40-48mm (P21) | | | |
| BF | DB.16 | Set 4 | 4no VHP24JRS ALTERNATIVE - 601 BUTT HINGE 160KG DOOR MASS | N/A | 1no Union 2682 Mortice Lock Knob operation (P28) | Carlisle Brass Victorian Scroll lever on round rose satin Chrome | 1no Hafele 937.12.000 (P34) | |
| BF | DB.17 | | | | | | | |

VHP



Vier VHP243 RADIUS Grade 14 Thrust Bearing Stainless Steel Hinge

Brand new from Vier Design are these ultra-high performance thrust bearing butt hinges.

This model features a radius corner.

Key Features:

- Dimensions:
 - 102 x 76 x 3mm
- ● SSS - Satin Stainless Steel
- 🔥 Suitable for 30/60 minute fire doors
- Grade 201 Stainless Steel
- BS EN 1935 : 2002 Grade 14
- Grade 7 Rated - Capable of supporting up to 160kg
- Self-Lubricating Thrust Bearings

Union

603 - Butt Hinge - 120kg door mass



Hafele




Help Contact Sign in / Register

- Tools, Fixings & Consumables
- Commercial Solutions
- Ironmongery & Security
- Folding & Sliding Door Systems
- Lighting & Electrical
- Kitchens, Bedrooms & Bathrooms
- Handles & Knobs
- Cabinet Components
- Popular Brands

Search text / Part number... Quick Order Total: £0.00

Home > Door Closers and Controls > Door Closers > Concealed Jamb Door Closers

'Perko' concealed jamb closer



- Suitable for internal doors up to 50.8 kg
- Not suitable for doors fitted with rising butt hinges
- Does not affect the integrity of a latched 1/2 hr or 1 hr fire door when fitted. Copy of the fire test to BS476: Part 22: 1987 and BS EN 1634-1:2000 assessment are available on request
- Tested to 500,000 cycles
- Fixing screws and fitting instructions included
- Brass face and anchor plates. Powder coated mild steel mechanism housing

• **Important note:** These door closers cannot be used on doors hung on any type of projection hinge, rising or falling butt hinges, or Tetus hinges

Contact us:

Contact Product Technical
Tel: 0800 171 2908


Contact Sales Team
Tel: 0800 171 2909

Share:



| ItemCode & Description | Tech Info | Price Per Stock Unit (ex VAT) Internet Prices only |
|--------------------------------------|-----------|--|
| 931.90.418 Polished brass finish | | > Login/Register for full Trade Pricing & Stock Availability |
| 931.90.412 Polished chrome finish | | > Login/Register for full Trade Pricing & Stock Availability |
| 931.90.414 Satin chrome finish | | > Login/Register for full Trade Pricing & Stock Availability |

Hafele




Help Contact Sign in / Register

Tools, Fixings & Consumables
Commercial Solutions
Ironmongery & Security
Folding & Sliding Door Systems
Lighting & Electrical
Kitchens, Bedrooms & Bathrooms
Handles & Knobs
Cabinet Components
Popular Brands

Q
Quick Order ▾
🛒 Total: £0.00

[Home](#) > [Door Closers and Controls](#) > [Door Closers](#) > [Electronic Concealed Door Closers](#)

Electromechanical concealed overhead door closer

- Specification:
- Concealed fixing cam action door closer with concealed guide rail arm for doors up to 1100 mm wide with adjustable closing force and latching action closing speed and adjustable hydraulic backcheck
- Suitable for doors over 40 mm thick
- Hold open angle infinitely variable between 80° and 120°
- Features
- Cam action closer
- Fully concealed guide rail arm
- Closing force adjustable (size range EN2-4)
- Adjustable closing speed
- Adjustable backcheck
- Adjustable latching speed
- Certification
- Tested and approved to BS EN 1154:1997
- Tested to conform with CE requirements
- Certifire approved; certificate no. CF242 60 mins timber
- Electrical data
- Operating voltage 24V DC ± 10%
- Connecting load 100mA
- Max. permissible ripple 20%
- Rating 100%
- Enclosure rating IP43
- A suitable switch should be installed for test purposes
- For suitable power supply, see unit in Related Products
- Material
- Aluminium body and guide rail. Mild steel arm
- Also available to order, subject to quantity:
- RAL, satin stainless steel, polished stainless steel and polished brass rail and arms

Item Code: 931.14.329

Satin Stainless Steel Finish


Contact us:

Contact Product Technical
Tel: 0800 171 2908

Contact Sales Team
Tel: 0800 171 2909

Union


L2274 - Mortice Bathroom Lock



Application

- For timber doors hinged on the left or right and requiring cylinder and lever handle operation
- Also suitable for steel & composite doors - special fixings required
- For use with sprung or unsprung lever furniture from either side. Please specify when ordering


L2370 - Mortice Night Latch



Application

- For timber doors hinged on the left or right and requiring cylinder and lever handle operation
- Also suitable for steel & composite doors - special fixings required
- Accepts oval or euro profile cylinders
- For use with sprung or unsprung lever furniture from inside. Please specify when ordering


L2183 - Horizontal Mortice Deadlock



Application

- For timber doors hinged on the left or right and requiring cylinder operation
- Also suitable for steel & composite doors - special fixings required
- Accepts oval or euro profile cylinders


2670 - Mortice Latch - Lever Handle Operation



Application

- For timber doors hinged on the left or right, opening inwards and outwards
- Also suitable for steel & composite doors - special fixings required
- For use with sprung or unsprung lever furniture from either side

2682 - Mortice Latch - Knob Operation



Application

- For timber doors hinged on the left or right, opening inwards and outwards
- Also suitable for steel & composite doors - special fixings required
- For use with knob furniture from either side

Hafele

Double magnetic catch, 2 x 3-4 kg pull



- Retain two doors on a single cabinet side panel or shelf.
- Can be mounted on butt, rebated or flush doors
- Screw fixing
- Catch: Floating
- Counterpiece: Fixed
- Plastic catch and steel counterpiece

Contact us:

Contact Product Technical
Tel: 0800 171 2908

Contact Sales Team
Tel: 0800 171 2909

Share:



| ItemCode & Description | Tech Info | Price Per Stock Unit (ex VAT) Internet Prices only |
|---|-----------|--|
| 246.84.115 ✓ Brown double magnetic catch | | Login/Register for full Trade Pricing & Stock Availability |
| 246.84.713 ✓ White double magnetic catch | | Login/Register for full Trade Pricing & Stock Availability |

Banham

◀ Door Locks

L2000 Rim Deadbolt

Lock to British Standard 3621, Patented and Insurance approved. **Please note:** The L2000 Rim Deadbolt lock is inward opening only, suitable for doors with a thickness between 30mm and 50mm. For doors thicker than 50mm, we need to extend the cylinder so please [contact us](#).

Product Features

Cylinder & key protected by patent.

6 pin drill resistant cylinder.

This lock has successfully been subject to indicative tests by an independent test laboratory in accordance with TS007 clause 5.2 and has passed the anti-snap tests

Maximum security differs.

Exclusive coded key registration systems.

Secure 10" striker plate on door frame.

Saw resistant steel bolt.

Self deadlocking.

Can be operated with the same key as Banham M2002/3, padlocks & collapsible gates.

Latch back available.

Suitable for doors with a thickness between 30mm and 50mm. For doors thicker than 50mm we need to extend the cylinder so please [contact us](#)


Inward opening only



For visual demonstration purposes only

[BUY NOW](#) [BOOK A SURVEY](#) [← Back](#)

View



Product 360



Detail measurements

Available finishes



Polished Chrome



Satin Chrome



Polished Brass




Satin Brass



Bronze

Documents



For visual demonstration purposes only

Carlisle Brass



Victorian Scroll Lever Round Rose, Satin Chrome Finish.

Union

PL803N - Single Door Panic Latch



Union

OAD805N - Outside Access Device



Application

- Suitable for the external face of outward opening doors
- Suitable for doors between 38-70mm thick
- Concealed fixings
- To suit timber and metal doors

Hafele

Iron hot bed pull handle, 96 mm hole centres




- Face fixing
- Fixing screws included
- Malleable iron
- Due to the manufacturing process of these products there is a ±5 mm tolerance on dimensions shown.

Contact us:

Contact Product Technical
Tel: 0800 171 2908

Contact Sales Team
Tel: 0800 171 2909

Share:



| ItemCode & Description | Tech Info | Price Per Stock Unit (ex VAT) Internet Prices only |
|--|-----------|--|
| 162.02.301 ✓ Cast iron hot bed handle, Black antique finish | | > Login/Register for full Trade Pricing & Stock Availability |

Hafele

Door stop, floor mounted, Ø 45 mm, stainless steel




- Floor fixing
- Anti-turn peg
- Stainless steel, rubber buffer
- Fixings included

Contact us:

Contact Product Technical
Tel: 0800 171 2908

Contact Sales Team
Tel: 0800 171 2909

Share:



| ItemCode & Description | Tech Info | Price Per Stock Unit (ex VAT) Internet Prices only |
|---|-----------|--|
| 937.12.000 ✓ Satin finish door stop | | > Login/Register for full Trade Pricing & Stock Availability |
| 937.51.751 Polished finish door stop | | > Login/Register for full Trade Pricing & Stock Availability |


Allgood

Portman

Ironmongery Doorsets Security / Automation Washroom Worldwide Downloads

door furniture

- cabinet handles
- coat hooks
- cylinder pulls
- door guard
- door stops
- door viewer
- escutcheons and roses
- flush pull handles
- kick plates
- knob handles
- letter plates
- lever handles
- pull handles
- push plates
- wc turns, indicators and releases**
- window handles



771Q2532
Sembla WC turn on concealed fixing rose
Finishes: PS SS

- Add to Mood board (log in for access)
- Dimensions
- Datasheet
- Hi-res image (login for access)

About us Careers Terms Sustainability Privacy News Accessibility Financial management

© Allgood plc 2016 Made by realityhouse

POCKET and sliding door furniture

P7515 (Standard hookbolt lockcase)

- Bathroom privacy set
- To suit 40-48mm Door Leaf
- 60mm diameter handle/turn
- Coin operated privacy release
- 50mm backset
- 106x66x12mm lockcase
- Complete with 25mm dia leading edge finger pull (29mm OD)
- Lever key and Europrofile cylinder versions available to special order
- Finishes: AB, BR, SS, SC, PC, SB, PB



Finishes: left to right: AB, BR, SS, SC, PC, SB, PB

