

Email: planning@camden.gov.uk

Phone: 020 7974 4444 Fax: 020 7974 1680 Development Management Camden Town Hall Extension Argyle Street London WC1H 8EQ

Application for tree works: works to trees subject to a tree preservation order (TPO) and/or notification of proposed works to trees in a conservation area.

Town and Country Planning Act 1990

Publication of applications on planning authority websites.

Please note that the information provided on this application form and in supporting documents may be published on the Authority's website. If you require any further clarification, please contact the Authority's planning department.

1. Applicant Name, Address and Contact Details			
	_		
Title: Mr	First Name:	Surname: Hingley	
Company name:			
Street address:	P O Box 171		
		Telephone number:	
		Mobile number:	
Town/City:	Droitwich	Fax number:	
Country:	Worcestershire	Email address:	
Postcode:	WR9 0WR		
Are you an agent	acting on behalf of the applicant?		
3. Trees Loca Please provide the address if possib House:	ne address of the site where the tree(s) stands (full	Description:	
House name:			
Street address:	Lancaster Grove		
Town/City:	LONDON		
Postcode:	NW3 4EX		
describe as clea of 12 to 18 High	unclear or there is not a full postal address, either rly as possible where it is (for example, 'Land to rear Street' or 'Woodland adjoining Elm Road') or provide rvey grid reference:		
Easting:	527001		
Northing:	184626		

A Tuess Ourseashin	
4. Trees Ownership	
Is the applicant the owner of the tree(s)?	
5. What Are You Applying For?	
Are you seeking consent for works to a tree(s) subject to a TPO?	
Are you wishing to carry out works to tree(s) in a conservation area?	Yes \(\infty \) No
6. Tree Preservation Order Details	
If you know which TPO protects the tree(s) enter its title or number below NO TPO Tree is in a conservation area	
7. Identification Of Tree(s) And Description Of Works	
7. Identification of Tree(s) And Description of Works	
Please identify the tree(s) and provide a full and clear specification of the works you want to carry out. Con might find it useful to contact an arborist (tree surgeon) for help with defining appropriate work. Where tree as shown in the First Schedule to the TPO where this is available. Use the same numbers on your sketch please provide the following information below: tree species (and the number used on the sketch plan) an protected by a TPO you must also provide reasons for the work and, where trees are being felled, please of trees (including quantity, species, position and size) or reasons for not wanting to replant.	s are protected by a TPO, please number them plan (see guidance notes). It description of works. Where trees are give your proposals for planting replacement
E.g. Oak (T3) - fell because of excessive shading and low amenity value. Replant with 1 standard ash in the	ic same place.
At the bottom of the garden to 25 Lancaster Grove there is an existing concrete air raid shelter covered wi tree has self seeded on top of the shelter. The shelter is required to be removed together with all earth co enjoyment of the dwelling. The tree roots spread on top of the concrete roof to the shelter and as the shel exposed leaving the tree in a dangerous state. We request that the tree be removed on grounds of safety garden and in conjunction with the landscaping scheme which has to be submitted prior to the apartment	ith earth. To the right of the air raid shelter a overings to enable further garden space for the lter has got to be removed these roots will be and that a replacement is incorporated in the
At the bottom of the garden to 25 Lancaster Grove there is an existing concrete air raid shelter covered wi tree has self seeded on top of the shelter. The shelter is required to be removed together with all earth co enjoyment of the dwelling. The tree roots spread on top of the concrete roof to the shelter and as the shell exposed leaving the tree in a dangerous state. We request that the tree be removed on grounds of safety	ith earth. To the right of the air raid shelter a overings to enable further garden space for the lter has got to be removed these roots will be and that a replacement is incorporated in the
At the bottom of the garden to 25 Lancaster Grove there is an existing concrete air raid shelter covered wi tree has self seeded on top of the shelter. The shelter is required to be removed together with all earth co enjoyment of the dwelling. The tree roots spread on top of the concrete roof to the shelter and as the shel exposed leaving the tree in a dangerous state. We request that the tree be removed on grounds of safety garden and in conjunction with the landscaping scheme which has to be submitted prior to the apartment	ith earth. To the right of the air raid shelter a overings to enable further garden space for the lter has got to be removed these roots will be and that a replacement is incorporated in the
At the bottom of the garden to 25 Lancaster Grove there is an existing concrete air raid shelter covered wi tree has self seeded on top of the shelter. The shelter is required to be removed together with all earth co enjoyment of the dwelling. The tree roots spread on top of the concrete roof to the shelter and as the shel exposed leaving the tree in a dangerous state. We request that the tree be removed on grounds of safety garden and in conjunction with the landscaping scheme which has to be submitted prior to the apartment	ith earth. To the right of the air raid shelter a overings to enable further garden space for the lter has got to be removed these roots will be and that a replacement is incorporated in the coming into occupation.
At the bottom of the garden to 25 Lancaster Grove there is an existing concrete air raid shelter covered wi tree has self seeded on top of the shelter. The shelter is required to be removed together with all earth co enjoyment of the dwelling. The tree roots spread on top of the concrete roof to the shelter and as the shell exposed leaving the tree in a dangerous state. We request that the tree be removed on grounds of safety garden and in conjunction with the landscaping scheme which has to be submitted prior to the apartment 8. Trees - Additional Information For all trees A sketch plan clearly showing the position of trees listed in Question 7 must be provided when applying for is also advised when notifying the LPA of works to trees in a conservation area (see guidance notes). It wo	ith earth. To the right of the air raid shelter a overings to enable further garden space for the lter has got to be removed these roots will be and that a replacement is incorporated in the coming into occupation.
At the bottom of the garden to 25 Lancaster Grove there is an existing concrete air raid shelter covered wi tree has self seeded on top of the shelter. The shelter is required to be removed together with all earth co enjoyment of the dwelling. The tree roots spread on top of the concrete roof to the shelter and as the shell exposed leaving the tree in a dangerous state. We request that the tree be removed on grounds of safety garden and in conjunction with the landscaping scheme which has to be submitted prior to the apartment 8. Trees - Additional Information For all trees A sketch plan clearly showing the position of trees listed in Question 7 must be provided when applying for is also advised when notifying the LPA of works to trees in a conservation area (see guidance notes). It wo advice given on site by an LPA officer. For works to trees covered by a TPO Please indicate whether the reasons for carrying out the proposed works include any of the following. If so,	ith earth. To the right of the air raid shelter a overings to enable further garden space for the lter has got to be removed these roots will be and that a replacement is incorporated in the coming into occupation.
At the bottom of the garden to 25 Lancaster Grove there is an existing concrete air raid shelter covered wi tree has self seeded on top of the shelter. The shelter is required to be removed together with all earth co enjoyment of the dwelling. The tree roots spread on top of the concrete roof to the shelter and as the shell exposed leaving the tree in a dangerous state. We request that the tree be removed on grounds of safety garden and in conjunction with the landscaping scheme which has to be submitted prior to the apartment 8. Trees - Additional Information For all trees A sketch plan clearly showing the position of trees listed in Question 7 must be provided when applying for is also advised when notifying the LPA of works to trees in a conservation area (see guidance notes). It wo advice given on site by an LPA officer. For works to trees covered by a TPO Please indicate whether the reasons for carrying out the proposed works include any of the following. If so, necessary evidence to support your proposals. (See guidance notes for further details) 1. Condition of the tree(s) - e.g. it is diseased or you have fears that it might break or fall: If YES, you are required to provide written arboricultural advice or other	ith earth. To the right of the air raid shelter a overings to enable further garden space for the lter has got to be removed these roots will be and that a replacement is incorporated in the coming into occupation. Tworks to trees covered by a TPO. A sketch plan puld also be helpful if you provided details of any your application must be accompanied by the
At the bottom of the garden to 25 Lancaster Grove there is an existing concrete air raid shelter covered witree has self seeded on top of the shelter. The shelter is required to be removed together with all earth coenjoyment of the dwelling. The tree roots spread on top of the concrete roof to the shelter and as the shell exposed leaving the tree in a dangerous state. We request that the tree be removed on grounds of safety garden and in conjunction with the landscaping scheme which has to be submitted prior to the apartment. 8. Trees - Additional Information For all trees A sketch plan clearly showing the position of trees listed in Question 7 must be provided when applying for is also advised when notifying the LPA of works to trees in a conservation area (see guidance notes). It wo advice given on site by an LPA officer. For works to trees covered by a TPO Please indicate whether the reasons for carrying out the proposed works include any of the following. If so, necessary evidence to support your proposals. (See guidance notes for further details) 1. Condition of the tree(s) - e.g. it is diseased or you have fears that it might break or fall: If YES, you are required to provide written arboricultural advice or other diagnostic information from an appropriate expert. 2. Alleged damage to property - e.g. subsidence or damage to drains or drives.	ith earth. To the right of the air raid shelter a overings to enable further garden space for the lter has got to be removed these roots will be and that a replacement is incorporated in the coming into occupation. Tworks to trees covered by a TPO. A sketch plan ould also be helpful if you provided details of any your application must be accompanied by the Yes No Yes No
At the bottom of the garden to 25 Lancaster Grove there is an existing concrete air raid shelter covered witree has self seeded on top of the shelter. The shelter is required to be removed together with all earth conjument of the dwelling. The tree roots spread on top of the concrete roof to the shelter and as the shelt exposed leaving the tree in a dangerous state. We request that the tree be removed on grounds of safety garden and in conjunction with the landscaping scheme which has to be submitted prior to the apartment. 8. Trees - Additional Information For all trees A sketch plan clearly showing the position of trees listed in Question 7 must be provided when applying for is also advised when notifying the LPA of works to trees in a conservation area (see guidance notes). It wo advice given on site by an LPA officer. For works to trees covered by a TPO Please indicate whether the reasons for carrying out the proposed works include any of the following. If so, necessary evidence to support your proposals. (See guidance notes for further details) 1. Condition of the tree(s) - e.g. it is diseased or you have fears that it might break or fall: If YES, you are required to provide written arboricultural advice or other diagnostic information from an appropriate expert. 2. Alleged damage to property - e.g. subsidence or damage to drains or drives. If YES, you are required to provide for: Subsidence A report by an engineer or surveyor, to include a description of damage, vegetation, more	ith earth. To the right of the air raid shelter a overings to enable further garden space for the lter has got to be removed these roots will be and that a replacement is incorporated in the coming into occupation. The works to trees covered by a TPO. A sketch plan buld also be helpful if you provided details of any and your application must be accompanied by the Yes No Yes No Yes No No No Yes No
At the bottom of the garden to 25 Lancaster Grove there is an existing concrete air raid shelter covered wi tree has self seeded on top of the shelter. The shelter is required to be removed together with all earth co enjoyment of the dwelling. The tree roots spread on top of the concrete roof to the shelter and as the shel exposed leaving the tree in a dangerous state. We request that the tree be removed on grounds of safety garden and in conjunction with the landscaping scheme which has to be submitted prior to the apartment. 8. Trees - Additional Information For all trees A sketch plan clearly showing the position of trees listed in Question 7 must be provided when applying for is also advised when notifying the LPA of works to trees in a conservation area (see guidance notes). It wo advice given on site by an LPA officer. For works to trees covered by a TPO Please indicate whether the reasons for carrying out the proposed works include any of the following. If so, necessary evidence to support your proposals. (See guidance notes for further details) 1. Condition of the tree(s) - e.g. it is diseased or you have fears that it might break or fall: If YES, you are required to provide written arboricultural advice or other diagnostic information from an appropriate expert. 2. Alleged damage to property - e.g. subsidence or damage to drains or drives. If YES, you are required to provide for: Subsidence A report by an engineer or surveyor, to include a description of damage, vegetation, more and repair proposals. Also a report from an arboriculturist to support the tree work proposals. Also a report from an arboriculturist to support the tree work proposals. Written technical evidence from an appropriate expert, including description of damage as Documents and plans (for any tree) Are you providing additional information in support of your application?	ith earth. To the right of the air raid shelter a overings to enable further garden space for the liter has got to be removed these roots will be and that a replacement is incorporated in the coming into occupation. Tworks to trees covered by a TPO. A sketch plan build also be helpful if you provided details of any any of the literal pould also be not be accompanied by the literal liter
At the bottom of the garden to 25 Lancaster Grove there is an existing concrete air raid shelter covered witree has self seeded on top of the shelter. The shelter is required to be removed together with all earth co enjoyment of the dwelling. The tree roots spread on top of the concrete roof to the shelter and as the shell exposed leaving the tree in a dangerous state. We request that the tree be removed on grounds of safety garden and in conjunction with the landscaping scheme which has to be submitted prior to the apartment. 8. Trees - Additional Information For all trees A sketch plan clearly showing the position of trees listed in Question 7 must be provided when applying for is also advised when notifying the LPA of works to trees in a conservation area (see guidance notes). It wo advice given on site by an LPA officer. For works to trees covered by a TPO Please indicate whether the reasons for carrying out the proposed works include any of the following. If so, necessary evidence to support your proposals. (See guidance notes for further details) 1. Condition of the tree(s) - e.g. it is diseased or you have fears that it might break or fall: If YES, you are required to provide written arboricultural advice or other diagnostic information from an appropriate expert. 2. Alleged damage to property - e.g. subsidence or damage to drains or drives. If YES, you are required to provide for: Subsidence A report by an engineer or surveyor, to include a description of damage, vegetation, mon and repair proposals. Also a report from an arboriculturist to support the tree work proposals. Written technical evidence from an appropriate expert, including description of damage a	ith earth. To the right of the air raid shelter a overings to enable further garden space for the liter has got to be removed these roots will be and that a replacement is incorporated in the coming into occupation. Tworks to trees covered by a TPO. A sketch plan build also be helpful if you provided details of any any of the literal pould also be not be accompanied by the literal liter

9. Authority Employee/Member With respect to the Authority, I am: (a) a member of staff (b) an elected member Do any of these statements apply to you? Yes <a> No (c) related to a member of staff (d) related to an elected member 10. Trees - Declaration I/we hereby apply for planning permission/consent as described in this form and the accompanying plans/ drawings and additional information. I/we confirm that, to the best of my/our knowledge, any facts stated are 21/04/2016 \mathbf{v}^{d} Date true and accurate and any opinions given are the genuine opinions of the person(s) giving them.