

Title:
FIRST FLOOR LEVEL
LIGHTING AND FIRE ALARM
SERVICES LAYOUT

REVISION: 1

Client: MBS

43-45 BEDFORD SQUARE

Building Services Contractors

Scale: Drawn:

1:50 @ A1 JD

APRIL'15

Dwg.No.

P3284-E-011

1 08.06.15 0 22.05.15 Revision Date

REVISED PRICING ISSUE FOR PRICING

ARCHITECT'S LAYOUTS

1. DASHED BOUNDARY INDICATES TEACHING WALL POSITION, REFER POWER DRAWINGS FOR ADDITIONAL DETAILS. LIGHTING TO BE INTEGRAL TO THE BESPOKE JOINERY AT THESE LOCATIONS.

2. WHERE POSSIBLE REUSE EXISTING LIGHTING POSITIONS AND CABLE ROUTES.

3. WALL LIGHTS, OTHER THAN THOSE SPECIFICALLY NOTED, SHALL BE STRIPPED OUT AND THE POINTS BLANKED OFF. THIS GENERALLY APPLIES TO EACH OF THE ROOMS.

4. No.s 43-45 ARE LISTED AND ANY NEW UNITES FOR CABLING, AND NEW HOLES, ETC MUST BE APPROVED BY HERITAGE. STAIR LIGHTING WILL REQUIRE NEW CHASES. ALL DROPS TO BE WITHIN PVC CONDUIT.

5. REUSE EXISTING FIRE ALARMS GENERALLY WHERE ADDITIONAL BEACONS ARE REQUIRED, RETAIN EXISTING BASES AND RETAIN HEADS.

6. LIFT SPECIALIST TO RENEW LIFT SHAFT LIGHTING. UPDATE FIRE ALARM ZONE CHARTS TO SHOW WHERE ZONES ARE SUPPLIED FROM.

8. STAIR LIGHTING TO BE CONTROLLED VIA KEY SWITCHING. NOTES:

IGURED DIMENSIONS ONLY ARE TO BE USED. FOR OTHER DIMENSIONS REFER TO CA. ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO THE COMMENCEMENT OF WORK. DISCREPANCIES, AMBIGUITIES OR DIFFERENCES BETWEEN DRAWINGS, AND BETWEEN DRAWINGS AND SPECIFICATION OR SILLS OF QUANTITIES TO BE REFERRED TO CA WITHOUT DELAY. ON OT SCALE THIS DRAWING