

- NOTES:**
- . REFER TO (68) SERIES DRAWINGS FOR ALL FIRE RATINGS.
  - . REFER TO SCHEDULE
  - . HANDING VARIES
  - . ALL COLOURS TBC
  - . LOUVRE FREE AREA TO M+E SPECIFICATION
  - . ALL SIGNAGE TBC
  - . FOR SECURITY INFORMATION PLEASE REFER TO SECURITY CONSULTANT SPECIFICATION
  - . REFER TO ELEVATIONS FOR IRONMONGERY
  - . ALL STRUCTURAL OPENINGS TBC WITH SITE LEVELS
  - . SBD INFO TO BE CONFIRMED

Project Name: CAMDEN LOCK VILLAGE

Date: 26.06.2015

Drawing Number: CX\_(31)\_9032


Rev: T01

Status: STAGE E FOR TENDER


1:25@A1

## CX EXTERNAL DOOR TYPES SUMMARY


DOOR TYPE CX.12 Plant Enclosure






DOOR TYPE CX.13 Plant Enclosure



DOOR TYPE CX.14 Plant Enclosure



### EXTERNAL ELEVATIONS



### EXAMPLE PLANS

### DESCRIPTION

NBS L20/285

- . Painted metal doors.
- . Stainless steel level handle on master leaf.
- . Push plate to inside of slave leaf.
- . Floor bolt to slave leaf.
- . Stainless steel hinges.
- . Cylinder locking hardware.

NBS L20/285

- . Painted metal doors.
- . Stainless steel level handle on master leaf.
- . Push plate to inside of slave leaf.
- . Floor bolt to slave leaf.
- . Stainless steel hinges.
- . Cylinder locking hardware.

NBS L20/285

- . Painted metal doors.
- . Stainless steel level handle on master leaf.
- . Push plate to inside of slave leaf.
- . Floor bolt to slave leaf.
- . Stainless steel hinges.
- . Cylinder locking hardware.

General Information			Security Information			Performance Specification				Details <small>(refer to CX_(21)_6050)</small>		
No.	Type	Handed	Security	SBD	Escape	Acoustic	Glass	U-value	Louvres	Base	Head	Jamb
C1.00.XD.01	CX.04	N/A	Intruder Detection System		YES			1.4		Detail 04	Detail 01	Detail 02
C1.00.XD.02	CX.06	N/A	Intruder Detection System		YES			1.4		Detail 04	Detail 01	Detail 02
C1.03.XD.01	CX.01	AS DRAWN						1.4		Detail 04	Detail 01	Detail 02
C2.00.XD.01	CX.03	N/A						TBC	YES	Detail 04	Detail 01	Detail 02
C2.00.XD.02	CX.04	N/A	Intruder Detection System		YES			1.4		Detail 04	Detail 01	Detail 02
C2.00.XD.03	CX.05	N/A			YES			1.4		Detail 04	Detail 01	Detail 02
C2.00.XD.04	CX.08	N/A						1.6		Detail 04	Detail 01	Detail 02

General Information			Security Information			Performance Specification				Details <small>(refer to CX_(21)_6050)</small>		
No.	Type	Handed	Security	SBD	Escape	Acoustic	Glass	U-value	Louvres	Base	Head	Jamb
C2.00.XD.05	CX.06	N/A						1.6		Detail 04	Detail 01	Detail 02
C2.00.XD.06	CX.08	N/A						1.6		Detail 04	Detail 01	Detail 02
C2.00.XD.07	CX.09	AS DRAWN						1.6		Detail 04	Detail 01	Detail 02
C2.00.XD.08	CX.10	AS DRAWN						TBC	YES	Detail 04	Detail 01	Detail 02
C2.00.XD.09	CX.11	AS DRAWN						1.6		Detail 04	Detail 01	Detail 02
C2.00.XD.10	CX.07	N/A						1.6		Detail 04	Detail 01	Detail 02
C2.02.XD.01	CX.02	YES					YES	1.4		Detail 04	Detail 03	Detail 02

General Information			Security Information			Performance Specification				Details <small>(refer to CX_(21)_6050)</small>		
No.	Type	Handed	Security	SBD	Escape	Acoustic	Glass	U-value	Louvres	Base	Head	Jamb
C2.02.XD.02	CX.02	AS DRAWN					YES	1.4		Detail 04	Detail 03	Detail 02
C2.07.XD.01	CX.13	N/A				25dB Rw		N/A		Detail 02		Detail 03
C2.07.XD.02	CX.13	N/A				25dB Rw		N/A		Detail 02		Detail 03
C2.07.XD.03	CX.13	N/A				25dB Rw		N/A		Detail 02		Detail 03
C2.07.XD.04	CX.13	N/A				25dB Rw		N/A		Detail 02		Detail 03
C2.07.XD.05	CX.12	N/A				25dB Rw		N/A		Detail 02		Detail 03
C2.07.XD.06	CX.12	N/A				25dB Rw		N/A		Detail 02		Detail 03
C2.07.XD.07	CX.14	N/A				25dB Rw		N/A		Detail 02		Detail 03
C2.07.XD.08	CX.12	N/A				25dB Rw		N/A		Detail 02		Detail 03

**NOTES:**  
. REFER TO (68) SERIES DRAWINGS FOR ALL FIRE RATINGS.