



PROPOSED WINDOW IRONMONGERY SCHEDULE											
Mark	To Room: Name	To Room: Number	Construction Type	Inward Opening Casement Hinges	Outward Opening Casement Hinges	Horizontal Pivot Hinges	Horizontal Pivot Remote Cord Operated Rototoned Spring Catch and Bracket to Tie Cord	Single Point Locking Casement Handles	3-Point Casement Locking Handles	Panic Bar (with 3-point locking mechanism)	Cotswold Sliding Restrictor Stay (or similar)
W-G01-1	CLOISTER	G.01	W1		1 pair	1 pair	1 pair	2			1
W-G01-2	CLOISTER	G.01	W2		4 pairs				2 pairs		2
W-G01-3	CLOISTER	G.01	W2		4 pairs				2 pairs		2
W-G01-4	CLOISTER	G.01	W2		4 pairs				2 pairs		2
W-G01-5	CLOISTER	G.01	W1		1 pair	1 pair	1 pair				1
W-G01-6	CLOISTER	G.01	W8	2 pairs				Yes			
W-G01-7	CLOISTER	G.01	W8	2 pairs				Yes			
W-G06-4	SEMINAR	G.06									
W-G21-1	STAIR 9	G.21	W4		2 pairs	1 pair	1 pair			2	2
W-G21-3	STAIR 9	G.21	W6								
W-G47-1	CIRCULATION	G.47	W3		2 pairs	1 pair	1 pair			2	2
W-LG19-3	STAIR 9	LG.19	W5								

W-LG19-3 & W-G21-3 IRONMONGERY AS L10/322

PROPOSED WINDOW SCHEDULE									
Mark	Room Name	Room Number	Type	NBS Ref	Fire Rating	Manufacturer	Finish	Manifestation	Comments
Lower Ground									
W-LG19-3	STAIR 9	LG.19	W5	L10/322	60FR	Forster or similar	White to match existing	No	Secondary glazing to sit in front of existing window. Read with L40/515A
Ground									
W-G01-1	CLOISTER	G.01	W1	L10/320		Crittall or similar	White to match existing	No	To match existing first floor windows. New single glazed window as L10/316 (4) bead glazed in to match existing arrangement, verify detail on site. Secondary glazing as W8.
W-G01-2	CLOISTER	G.01	W2	L10/316-317A		Crittall or similar	White to match existing	Yes	To read in conjunction with drawing 28731-SOAS-A-XXX-GEN-00-503
W-G01-3	CLOISTER	G.01	W2	L10/316-317A		Crittall or similar	White to match existing	Yes	To read in conjunction with drawing 28731-SOAS-A-XXX-GEN-00-503
W-G01-4	CLOISTER	G.01	W2	L10/316-317A		Crittall or similar	White to match existing	Yes	To read in conjunction with drawing 28731-SOAS-A-XXX-GEN-00-503
W-G01-5	CLOISTER	G.01	W1	L10/320		Crittall or similar	White to match existing	No	To match existing first floor windows. New single glazed window as L10/316 (4) bead glazed in to match existing arrangement, verify detail on site. Secondary glazing as W8.
W-G01-6	CLOISTER	G.01	W8	L10/590		Crittall or similar	White to match existing	No	Secondary glazing to sit in front of new single glazed window (Type W1), dimensions should be checked on site prior to manufacture.
W-G01-7	CLOISTER	G.01	W8	L10/590		Crittall or similar	White to match existing	No	Secondary glazing to sit in front of new single glazed window (Type W1), dimensions should be checked on site prior to manufacture.
W-G06-4	SEMINAR	G.06			30FR		White to match existing	No	Secondary glazing to sit in front of existing window, dimensions should be checked on site prior to manufacture. Typical detail see 28731-SOAS-A-DET-GEN-XX-160
W-G21-1	STAIR 9	G.21	W4	L10/316-317	30FR	Crittall or similar	White to match existing	No	Glazed external door to match existing windows. Read with L40/515B. French door style opening, both leaves to open to provide fire exit escape widths, single leaf exceeds manufacturing limits.
W-G21-3	STAIR 9	G.21	W6	L10/322	60FR	Forster or similar	White to match existing	No	Secondary glazing to sit in front of existing window. Read with L40/515A
W-G47-1	CIRCULATION	G.47	W3	L10/316-317	30FR	Crittall or similar	White to match existing	No	Glazed external door to match existing windows. Read with L40/515B. French door style opening, both leaves to open to provide fire exit escape widths, single leaf exceeds manufacturing limits.

© COPYRIGHT Mace Group
 NOT TO BE REPRODUCED WITHOUT WRITTEN PERMISSION.
 BECAUSE OF POSSIBLE SCALING ERRORS IN ELECTRONIC AND HARD COPY
 REPRODUCTION DO NOT SCALE FOR CONSTRUCTION PURPOSES.
 ALL DIMENSIONS TO BE CHECKED & VERIFIED ON SITE PRIOR TO CONSTRUCTION.

Safety first. Second nature.

Safety, Health and Environment Information

The significant unusual hazards / risks associated with this type of work are noted as:

CONSTRUCTION	
CI	NONE
CIH	
OPERATION AND MAINTENANCE	
OI	NONE
OIH	
DISMANTLING/DEMOLITION	
DI	NONE
DII	

NOTE - TO BE READ IN CONJUNCTION WITH RISK REGISTER

NOTE:

- ALL DIMENSIONS TO BE CHECKED ON SITE, TAKING INTO ACCOUNT EXISTING HARDWOOD SUBFRAME AS NECESSARY.
- ALL WINDOWS AND DOORS VIEWED FROM OUTSIDE, UNLESS OTHERWISE INDICATED.
- MANIFESTATION DESIGN TO BE CONFIRMED.

KEY:

- CENTER PIVOT
- SIDE HUNG

REV	DATE	DESCRIPTION	DWN	CHK	APP
7	05.05.16	W-G06-4 UPDATED	JH	EF	RP
6	13.05.15	MANUFACTURER DETAILS ALTERED TO WINDOWS W-LG19-3 & W-G21-3 AS HIGHLIGHTED	HB	EF	MD
5	07.05.15	SPECIFICATION CHANGE TO W5 AND W6 REVISED	HB	EF	MD
4	07.05.15	NEW SINGLE GLAZED DETAIL WITH SECONDARY GLAZING TO SATISFY BUILDING REGULATIONS AND PLANNING. TYPE W3 & W4 DOORS AMENDED TO DOUBLE LEAF, TO SUIT MANUFACTURING SIZE LIMITS	AB	EF	MD
3	02.04.15	UPDATED TO REFLECT CAMDEN PLANNING REQUEST FOR SINGLE GLAZING TO CLOISTER WINDOWS	HB	EF	MD
2	10.02.15	IN ABEYANCE NOTES OMITTED TO REFLECT DM EMAIL DATED 10.02.15	HB	EF	MD
1	05.12.14	REVISIONS SINCE CONTRACT DWG T2: OPENING DOORS ADDED TO W2, DOUBLE LEAFS TO W3 AND W4 INSTEAD OF SINGLE WINDOW W1, W6 AND W7 CONFIGURATION AMENDED. DIMENSIONS AMENDED. IRONMONGERY SCHEDULE ADDED. WINDOW SCHEDULE AMENDED. NOTES AND KEY ADDED.	GM	EF	MD

PROJECT STATUS: **CONSTRUCTION**

CLIENT: **GRAHAM CONSTRUCTION**

mace
 155 Moorgate, London, EC2M 6XB
 www.macegroup.com

PROJECT TITLE: **SOAS INTO SENATE HOUSE MALET STREET LONDON, WC1E 7HU**

DRAWING TITLE: **PROPOSED WINDOW SCHEDULE**

PROJECT NO.	DRAWN BY	DC	DATE	31/07/13
28731	CHK BY	LT	DATE	31/07/13
	APPD BY	CF	DATE	31/07/13

PROJECT CODE | DISC | VIEW TYPE | VIEW CAT | LEVEL | DWG NO.
SOAS - A - SHL - GEN - XX - 914

SHEET NO. | SCALE | ORIG. SHEET SIZE | REV.
1 of 1 | As indicated | @ A1 | C 7

INFORMATION HANDLING CLASSIFICATION
UNRESTRICTED