

# DESK STUDY & GROUND INVESTIGATION REPORT

152–156 Kentish Town Road London NW1 9QB

Client: Ahig Ltd

Engineer: Parmarbrook

J15359

June 2016











#### **Document Control**

Project title	152–156 Kentish Town R	oad, London NW1 9QB	Project ref	J15359A
Report prepared by	CO	Correr		
	Caroline Anderson MEng AUS F	GS		
With input from	Max			
	Martin Cooper BEng CEng MICE			
	John Brau.			
	John Evans MSc FGS CGeol			
	7 W/ Em			
	Rupert Evans MSc CEnv CWEM MCIWEM AIEMA			
Report checked and approved for issue by	Man			
	Steve Branch BSc MSc CGeol FGS FRGS MIEnvSc			
Issue No	Status	Date	Approved for I	ssue
1	Final	9 February 2016		
2	Final (revised)	20 May 2016		
3	Final (revised)	25 May 2016		
4	Final (revised)	1 June 2016		84

This report has been issued by the GEA office indicated below. Any enquiries regarding the report should be directed to the office indicated or to Steve Branch in our Herts office.

<b>✓</b>	Hertfordshire	tel 01727 824666	mail@gea-ltd.co.uk
	Nottinghamshire	tel 01509 674888	midlands@gea-ltd.co.uk

Geotechnical & Environmental Associates Limited (GEA) disclaims any responsibility to the Client and others in respect of any matters outside the scope of this work. This report has been prepared with reasonable skill, care and diligence within the terms of the contract with the Client and taking account of the manpower, resources, investigation and testing devoted to it in agreement with the Client. This report is confidential to the Client and GEA accepts no responsibility of whatsoever nature to third parties to whom this report or any part thereof is made known, unless formally agreed beforehand. Any such party relies upon the report at their own risk. This report may provide advice based on an interpretation of legislation, guidance notes and codes of practice. GEA does not however provide legal advice and if specific legal advice is required a lawyer should be consulted.

© Geotechnical & Environmental Associates Limited 2016



# **CONTENTS**

**EXECUTIVE SUMMARY** 

Part	1: INVESTIGATION REPORT	
1.0	INTRODUCTION 1.1 Proposed Development 1.2 Purpose of Work 1.3 Scope of Work 1.4 Limitations	1 1 1 1 3
2.0	THE SITE  2.1 Site Description  2.2 Site History  2.3 Other Information  2.4 Geology  2.5 Hydrology and Hydrogeology  2.6 Preliminary Risk Assessment	3 3 4 5 5 6 6
3.0	SCREENING 3.1 Screening Assessment	7 7
4.0	SCOPING AND SITE INVESTIGATION 4.1 Potential Impacts 4.2 Exploratory Work 4.3 Sampling Strategy	10 10 11 11
5.0	GROUND CONDITIONS 5.1 Made Ground 5.2 London Clay 5.3 Groundwater 5.4 Soil Contamination	12 12 12 12 13
Part	2: DESIGN BASIS REPORT	
6.0	INTRODUCTION	16
7.0	GROUND MODEL	16
8.0	ADVICE AND RECOMMENDATIONS 8.1 Basement Excavation 8.2 Spread Foundations 8.3 Piled Foundations 8.4 Shallow Excavations 8.5 Basement Floor Slab 8.6 Effect of Sulphates 8.7 Contamination Risk Assessment 8.8 Waste Disposal	17 17 18 19 19 20 20 20
9.0	OUTSTANDING RISKS AND ISSUES	22
10.0	BASEMENT IMPACT ASSESSMENT 10.1 BIA Conclusion 10.2 Non-Technical Summary of Evidence	23 24 26
	APPENDIX	



### **EXECUTIVE SUMMARY**

This executive summary contains an overview of the key findings and conclusions. No reliance should be placed on any part of the executive summary until the whole of the report has been read. Other sections of the report may contain information that puts into context the findings that are summarised in the executive summary.

#### **BRIEF**

This pre-planning report describes the findings of a site investigation carried out by Geotechnical and Environmental Associates Limited (GEA) on the instructions of Parmarbrook, on behalf of Ahig Ltd, with respect to the demolition of the existing building and construction of a new apartment block, ranging in height between one storey and four-storeys, with single level basement. The purpose of the investigation has been to determine the ground conditions, and to provide information to assist with the design of the basement structure and suitable foundations for the proposed development. The report also includes information required to comply with London Borough of Camden (LBC) Planning Guidance CPG4, relating to the requirement for a Basement Impact Assessment (BIA).

#### SITE HISTORY

Greenwood's Map of London, dated 1827, show the site to be the site to be developed with either housing or shops that front onto Old Chapel Row that ran north-south in approximately the same location as the current-day Kentish Town Road. By the time of the map dated 1875, the site was occupied with a series of buildings, with what appears to be front and rear garden areas, and which fronted onto Kentish Town Road to the west. Also at that time, the area was notably developed with predominantly housing and a school was located immediately to the north of the site. By 1896, the buildings on the site had been replaced with four terraced buildings with rear gardens and one of the buildings is shown to have had an extension in the rear garden. The buildings fronted directly onto Kentish Town Road, while an alleyway is shown along the northern boundary of site and accessed a large area of open land to the east of the site. Insurance plans from 1927 and 1930 indicate the buildings were used by a drapery company and two small basement areas in the central northern part of site adjacent to the alleyway are indicated on the plans although later plans do not indicate the basements to be present. By the time of an aerial photograph dated 1946, the site had been redeveloped with what is presumably the existing building labelled Nos 152 to 156, the area to the north had been developed and was labelled as a timber yard in the 1954 map, and the school to the north was labelled Nos 158 and 160. The site and the surrounding area have since remained essentially unchanged.

#### **GROUND CONDITIONS**

The investigation encountered a significant thickness of made ground over the London Clay Formation which was encountered to the maximum depth of the investigation, of 15.00 m. Beneath a 100 mm to 200 mm thick reinforced concrete slab surface, the made ground generally comprised pale brown and reddish brown very silty very sandy gravelly clay with frequent brick, concrete and occasional coal fragments, whole bricks, ash and tarmac and extended to depths of between 1.00 m and 3.30 m. The London Clay initially comprised a naturally reworked layer of firm brown and dark grey mottled silty very sandy very gravelly clay with partings of dark orange-brown sand and occasional roots and extended to a depth of 3.30 m. Below the initial reworked layer, the London Clay comprised firm to stiff fissured high strength dark brown and grey mottled slightly silty slightly sandy clay with orange-brown clayey silty sand partings, decayed rootlets at 7.0 m depth, fine to coarse selenite crystals, occasional shells and pale grey silty clay partings to a depth of 8.20 m. Below this, the London Clay comprised firm to stiff fissured high strength dark brownish grey silty clay with selenite crystals and pale grey partings of silt to the full depth investigated, of 15.00 m. Groundwater has been monitored at depths of between 0.45 m and 6.10 m. The results of the chemical analyses have indicated elevated concentrations of arsenic, lead, total PAH including benzo(a)pyrene and dibenzo(a h)anthracene and total organic carbon.

#### RECOMMENDATIONS

Excavations for the proposed basement structure will require temporary support to maintain stability and to prevent any excessive ground movements. Based on the groundwater observations to date, groundwater is likely to be encountered within the 4.6 m deep basement excavation and therefore a secant bored pile wall is likely to be the most appropriate option for supporting the basement excavation. Spread foundations excavated from basement level to bear within the London Clay may be designed to provide an allowable bearing pressure of 160 kN/m², provided that groundwater inflows can be sufficiently controlled.

#### **BASEMENT IMPACT ASSESSMENT**

It has been concluded that the majority of the impacts identified can be mitigated by appropriate design and standard construction practice. Groundwater is expected to be present at shallow depths as perched water beneath the site although inflows from within the London Clay would be expected to occur at a very slow rate such that they could be suitably controlled by sump pumping. The proposed works are not considered likely to have any detrimental effect on the local groundwater regime.



# **Part 1: INVESTIGATION REPORT**

This section of the report details the objectives of the investigation, the work that has been carried out to meet these objectives and the results of the investigation. Interpretation of the findings is presented in Part 2.

# 1.0 INTRODUCTION

Geotechnical and Environmental Associates Limited (GEA) have been commissioned by Parmarbrook, on behalf of Ahig Ltd, to carry out a desk study and ground investigation at 152-156 Kentish Town Road, London NW1 9QB. This report also forms part of a Basement Impact Assessment (BIA), which has been carried out in accordance with guidelines from the London Borough of Camden (LBC) in support of a planning application.

A ground movement analysis and building damage assessment is currently in hand and will be reported separately to this report.

# 1.1 **Proposed Development**

It is understood that consideration is being given to the demolition of the existing building and construction of a new apartment block, ranging in height between one storey and four-storeys, with a single level basement. The new basement will extend to an approximate depth of 4.6 m.

This report is specific to the proposed development and the advice herein should be reviewed once the development proposals are finalised.

# 1.2 Purpose of Work

The principal technical objectives of the work carried out were as follows:

- to check the history of the site with respect to previous contaminative uses;
- to determine the ground conditions and their engineering properties;
- to provide advice and information with respect to the design of shallow foundations and retaining walls;
- to assess the impact of the proposed basement on the local hydrogeology;
- to provide an indication of the degree of soil contamination present; and
- to assess the risk that any such contamination may pose to the proposed development, its users or the wider environment.

## 1.3 Scope of Work

In order to meet the above objectives, a desk study was carried out followed by a ground investigation. The desk study comprised:

a review of available historic Ordnance Survey (OS) maps;



- a review of readily available geology maps;
- a walkover survey of the site carried out in conjunction with the fieldwork.

In the light of this desk study an intrusive ground investigation was carried out which comprised, in summary, the following activities:

- a single borehole advanced to a maximum depth of 15.00 m by cable percussive methods;
- two boreholes advanced to a depth of 7.00 m by means of an open-drive percussive sampler;
- installation of three groundwater monitoring standpipes within the boreholes, to depths of 7.00 m and 8.00 m;
- standard penetration tests (SPTs), carried out at regular intervals in the boreholes, to provide additional quantitative data on the strength of the soils;
- testing of selected soil samples for contamination and geotechnical purposes; and
- provision of a report presenting and interpreting the above data, together with our advice and recommendations with respect to the proposed development.

The report includes a contaminated land assessment which has been undertaken in accordance with the methodology presented in Contaminated Land Report (CLR) 11<sup>1</sup> and involves identifying, making decisions on, and taking appropriate action to deal with, land contamination in a way that is consistent with government policies and legislation within the United Kingdom. The risk assessment is thus divided into three stages comprising Preliminary Risk Assessment, Generic Quantitative Risk Assessment, and Site-Specific Risk Assessment.

#### 1.3.1 Basement Impact Assessment

The work carried out also includes a Hydrological and Hydrogeological Assessment and Land Stability Assessment (also referred to as Slope Stability Assessment), all of which form part of the BIA procedure specified in the London Borough of Camden (LBC) Planning Guidance CPG4<sup>2</sup> and their Guidance for Subterranean Development<sup>3</sup> prepared by Arup ('the Arup Report'). The aim of the work is to provide information on surface water, groundwater and land stability and in particular to assess whether the development will affect neighbouring properties or groundwater movements and whether any identified impacts can be appropriately mitigated by the design of the development.

## 1.3.2 Qualifications

The land stability element of the Basement Impact Assessment (BIA) has been carried out by Martin Cooper, a BEng in Civil Engineering, a chartered engineer (CEng), member of the Institution of Civil Engineers (MICE), and Fellow of the Geological Society (FGS) who has over 20 years' specialist experience in ground engineering. The subterranean (groundwater) flow assessment has been carried out by John Evans, MSc in Hydrogeology, Chartered

Ove Arup & Partners (2010) Camden geological, hydrogeological and hydrological study. Guidance for Subterranean Development. For London Borough of Camden November 2010



Model Procedures for the Management of Land Contamination issued jointly by the Environment Agency and the Department for Environment, Food and Rural Affairs (DEFRA) Sept 2004

<sup>2</sup> London Borough of Camden Planning Guidance CPG4 Basements and lightwells

Geologist (CGeol) and Fellow of the Geological Society of London (FGS). The surface water and flooding assessment has been carried out by Rupert Evans, a hydrologist with more than ten years consultancy experience in flood risk assessment, surface water drainage schemes and hydrology / hydraulic modelling. Rupert Evans is a Chartered Environmentalist, Chartered Water and Environmental Manager and a Member of CIWEM.

The assessments have been made in conjunction with Steve Branch, a BSc in Engineering Geology and Geotechnics, MSc in Geotechnical Engineering, a Chartered Geologist (CGeol) and Fellow of the Geological Society (FGS) with over 25 years' experience in geotechnical engineering and engineering geology.

All assessors meet the qualification requirements of the Council guidance.

#### 1.4 Limitations

The conclusions and recommendations made in this report are limited to those that can be made on the basis of the investigation. The results of the work should be viewed in the context of the range of data sources consulted and the number of locations where the ground was sampled. No liability can be accepted for information in other data sources or conditions not revealed by the sampling or testing. Any comments made on the basis of information obtained from the client or other third parties are given in good faith on the assumption that the information is accurate; no independent validation of such information has been made by GEA.

#### 2.0 THE SITE

#### 2.1 Site Description


The site is located within the London Borough of Camden (LBC), approximately 350 m east of Kentish Town West London Overground station. It fronts onto Kentish Town Road to the west and is bounded by a dental practice to the north, a shop to the south and a timber merchants to the east. The site may be additionally located by National Grid Reference 528980,184712 and is shown on the map extract overleaf.

A walkover of the site was carried out by a geotechnical engineer from GEA at the time of the fieldwork.

The site is roughly square in shape with side lengths of 30 m. It is occupied by a two-storey brick built mixed residential and commercial building, which occupies nearly the entire footprint of the site, with the exception of a 3 m wide alleyway along the north of the site, which provides access to Kentish Town Road for the businesses on site and also the timber merchant to the east. There is also a small access path that joins halfway along the alleyway in the north and runs along the rear of the building along the entire eastern boundary of site. The building on site is divided in two, with a bookmakers in the northern third of site and a carpet shop occupying the southern two-thirds of the site. The site is sensibly level and is entirely devoid of vegetation.

The Northern Line of London Underground runs north-south directly under Kentish Town Road at a depth of 19.2 m and is roughly 5 m from the western boundary of site.





# 2.2 Site History

The site history has been researched by reference to internet sources and historical Ordnance Survey (OS) maps obtained from the Envirocheck database.

Greenwood's Map of London, dated 1827, show the site to be the site to be developed with either housing or shops that front onto Old Chapel Row that ran north-south in approximately the same location as the current-day Kentish Town Road. By the time of the map dated 1875, the site was occupied with a series of buildings, with what appears to be front and rear garden areas, and which fronted onto Kentish Town Road to the west. Also at that time, the area was notably developed with predominantly housing and a school was located immediately to the north of the site. By 1896, the buildings on the site had been replaced with four terraced buildings with rear gardens and one of the buildings is shown to have had an extension in the rear garden. The buildings fronted directly onto Kentish Town Road, while an alleyway is shown along the northern boundary of site and accessed a large area of open land to the east of the site.

Insurance plans from 1927 and 1930 indicate the buildings were used by a drapery company and two small basement areas in the central northern part of site adjacent to the alleyway are indicated on the plans although later plans do not indicate the basements to be present. By the time of an aerial photograph dated 1946, the site had been redeveloped with what is presumably the existing building labelled Nos 152 to 156, the area to the north had been developed and was labelled as a timber yard in the 1954 map, and the school to the north was labelled Nos 158 and 160. The site and the surrounding area have since remained essentially unchanged.



#### 2.3 Other Information

A search of public registers and databases has been made via the Envirocheck database and relevant extracts from the search are appended. Full results of the search can be provided if required.

The Envirocheck report has indicated no landfill sites located within 500 m of the site, although there is a single waste management facility and a single waste treatment site located 465 m northwest and 487 m northwest of the site respectively.

There are six contemporary trade directory entries located within 100 m of the site. These include a hardware store, dry cleaners, domestic cleaning services to the south and printers to the west, within 50 m of the site and a builder's merchant located 66 m to the south. There are no fuel station entries within 250 m of the site.


There are no recorded pollution incidents to controlled waters within 500 m of the site.

The site is not within an area shown by the Environment Agency to be at risk from flooding from rivers or the sea and does not lie within any known areas of sensitive land use.

Reference to records compiled by the Health Protection Agency (formerly the National Radiological Protection Board) indicates that the site falls within an area where less than 1% of homes are affected by radon emissions and therefore radon protective measures will not be necessary.

# 2.4 Geology

The British Geological Survey (BGS) map (Sheet 256) of the area indicates that the site is directly underlain by the London Clay Formation. A digital map sourced from FIND maps is included below.





A record held by the BGS of a borehole drilled on Castlehaven Road, roughly 160 m to the west, encountered made ground to a depth of 1.5 m over London Clay comprising stiff brown and greyish blue fissured clay with "mudstone boulders" to a depth of 33.0 m. Below this, the Lambeth Group comprised stiff greyish blue sandy silty clay over fine green silty sand and stiff greyish blue fissured clay and was encountered to the full depth of the borehole, of 40.0 m.

According to the British Geological Society memoir, the London Clay Formation is homogenous, slightly calcareous silty clay to very silty clay, with some beds of clayey silt grading to silty fine grained sand.

# 2.5 Hydrology and Hydrogeology

The London Clay is classified as an Unproductive Stratum, which refers to rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow.

The nearest surface water feature to the site is the Grand Union Canal, which is located 521 m to the south.

Historically a tributary of the River Fleet<sup>4</sup> flowed close to the line of Kentish Town Road, immediately to the west of the site in a southerly direction. Although the river is no longer an open water course, surface and near surface waters will still flow towards the former river course, which has largely been culverted.

A groundwater table would not be expected to be present within the London Clay, although this Formation does include pockets and partings of silt and fine sand which can be waterbearing. Published data for the permeability of the London Clay indicates the horizontal permeability to generally range between  $1 \times 10^{-10}$  m/s and  $1 \times 10^{-8}$  m/s, with an even lower vertical permeability.

The site is entirely covered by the existing building and hardstanding and therefore infiltration of rain water into the ground beneath the site is extremely limited. The majority of surface runoff is likely to drain into combined sewers in the road.

#### 2.6 **Preliminary Risk Assessment**

Part IIA of the Environmental Protection Act 1990, which was inserted into that Act by Section 57 of the Environment Act 1995, provides the main regulatory regime for the identification and remediation of contaminated land. The determination of contaminated sites is based on a "suitable for use" approach which involves managing the risks posed by contaminated land by making risk-based decisions. This risk assessment is carried out on the basis of a source-pathway-receptor approach.

#### 2.6.1 **Source**

The desk study findings indicate the site not to have had a particularly contaminative history as the site has been developed with terraced buildings and the existing house for its entire developed history.

#### 2.6.2 Receptor

The proposed redevelopment of the site for use as an apartment block will result in the end





users representing relatively high sensitivity receptors. The site is underlain by an Unproductive stratum and therefore groundwater is not considered to be a sensitive receptor. Buried services are likely to come into contact with any contaminants present within the soils through which they pass and site workers are likely to come into contact with any contaminants present in the soils during construction works.

## 2.6.3 **Pathway**

End users may come into contact with soils in areas of soft landscaping, although at this stage it is assumed that any areas of soft landscaping will be communal and unlikely to be used for the purpose of homegrown produce. There will be a potential for contaminants to move onto or off the site, horizontally within the made ground, although these pathways are already in existence. A pathway for ground workers to come into contact with any contamination will exist during construction work and services will come into contact with any contamination within the soils in which they are laid.

## 2.6.4 **Preliminary Risk Appraisal**

On the basis of the above it is considered that there is a low risk of there being a significant contaminant linkage at this site which would result in a requirement for major remediation work.

#### 3.0 SCREENING

The London Borough of Camden guidance suggests that any development proposal that includes a subterranean basement should be screened to determine whether or not a full Basement Impact Assessment (BIA) required.

# 3.1 Screening Assessment

A number of screening tools are included in the Arup document and for the purposes of this report reference has been made to Appendix E which includes a series of questions within a screening flowchart for three categories; groundwater flow; land stability; and surface water flow. Responses to the questions are tabulated below.

# 3.1.1 Subterranean (groundwater) Screening Assessment

Question	Response for152-156 Kentish Town Road
1a. Is the site located directly above an aquifer?	No. The site is located above an unproductive stratum
1b. Will the proposed basement extend beneath the water table surface?	Unlikely. The London Clay cannot support a water table and is classified as an unproductive stratum, however if an upper weathered layer is present, this may have a higher permeability and could have the potential to collect groundwater.
2. Is the site within 100 m of a watercourse, well (used/disused) or potential spring line?	No. The nearest surface water feature is the Grand Union Canal, which is located 521 m to the south.
3. Is the site within the catchment of the pond chains on Hampstead Heath?	No. Figure 14 of the Camden geological, hydrogeological and hydrological study – Guidance for subterranean development dated 2010, confirms that the site is not located within this catchment area.



Question	Response for152-156 Kentish Town Road
4. Will the proposed basement development result in a change in the proportion of hard surfaced / paved areas?	No. The proposed development will not extend beyond the existing footprint of the as shown on proposed drawings provided by the consulting engineers.
5. As part of the site drainage, will more surface water (e.g. rainfall and run-off) than at present be discharged to the ground (e.g. via soakaways and/or SUDS)?	No, site drainage to be designed to generally maintain the existing situation.
6. Is the lowest point of the proposed excavation (allowing for any drainage and foundation space under the basement floor) close to or lower than, the mean water level in any local pond or spring line?	No. There are no local ponds or spring lines.

The above assessment has identified the following potential issues that need to be assessed.

Q1b. The proposed basement may extend beneath the water table surface.

# 3.1.2 Stability Screening Assessment

Question	Response for152-156 Kentish Town Road
1. Does the existing site include slopes, natural or manmade, greater than 7°?	No, as indicated on the Slope Angle Map Fig 16 of the Arup report
2. Will the proposed re-profiling of landscaping at the site change slopes at the property boundary to more than 7°?	No. The site is not to be significantly re-profiled as part of the development.
3. Does the development neighbour land, including railway cuttings and the like, with a slope greater than 7°?	No. As indicated on the Slope Angle Map Fig 16 of the Arup report $$
4. Is the site within a wider hillside setting in which the general slope is greater than 7°?	No. As indicated on the Slope Angle Map Fig 16 of the Arup report
5. Is the London Clay the shallowest strata at the site?	Yes.
6. Will any trees be felled as part of the proposed development and / or are any works proposed within any tree protection zones where trees are to be retained?	No. There are no trees on the site.
7. Is there a history of seasonal shrink-swell subsidence in the local area and / or evidence of such effects at the site?	Yes. The area is prone to these effects as a result of the presence of shrinkable London Clay and abundant mature trees.
8. Is the site within 100 m of a watercourse or potential spring line?	No. The nearest surface water feature is the Grand Union Canal, which is located 521 m to the south.
9. Is the site within an area of previously worked ground?	No. According to the BGS geological map the site is not within an area of previously worked ground.
10a. Is the site within an aquifer?	No. The site is located above an unproductive stratum.
10b. Will the proposed basement extend beneath the water table such that dewatering may be required during construction?	No. The London Clay cannot support a water table and is classified as an unproductive stratum.
11. Is the site within 50 m of Hampstead Heath ponds?	No.
12. Is the site within 5 m of a highway or pedestrian right of way?	Yes - the site fronts onto a public road to the west
13. Will the proposed basement significantly increase the differential depth of foundations relative to neighbouring properties?	Yes - The development will increase the foundation depths relative to the neighbouring properties to a relatively significant extent.



Question	Response for152-156 Kentish Town Road
14. Is the site over (or within the exclusion zone of) any tunnels, eg railway lines?	Yes – the site is within the exclusion zone of the London Underground Northern Line that runs beneath Kentish Town Road.

The above assessment has identified the following potential issues that need to be assessed:

- Q7. there is a history of seasonal shrink-swell.
- Q12. the site is within 5 m of a public highway.
- Q13. the development will increase the foundation depths relative to the neighbouring properties to a relatively significant extent.
- Q14. the site is within the exclusion zone of a London Underground tunnel.

The potential issues that need to be assessed, along with the possible effects of the basement construction on the local hydrology and hydrogeology and are discussed further in Part 2 of this report.

# 3.1.3 Surface Flow and Flooding Screening Assessment

This element of the BIA is provided for guidance only and should be confirmed by a suitably qualified hydrologist experienced in carrying out surface water assessments.

Question	Response for 152-156 Kentish Town Road
1. Is the site within the catchment of the pond chains on Hampstead Heath?	No. Figure 14 of the Camden geological, hydrogeological and hydrological study – Guidance for subterranean development dated 2010, confirms that the site is not located within this catchment area.
2. As part of the proposed site drainage, will surface water flows (e.g. volume of rainfall and peak run-off) be materially changed from the existing route?	No. There will not be an increase in impermeable area across the ground surface above the basement, so the surface water flow regime will be unchanged. There will be no surface expression of the basement development, so the surface water flow regime will be unchanged. The basement will entirely be beneath the footprint of the building/hardstanding (ie both existing and proposed), therefore the 1m distance between the roof of the basement and ground surface as recommended by the Arup report and para 2.16 of the CPG4 does not apply.
3. Will the proposed basement development result in a change in the proportion of hard surfaced / paved areas?	No. There will not be an increase in impermeable area across the ground surface above the basement. There will be no surface expression of the basement development.
4. Will the proposed basement development result in changes to the profile of the inflows (instantaneous and long term) of surface water being received by adjacent properties or downstream watercourses?	No. There will not be an increase in impermeable area across the ground surface above the basement, so the surface water flow regime will be unchanged. There will be no surface expression of the basement development, so the surface water flow regime will be unchanged. The basement will entirely be beneath the footprint of the building/hardstanding (i.e. both existing and proposed), therefore the 1m distance between the roof of the basement and ground surface as recommended by the Arup report and para 2.16 of the CPG4 does not apply.



Question	Response for 152-156 Kentish Town Road
5. Will the proposed basement result in changes to the quality of surface water being received by adjacent properties or downstream watercourses?	No.  The proposed basement is very unlikely to result in any changes to the quality of surface water being received by adjacent properties or downstream watercourses as the surface water drainage regime will be unchanged.
6. Is the site in an area identified to have surface water flood risk according to either the Local Flood Risk Management Strategy or the Strategic Flood Risk Assessment or is it at risk of flooding, for example because the proposed basement is below the static water level of nearby surface water feature?	No. The Camden Flood Risk Management Strategy dated 2013, together with Figures 3ii, 4e, 5a and 5b of the SFRA dated 2014, and Environment Agency online flood maps show that the site has a very low flooding risk from surface water, sewers, reservoirs (and other artificial sources), groundwater and fluvial/tidal watercourses.  In accordance with paragraph 5.11 of the CPG a positive pumped device will be installed in the basement in order to further protect the site from sewer flooding. It is possible that the basement will be constructed within a perched water table and the recommendations outlined in the BIA with regards to water-proofing and tanking of the basement will reduce the risk to acceptable levels. The site is located within the Critical Drainage Area number GROUP3-003, but is not in a Local Flood Risk Zone, as identified in the Camden SWMP and Updated SFRA Figure 6/Rev 2.

The above assessment has not identified any potential issues that need to be assessed further.

# 4.0 SCOPING AND SITE INVESTIGATION

The purpose of scoping is to assess in more detail the factors to be investigated in the impact assessment. Potential impacts are assessed for each of the identified potential impact factors.

The potential impacts of the proposed development on surface flow and flooding and subterranean flow will need to be dealt with in separate assessments, such that the following section focuses on the potential impacts that may have an impact on slope stability.

# 4.1 **Potential Impacts**

The following potential impacts have been identified.

Potential Impact	Consequence
The proposed basement may extend beneath the water table surface.	The proposed basement level may be below the water table and this could increase flow paths and/or raise groundwater levels locally.
Seasonal shrink-swell can result in foundation movements.	If a new basement is not dug to below the depth likely to be affected by tree roots this could lead to damaging differential movement between the subject site and adjoining properties, however new trees do not form part of the proposed development.
Site within 5 m of a highway or pedestrian right of way.	Excavation of a basement may result in structural damage to the road or footway.
Founding depths relative to neighbours	If not designed and constructed appropriately, the excavation of a basement may result in structural damage to neighbouring buildings and structures.



Potential Impact	Consequence
The site is within the exclusion zone of a London Underground tunnel.	The proposed basement could impact upon the adjacent tunnel and damage the LU asset. Heave generated as a result of the basement excavation could result in unacceptable pressures on the tunnel.

These potential impacts have been investigated through the site investigation, as detailed in Section 9.0.

## 4.2 **Exploratory Work**

The scope of the works was specified by the consulting engineers, with input from GEA. In order to meet the objectives described in Section 1.2, within the access restrictions due to the presence of the existing building, a single borehole was drilled by means of a cable percussion rig to a maximum depth of 15.0 m. In addition, two boreholes were drilled using an opendrive sampling rig, to a depth of 7.0 m.

During boring disturbed and undisturbed samples were obtained from the boreholes for subsequent laboratory examination and testing. Standard Penetration Tests (SPTs) were carried out at regular intervals to provide additional quantitative data on the strength of soils encountered.

A selection of the samples recovered from the boreholes was submitted to a soil mechanics laboratory for a programme of geotechnical testing and an analytical laboratory for a programme of contamination testing.

All of the above work was carried out under the supervision of a geotechnical engineer from GEA.

The borehole records and results of the contamination laboratory testing are appended, together with a site plan indicating the exploratory positions.

# 4.3 Sampling Strategy

The boreholes were positioned on site by GEA with input from the consulting engineers, in accessible areas whilst avoiding areas of buried services.

Three groundwater monitoring standpipes were installed within the boreholes to depths of 7.0 m and 8.0 m, in order to facilitate future monitoring. The 7.0 m deep standpipes were monitored at the time of the cable percussion borehole drilling, roughly two weeks after the shallow boreholes were drilled and prior to the installation of the cable percussion borehole standpipe. The standpipes have subsequently been monitored on a one additional occasion, roughly four weeks following the completion of the fieldwork.

Three samples of the made ground have been sent for chemical analyses. The analytical suite of testing was selected to identify hydrocarbon contamination resulting from the former use of the site and a range of typical industrial contaminants for the purposes of general coverage. For this investigation the analytical suite for the soil included a range of metals, speciation of total petroleum hydrocarbons (TPH), polycyclic aromatic hydrocarbons (PAH), total cyanide and monohydric phenols. The contamination analyses were carried out at an MCERTs accredited laboratory with the majority of the testing suite accredited to MCERTS standards.



A summary of the MCERTs accreditation and test methods are included with the attached results and further details are available upon request.

The contamination analyses were carried out at an MCERTs accredited laboratory with the majority of the testing suite accredited to MCERTS standards. The contamination test results are not yet complete and the results will be included in the final report.

#### 5.0 GROUND CONDITIONS

The investigation has generally confirmed the expected ground conditions in that, below a significant thickness of made ground, the London Clay Formation was encountered to the maximum depth of the investigation, of 15.00 m.

#### 5.1 Made Ground

Beneath an initial reinforced concrete slab surface of between 100 mm and 200 mm thickness, the made ground generally comprised pale brown and reddish brown very silty very sandy gravelly clay with frequent brick, concrete and occasional coal fragments, whole bricks, ash, mortar and tarmac and extended to depths of between 1.00 m and 3.30 m.

Apart from the presence of fragments of extraneous material noted above, no visual or olfactory evidence of contamination was observed during the fieldwork. Three samples of the made ground have been sent for contamination testing and the results are detailed within Section 4.6.

#### 5.2 London Clay Formation

The London Clay initially comprised a layer of naturally reworked firm brown and dark grey mottled silty very sandy very gravelly clay with partings of dark orange-brown sand and occasional roots and extended to a depth of 3.30 m in Borehole Nos 2 and 3. Below the initial reworked soils, the London Clay comprised firm to stiff fissured high strength dark brown and grey mottled slightly silty slightly sandy clay with orange-brown clayey silty sand partings, decayed rootlets at 7.0 m depth, fine to coarse selenite crystals, occasional shells and pale grey silty clay partings and was encountered to the full depth of the shallow boreholes, of 7.00 m and to 8.20 m in Borehole No 1. Below this, the London Clay comprised firm to stiff fissured high strength dark brownish grey silty clay with selenite crystals and pale grey partings of silt and was encountered to the full depth investigated, of 15.00 m.

The results of plasticity index tests indicate the initial reworked clay layer to be of low to moderate volume change potential, whilst the underlying London Clay has been shown to be of high volume change potential.

No visual or olfactory evidence of contamination was observed during the fieldwork within these soils.

#### 5.3 **Groundwater**

Groundwater was encountered within the London Clay at depths of 6.10 m and 5.50 m in Borehole Nos 2 and 3 during drilling respectively.

Groundwater monitoring standpipes were initially installed in Borehole Nos 2 and 3, and these were monitored approximately two weeks after installation. A second groundwater



monitoring visit was carried out roughly four weeks following completion of the fieldwork, following installation of the standpipe in Borehole No 1 and the results of both monitoring visits are shown in the table overleaf.

Date	Borehole No	Depth to water (m)
	1	-
04/01/16	2	1.81
	3	1.37
01/02/16	1	0.80
	2	1.80
	3	0.45

#### 5.4 Soil Contamination

The table below sets out the values measured within the three samples analysed; all concentrations are in mg/kg unless otherwise stated.

Determinant	BH1 0.50 m	BH2 0.50 m	BH3 0.50 m
рН	8.6	8.8	8.6
Arsenic	41	16	34
Cadmium	0.12	< 0.10	0.93
Chromium	30	14	27
Lead	750	290	750
Mercury	4.3	0.79	3.2
Selenium	0.27	< 0.20	0.32
Copper	170	37	140
Nickel	32	12	58
Zinc	160	33	210
Total Cyanide	0.60	< 0.50	< 0.50
Total Phenols	< 0.30	< 0.30	< 0.30
Total PAH	87	< 2.0	2.5
Sulphide	1.7	1.8	2.7
Benzo(a)pyrene	8.1	< 0.10	0.28
Naphthalene	0.17	< 0.10	< 0.10
ТРН	34	< 10	< 10
Total Organic Carbon %	5.0	0.45	15

The results of the chemical analyses have indicated elevated concentrations of arsenic, lead, total PAH including benzo(a)pyrene and Dibenzo(a h) Anthracene and total organic carbon.



#### 4.5.1 Generic Quantitative Risk Assessment

The use of a risk-based approach has been adopted to provide an initial screening of the test results to assess the need for subsequent site-specific risk assessments. To this end contaminants of concern are those that have values in excess of a generic human health risk based guideline values which are either that of the CLEA<sup>5</sup> Soil Guideline Value where available, or is a Generic Screening Value calculated using the CLEA UK Version 1.06<sup>6</sup> software assuming a residential end use without plant uptake, or is based on the DEFRA Category 4 Screening values<sup>7</sup>. The key generic assumptions for this end use are as follows;

that	groundwater	will	not be	a critical	risk 1	receptor

- that the critical receptor for human health will be young female children aged zero to six years old;
- □ that the exposure duration will be six years;
- that the critical exposure pathways will be indoor dust ingestion, skin contact with indoor dust, and inhalation of indoor and outdoor dust and vapours; and
- that the building type equates to a two-storey small terraced house.

It is considered that these assumptions are acceptable for this generic assessment of this site. The tables of generic screening values derived by GEA and an explanation of how each value has been derived are included in the Appendix.

Where contaminant concentrations are measured at concentrations below the generic screening value it is considered that they pose an acceptable level of risk and thus further consideration of these contaminant concentrations is not required. However, where concentrations are measured in excess of these generic screening values there is considered to be a potential that they could pose an unacceptable risk and thus further action will be required which could include;

- additional testing to zone the extent of the contaminated material and thus reduce the uncertainty with regard to its potential risk;
- site specific risk assessment to refine the assessment criteria and allow an assessment to be made as to whether the concentration present would pose an unacceptable risk at this site: or
- soil remediation or risk management to mitigate the risk posed by the contaminant to a degree that it poses an acceptable risk.

The results of the chemical analyses have indicated elevated concentrations of arsenic, lead, total PAH including benzo(a)pyrene and total organic carbon.

When comparing the results from the contamination testing to those in the Soil Guideline Values and Generic Guideline Values, the analyses have revealed elevated concentrations of arsenic, lead, total PAH including benzo(a)pyrene and total organic carbon. The

CL:AIRE (2013) Development of Category 4 Screening Levels for Assessment of Land Affected by Contamination Final Project Report SP1010 and DEFRA (2014) Development of Category 4 Screening Levels for Assessment of Land Affected by Contamination Policy Companion Document SP1010



<sup>&</sup>lt;sup>5</sup> Updated Technical Background to the CLEA Model (Science Report SC050021/SR3) Jan 2009 and Soil Guideline Value reports for specific contaminants; all DEFRA and Environment Agency.

Contaminated Land Exposure Assessment (CLEA) Software Version 1.06 Environment Agency 2009

concentrations of the contaminants of concern highlighted by a comparison of the measured concentrations against the generic screening values are tabulated overleaf. This assessment is based upon the potential for risk to human health.

Contaminant of Concern	Maximum concentration (mg/kg)	Location(s) of elevated concentration(s) [depth (m)]	Generic Risk-Based Screening Value (mg/kg)
Arsenic	42	BH1 [0.5]	40
Lead	750	BH1 [0.5], BH3 [0.5]	310
Total PAH	87	BH1 [0.5]	75.7
Benzo (a) pyrene	8.1	BH1 [0.5]	5.30
Dibenzo(a h) Anthracene	1.6	BH1 [0.5]	1.41
Total Organic Carbon	15	BH3 [0.5]	6

The significance of these results is considered further in Part 2 of the report.



# **Part 2: DESIGN BASIS REPORT**

This section of the report provides an interpretation of the findings detailed in Part 1, in the form of a ground model, and then provides advice and recommendations with respect to the basement excavation and the potential impact on the hydrogeology.

#### 6.0 INTRODUCTION

The current proposal is to demolish the existing building and subsequently construct a new apartment block, ranging in height between one storey and four-storeys, with a single level basement that will extend across the entire proposed building footprint. It is understood that the basement will extend to a depth of approximately 4.6 m. The proposed loads of the new building are not yet known, although they are assumed to be moderate.

#### 7.0 GROUND MODEL

The desk study has revealed that the site has not had a potentially contaminative historical use as it has been developed with terraced buildings and then the existing building for its entire developed history, and on the basis of the fieldwork, the ground conditions at this site can be characterised as follows:

- ☐ The investigation encountered a significant thickness of made ground over the London Clay Formation and was encountered to the maximum depth of the investigation, of 15.00 m.
- beneath an initial reinforced concrete slab surface to depths of 0.10 m and 0.20 m, the made ground generally comprises pale brown and reddish brown very silty very sandy gravelly clay with frequent brick, concrete and occasional coal fragments, whole bricks ash and tarmac and extends to depths of between 1.00 m and 3.30 m;
- the London Clay initially comprises a naturally reworked layer of firm brown and dark grey mottled silty very sandy very gravelly clay with partings of dark orangebrown sand and occasional roots and extends to a depth of 3.30 m;
- below the initial reworked layer, the London Clay comprises firm to stiff fissured high strength dark brown and grey mottled slightly silty slightly sandy clay with orange-brown clayey silty sand partings, decayed rootlets at 7.00 m depth, fine to coarse selenite crystals, occasional shells and pale grey silty clay partings to a depth of 8.20 m;
- below this, the London Clay comprises firm to stiff fissured high strength dark brownish grey silty clay with selenite crystals and pale grey partings of silt to the full depth investigated, of 15.00 m;
- groundwater has been monitored at depths of between 0.45 m and 6.10 m; and
- the results of the chemical analyses have indicated elevated concentrations of arsenic, lead, total PAH including benzo(a)pyrene and dibenzo(a h)anthracene and total organic carbon.



#### 8.0 ADVICE AND RECOMMENDATIONS

The loads of the development are not known but are expected to be moderate. It is assumed that the new basement will extend to a maximum depth of 4.60 m below existing ground level and formation level for the proposed basement is likely to be within the London Clay. On the basis of the fieldwork and subsequent monitoring, groundwater is likely to be encountered within the basement excavation.

#### 8.1 Basement Construction

#### 8.1.1 Basement Excavations

Groundwater was encountered within the London Clay at depths of 6.10 m and 5.50 m during drilling, but has subsequently been measured at depths of between 0.45 m and 1.81 m which is likely to represent perched groundwater that has accumulated within the standpipes, probably originating from the made ground. Monitoring of the standpipes should be continued to establish equilibrium levels and determine the extent of any seasonal fluctuations. Monitored groundwater levels are however unlikely to indicate a continuous water table and standpipes in London Clay commonly fill with drained water, such that it is not possible to draw wholly meaningful conclusions from the measurements made in the standpipes, as the level of the water table is not as significant as the volume of water that may flow into the excavation. For example, a high level of water measured in a standpipe may not be significant if this represents only a small volume of water. It would therefore be useful to carry out a number of trial excavations, to depths as close to the full basement depth as possible, to provide an indication of the likely ground water conditions. If this is not feasible, therefore it would be prudent to purge the standpipes of water and monitor the recharge rate.

The design of basement support in the temporary and permanent conditions needs to take account of the need to maintain the stability of the excavation and surrounding structures, namely the neighbouring houses to both the east and west, and to protect against groundwater inflows.

A sheet piled wall could be used as a temporary measure, prior to the construction of a permanent retaining wall, although the noise and vibrations associated with the installation of sheet piles maybe unacceptable, unless a "silent" installation method is adopted. Consideration could be given to using pressing techniques, although pressing techniques that use water jetting should be treated with caution in view of the risk of causing heave or settlement of the surrounding structures.

Alternatively consideration could be given to the use of a bored pile wall, which would have the advantage of being incorporated into the permanent works and will be able to provide support for structural loads. Although the monitoring carried out to date suggests that groundwater will be encountered within the excavation, it may be possible to adopt a contiguous bored pile wall with the use of localised grouting and sump pumping if necessary in order to deal with any groundwater inflows. Although the shallow natural soils appear to comprise naturally reworked soils which are likely to have a higher permeability than the undisturbed London Clay, their permeability is still likely to be such that groundwater inflows will be relatively slow.

In view of the presence of the more permeable upper soils it would be prudent to conduct trial excavations to determine the extent to which any more granular layers or pockets may contribute to groundwater inflows. If however trial excavations indicate that groundwater cannot be adequately controlled through localised grouting and sump pumping, then a secant



bored pile wall will be required, which has the advantage of maximising the usable space within the basement area as it could overcome the requirement for any secondary groundwater protection in the permanent works. At this stage it may be appropriate to assume that a secant wall is likely to be the most appropriate solution.

The ground movements associated with the basement excavation will depend on the method of excavation and support and the overall stiffness of the basement structure in the temporary condition. Thus, a suitable amount of propping will be required to provide the necessary rigidity. In this respect the timing of the provision of support to the wall will have an important effect on movements.

#### 8.1.2 Retaining Walls

The following parameters are suggested for the design of the permanent basement retaining walls.

Stratum	Bulk Density (kg/m3)	Effective Cohesion (c' – kN/m2)	Effective Friction Angle (Φ' – degrees)
Made Ground	1700	Zero	27
London Clay	1950	Zero	23

Groundwater is likely to be encountered within the excavation and at this stage, it is recommended that the basement is designed with a water level assumed to be 1.0 m below ground level. It may however be possible to review this requirement following additional investigation by means of trial excavations and further monitoring and the advice in BS8102:2009<sup>8</sup> should be followed in this respect.

#### 8.1.3 Basement Heave

The proposed construction of the basement will result in an unloading of the London Clay at formation level. The excavations will result in an approximate unloading of around 90 kN/m², which will result in an elastic heave and long term swelling of the London Clay. These movements will be mitigated to some extent by the applied structural loads, although it is likely that the basement floor slab will need to be designed to accommodate heave movements, and some form of anchoring may be required. Given the area of the proposed basement, the movements associated with the 4.6 m deep excavation could be significant and it is recommended that a detailed heave analysis is undertaken once the proposed levels and loads are finalised. In any case, a ground movement analysis with building damage assessment will be required to comply with planning requirements and to determine the likely impact of the proposed basement on the surrounding buildings and infrastructure, including the LUL tunnel. The ground movement analysis and building damage assessment is currently in hand and will be reported separately.

#### 8.2 Spread Foundations

The excavation of the basement will result in a formation level in the London Clay and it should be possible to adopt moderate width pad or strip foundations in the firm clay, designed to apply a net allowable bearing pressure of  $160 \text{ kN/m}^2$  below the level of the proposed basement floor. It is unlikely that it will be possible to attain the required depths without encountering groundwater inflows, and if inflows are such that spread foundations cannot be utilised, then recourse should be made to the use of a piled foundation solution.



BS8102 (2009) Code of practice for protection of below ground structures against water from the ground

#### 8.3 Piled Foundations

For the ground conditions at this site a bored pile could be adopted. A conventional rotary augered pile could be utilised but consideration will need to be given to the possible instability and water ingress within the made ground and initial reworked layer of London Clay. The use of bored piles installed using continuous flight auger (cfa) techniques may therefore be the most appropriate and the limited site access may be a factor in the selection of most appropriate pile type.

The following table of ultimate coefficients may be used for the preliminary design of bored piles, based on the SPT and cohesion / depth graph in the appendix.

Stratum	Depths m	kN / m²
	Ultimate Skin Friction	
Made Ground / reworked London Clay	GL to 3.50	Ignore
London Clay	3.50 to 15.00	Increasing linearly from 35 to 70
	Ultimate End Bearing	
London Clay	10.00 to 15.00	Increasing linearly from 990 to 1305

In the absence of pile tests, guidance from the London District Surveyors Association (LDSA)<sup>9</sup> suggests that a factor of safety of 2.6 should be applied to the above coefficients in the computation of safe theoretical working loads. On the basis of the above coefficients, the following pile capacities have been estimated.

On the basis of the above coefficients, applying a factor of safety of 2.6, it has been estimated that 450~mm diameter piles extending to depths of 10.0~m or 15.0~m, should provide safe working loads of about 210~kN or 415~kN respectively.

The above examples are not intended to constitute any form of recommendation with regard to pile size or type, but merely serve to illustrate the use of the above coefficients. Specialist piling contractors should be consulted with regard to the design of an appropriate piling scheme. Their attention should be drawn to the presence of groundwater within the silt layers of the London Clay.

#### 8.4 Shallow Excavations

On the basis of the trial pit findings it is considered likely that it will be feasible to form relatively shallow excavations terminating within the made ground and London Clay without the requirement for lateral support, although localised instabilities may occur. Where personnel are required to enter excavations, a risk assessment should be carried out and temporary lateral support or battering of the excavation sides considered in order to comply with normal safety requirements.

On the basis of the monitoring carried out to date, it is not clear whether inflows will be encountered and further monitoring is required. In any case, any such inflows should be suitably controlled by sump pumping.

LDSA (2009) Foundations No 1 - Guidance notes for the design of straight shafted bored piles in London Clay. LDSA



#### 8.5 **Basement Floor Slab**

Following the excavation of the basement, it is likely that the floor slab for the proposed basement will need to be suspended over a void or layer of suitable compressible material to accommodate the anticipated heave unless the slab can be suitably reinforced to cope with these movements. In addition, consideration may also need to be given to designing the basement to cope with water pressure below the slab. Further consideration will need to be given to these issues once the levels and magnitude of any slab loading are known.

## 8.6 Effect of Sulphates

Chemical analyses have revealed moderate concentrations of soluble sulphate and largely near-neutral pH in accordance with the upper boundary of Class DS-3 conditions of Table C2 of BRE Special Digest 1:SD Third Edition (2005). The measured pH values of the samples tested for contamination indicated a lowest pH of 7.4, which equates to an ACEC class of AC-3. This assumes a mobile water condition at the site. The guidelines contained in the digest should be followed in the design of foundation concrete.

#### 8.7 Contamination Risk Assessment

The desk study findings indicate the site not to have had a potentially contaminative history having been occupied by terraced buildings and the existing building for its entire developed history.

The results of the chemical analyses have indicated elevated concentrations of arsenic, lead, total PAH including benzo(a)pyrene and dibenzo(a h)anthracene and total organic carbon.

The source of the contamination is unknown but the made ground was noted as containing fragments of extraneous material and it is possible that a fragment of such material, for example, coal or old paint fragments, could account for the elevated concentration. As a result the contamination is not expected to be in a soluble state and should not, therefore, pose a risk to adjacent sites, groundwater or buried services.

The contamination will however pose a risk to site workers during the ground works. These risks are further assessed below.

# 8.7.1 Site Workers

Site workers should be made aware of the contamination and a programme of working should be identified to protect workers handling any soil. The method of site working should be in accordance with guidelines set out by HSE and CIRIA<sup>10</sup> and the requirements of the Local Authority Environmental Health Officer.

#### 8.8 Waste Disposal

Under the European Waste Directive, waste is classified as being either Hazardous or Non-Hazardous and landfills receiving waste are classified as accepting hazardous or non-hazardous wastes or the non-hazardous sub-category of inert waste in accordance with the Waste Directive. Waste classification is a staged process and this investigation represents the preliminary sampling exercise of that process. Once the extent and location of the waste that is to be removed has been defined, further sampling and testing may be necessary. The

<sup>10</sup> CIRIA (1996) A guide for safe working on contaminated sites - Report 132, Construction Industry Research and Information



results from this ground investigation should be used to help define the sampling plan for such further testing, which could include WAC leaching tests where the totals analysis indicates the soil to be a hazardous waste or inert waste from a contaminated site. It should however be noted that the Environment Agency guidance WM3<sup>11</sup> states that landfill WAC analysis, specifically leaching test results, must not be used for waste classification purposes.

Any spoil arising from excavations or landscaping works, which is not to be re-used in accordance with the CL:AIRE<sup>12</sup> guidance, will need to be disposed of to a licensed tip. Waste going to landfill is subject to landfill tax at either the standard rate of £82.60 per tonne (about £150 per m³) or at the lower rate of £2.60 per tonne (roughly £5 per m³). However, the classifications for tax purposes and disposal purposes differ and currently all made ground and topsoil is taxable at the 'standard' rate and only naturally occurring soil and stones, which are accurately described as such in terms of the 2011 Order, would qualify for the 'lower rate' of landfill tax.

Based upon on the technical guidance provided by the Environment Agency it is considered likely that the soils encountered during this ground investigation, as represented by the three chemical analyses carried out, would be generally classified as follows;

Soil Type	Waste Classification (Waste Code)	WAC Testing Required Prior to Landfill Disposal?	Comments
Made ground	Non-hazardous (17 05 04)	No	-
Natural soils	Inert (17 05 04)	Should not be required but confirm with receiving landfill	-

Under the requirements of the European Waste Directive all waste needs to be pre-treated prior to disposal. The pre-treatment process must be physical, thermal, chemical or biological, including sorting. It must change the characteristics of the waste in order to reduce its volume, hazardous nature, facilitate handling or enhance recovery. The waste producer can carry out the treatment but they will need to provide documentation to prove that this has been carried out. Alternatively, the treatment can be carried out by an approved contractor. The Environment Agency has issued a position paper<sup>13</sup> which states that in certain circumstances, segregation at source may be considered as pre-treatment and thus excavated material may not have to be treated prior to landfilling if the soils can be segregated onsite prior to excavation by sufficiently characterising the soils insitu prior to excavation.

The above opinion with regard to the classification of the excavated soils is provided for guidance only and should be confirmed by the receiving landfill once the soils to be discarded have been identified.

The local waste regulation department of the Environment Agency (EA) should be contacted to obtain details of tips that are licensed to accept the soil represented by the test results. The tips will be able to provide costs for disposing of this material but may require further testing.

<sup>13</sup> Environment Agency 23 Oct 2007 Regulatory Position Statement Treating non-hazardous waste for landfill - Enforcing the new requirement



<sup>11</sup> Environment Agency 2015. Guidance on the classification and assessment of waste. Technical Guidance WM3 First Edition

<sup>12</sup> CL:AIRE March 2011. The Definition of Waste: Development Industry Code of Practice Version 2

#### 9.0 OUTSTANDING RISKS AND ISSUES

This section of the report aims to highlight areas where further work is required as a result of limitations on the scope of this investigation, or where issues have been identified by this investigation that warrant further consideration. The scope of risks and issues discussed in this section is by no means exhaustive, but covers the main areas where additional work may be required.

The ground is a heterogeneous natural material and variations will inevitably arise between the locations at which it is investigated. This report provides an assessment of the ground conditions based on the discrete points at which the ground was sampled, but the ground conditions should be subject to review as the work proceeds to ensure that any variations from the Ground Model are properly assessed by a suitably qualified person.

Monitoring of the standpipe should be continued to determine equilibrium groundwater and to establish any seasonal fluctuations.

A ground movement analysis and building damage assessment will be required to comply with planning requirements. This report is currently in hand and will be reported separately to this report.



# 10.0 BASEMENT IMPACT ASSESSMENT

The screening identified a number of potential impacts. The desk study and ground investigation information has been used to review the potential impacts, to assess the likelihood of them occurring and the scope for reasonable engineering mitigation.

The table below summarises the previously identified potential impacts and the additional information that is now available from the site investigation in consideration of each impact.

Potential Impact	Site Investigation Conclusions
The proposed basement may extend beneath the water table surface.	The investigation has indicated that groundwater may exist as perched water within the made ground and initial reworked stratum of London Clay, although groundwater has not been encountered during drilling within the London Clay to the depth of the proposed basement. Due to the absence of any apparent groundwater and groundwater flow within the reworked London Clay or London Clay proper, it is considered to be unlike that the proposed basement construction will impact upon groundwater sensitive features.
Seasonal shrink-swell can result in foundation movements.	The London Clay is prone to seasonal shrink-swell and can cause structural damage. Desiccation was not encountered during the investigation. The proposed basement will extend to a depth of 4.6 m in general, therefore new foundations are likely to bypass any desiccated soils encountered, although consideration will need to be given in the foundation design to protecting against the effects of continued growth of the trees.
Site within 5 m of a highway or pedestrian right of way	The investigation has not indicated any specific problems, such as weak or unstable ground, voids, high water table, that would make working within 5 m of public infrastructure particularly problematic at this site, although best practice in design and construction will ensure the stability of the highway. The investigation has encountered a significant thickness of made ground however this is likely to be removed as part of the basement construction. The proposed retaining structure should minimise any potential movements that may impact the adjacent road.
Founding depths relative to neighbours.	The development will result in significantly increasing the foundation depth of the basement relative neighbouring properties of the site.
The site is within the exclusion zone of a London Underground tunnel.	The proposed development should consider the restrictions imposed due to the adjacent LU tunnel and permission should be sought from LU prior to construction commencing.

The results of the site investigation have been used below to review the remaining potential impacts, to assess the likelihood of them occurring and the scope for reasonable engineering mitigation.

#### Location of public highway

The basement excavation will extend to within 5.0 m from the pathways and highways to the east and therefore the basement excavation may affect the highway. The proposed development will include retaining walls that will be designed to maintain the stability of the surrounding ground, thus protecting the adjacent road and associated infrastructure beyond. There is nothing



unusual or exceptional in the proposed development or the findings of the investigation that give rise to any concerns with regard to stability over and above any development of this nature.

The proposed basement will significantly increase the differential depth of foundations relative to neighbouring properties

The proposed basement will extend to a significant depth relative to the existing foundations of the neighbouring properties and will need to be designed to ensure the stability of the site and any potentially sensitive structures that are in close proximity to the site.

# 10.1 Non-Technical Summary of Evidence

This section provides a short summary of the evidence acquired and used to form the conclusions made within the BIA.

# 10.1.1 Screening

The following table provides the evidence used to answer the surface water flow and flooding screening questions.

Question	Evidence			
1. Is the site within the catchment of the pond chains on Hampstead Heath?	Topographical maps acquired as part of the desk study and Figures 12 and 14 of the Arup report			
2. As part of the proposed site drainage, will surface water flows (e.g. volume of rainfall and peak run-off) be materially changed from the existing route?				
3. Will the proposed basement development result in a change in the proportion of hard surfaced / paved areas?	A site walkover confirmed the proportions of hardstanding,			
4. Will the proposed basement development result in changes to the profile of the inflows (instantaneous and long term) of surface water being received by adjacent properties or downstream watercourses?	proposed changes in hardstanding.			
5. Will the proposed basement result in changes to the quantity of surface water being received by adjacent properties or downstream watercourses?				
6. Is the site in an area identified to have surface water flood risk according to either the Local Flood Risk Management Strategy or the Strategic Flood Risk Assessment or is it at risk of flooding, for example because the proposed basement is below the static water level of nearby surface water feature?	Flood risk maps acquired from the Environment Agency as part of the desk study, Figure 15 of the Arup report, the Camden Flood Risk Management Strategy dated 2013 together with Figures 3iv, 4e, 5a and 5b of the Strategic Flood Risk Assessment dated 2014.			

The following table provides the evidence used to answer the slope stability screening questions.

Question	Evidence
1. Does the existing site include slopes, natural or manmade, greater than 7°?	Topographical maps and Figures 16 and 17 of the Arup report and confirmed during a site walkover
2. Will the proposed re-profiling of landscaping at the site change slopes at the property boundary to more than 7°?	The details of the proposed development provided do not include the re-profiling of the site to create new slopes



Question	Evidence
3. Does the development neighbour land, including railway cuttings and the like, with a slope greater than 7°?	Topographical maps and Figures 16 and 17 of the Arup report and confirmed during a site walkover
4. Is the site within a wider hillside setting in which the general slope is greater than 7°?	
5. Is the London Clay the shallowest strata at the site?	Geological maps and Figures 3, 5 and 8 of the Arup report
6. Will any trees be felled as part of the proposed development and / or are any works proposed within any tree protection zones where trees are to be retained?	The proposals provided by the consulting engineers
7. Is there a history of seasonal shrink-swell subsidence in the local area and / or evidence of such effects at the site?	Knowledge on the ground conditions of the area were used to make an assessment of this, in addition to a visual inspection of the buildings carried out during the site walkover.
8. Is the site within 100 m of a watercourse or potential spring line?	Topographical maps acquired as part of the desk study and Figures 11 and 12 of the Arup report
9. Is the site within an area of previously worked ground?	Geological maps and Figures 3, 5 and 8 of the Arup report
10. Is the site within an aquifer?	Aquifer designation maps acquired from the Environment Agency as part of the desk study and Figures 3, 5 and 8 of the Arup report.
11. Is the site within 50 m of Hampstead Heath ponds?	Topographical maps acquired as part of the desk study and Figures 12 and 14 of the Arup report.
12. Is the site within 5 m of a highway or pedestrian right of way?	Aerial photography, site plans and the site walkover confirmed that the site is within 5 m of Kentish Town Road.
13. Will the proposed basement significantly increase the differential depth of foundations relative to neighbouring properties?	Records held on the Camden Planning Portal did not show evidence of basements being present below neighbouring properties.
14. Is the site over (or within the exclusion zone of) any tunnels, e.g. railway lines?	Maps and plans of infrastructure tunnels were reviewed, in addition to online infrastructure maps, showing exclusion zones, made available by Transport for London.

# 10.1.2 Scoping and Site Investigation

The questions in the screening stage that there were answered 'yes', were taken forward to a scoping stage and the potential impacts discussed in Section 4.0 of this report, with reference to the possible impacts outlined in the Arup report.

A ground investigation was carried out, which has allowed an assessment of the potential impacts of the basement development on the various receptors identified from the screening and scoping stages. Principally the investigation aimed to establish the ground conditions, including the groundwater level, the engineering properties of the underlying soils to enable suitable design of the basement development and the configuration of the existing wall foundations. The findings of the investigation are discussed in Section 5.0 of this report and summarized in both Section 7.0 and the Executive Summary.

#### 10.1.3 Impact Assessment

Section 9.0 of this report summarises whether or not, on the basis of the findings of the investigation, the potential impacts still need to be given consideration and identifies ongoing risks that will require suitable engineering mitigation. Section 8.0 of this report also provides recommendations for the design of the proposed development, whilst Section 9.0 makes reference to the outcomes of a ground movement analysis and building damage assessment



included as an appendix to this report, which has also been used to provide a conclusion on any potential impacts from the proposed basement development.

# 10.2 BIA Conclusion

A Basement Impact Assessment has been carried out following the information and guidance published by the London Borough of Camden. Information from a Site Investigation has been used to assess potential impacts identified by the screening process.

It is concluded that the proposed development is unlikely to result in any specific land or slope stability issues, groundwater or surface water issues.



# **APPENDIX**

Borehole Records

Geotechnical Test Results

SPT & Cohesion/Depth Graph

Soil Chemical Analyses

Generic Risk-Based Soil Screening Values

Envirocheck Report

Historical Maps

Site Plan




तु	Geotechnical & Environmental Associates	k 				Widbury Barn Widbury Hill Ware,Herts SG12 7QE	Site  152-156 Kentish Town Road, London NW1 9QB	Bore Num BH	ber
Boring Meth			Diameter Omm case	ed to 3.00m	Ground	Level (mOD)	Client Ahig Ltd		<b>ber</b> 359
		Location	n		Dates 02/01/2016- 04/01/2016		Engineer Parmarbrook	Sheet 1/2	
Depth (m)	Sample / Tests	Casing Depth (m)	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legen	Water bi
0.50 0.50	B1 D1					(0.20) - (0.20) - (0.20) - (0.20) - (0.20) - (0.20)	CONCRETE  MADE GROUND (brown sandy gravelly clay with brick fragments)		
1.20-1.65 1.20	SPT(C) N=1 B2	1.20	DRY	1,0/0,1,0,0		(3.10)			
2.00-2.45 2.00	SPT(C) N=13 B3	2.00	DRY	1,3/2,4,3,4					
3.00-3.45 3.00	SPT(C) N=23 B4	3.00	DRY	4,6/7,5,5,6		3.30	Firm to stiff brown silty fissured CLAY with fine white shells		×
3.70	D2							×	×
4.00-4.45	U1							× × × × × × × × × × × × × × × × × × ×	×
4.50	D3							×	×
4.80	D4					E		×	×
5.00-5.45 5.00	SPT N=16 S1	3.00	DRY	2,3/3,4,4,5		(4.90)		×	×
6.00-6.45	U2							×	×
6.50	D5					E		× × × × × × × × × × × × × × × × × × ×	×
7.50-7.95 7.50	SPT N=17 S2	3.00	DRY	3,3/4,4,4,5		=_ == == == == ==		× × × × × × × × × × × × × × × × × × ×	×
8.30	D6					8.20 	Stiff dark brownish grey silty fissured CLAY with selenite at pale grey partings of silt from 12.0 m	×	×
9.00-9.45	U3							× × × × × × × × × × × × × × × × × × ×	×
9.50	D7					E_ E_ E_ E_ E_ E_		×	×
Remarks Groundwater	not encountered	no inotalla	1 to 0 0	donth: CL to 2.5	donth sist-	ning: the re-	Scale (appro	Logg k) By	⊐ jed
30 mins dayv	monitoring standpip works clearing area chiselling from grou	after comp	leting bor	depth; GL to 3.5 m cehole epth	uepın pıaın	ı pıpe; tne rem	ainder slotted 1:50	GT/C	
	3 3 3						Figur		

GEA Geotechnical & Environmental Associates						Widbury Barn Widbury Hill Ware,Herts SG12 7QE	Site 152-156 Kentish Town Road, London NW1 9QB		Borehole Number BH1	,
Boring Meth Cable Percus		Casing		r ed to 3.00m	Ground	Level (mOD)	Client Ahig Ltd		Job Number J15359	
		Location	n		Dates 02/01/2016- 04/01/2016		<b>Engineer</b> Parmarbrook		Sheet 2/2	
Depth (m)	Sample / Tests	Casing Depth (m)	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description		Legend ja	-
10.50-10.95 10.50	SPT N=18 S3	3.00	DRY	3,4/4,4,5,5					x	
12.00-12.45	U4					= = = = = = = = = =			× × × ×	
12.50	D8								× × × × × × × × × × × × × × × × × × ×	
13.50-13.95 13.50	SPT N=25 S4	3.00	DRY	4,5/5,6,7,7					× × × × × × × × × × × × × × × × × × ×	
14.50-14.95	U5								× × ×	
15.00	D9					15.00	Complete at 15.00m		×	
Groundwater	not encountered monitoring standpip vorks clearing area a chiselling from groun	e installed after comp and level to	d to 8.0 m leting boo 1.2 m de	n depth; GL to 3.5 m o rehole epth	lepth plair	n pipe; the rem	ainder slotted	Scale (approx)  1:50  Figure N	Logged By GT/CA	
									59.BH1	

Geotechnical & Widbury Barn Widbury Hill Environmental Associates SG12 7QE				Site 152-156 Kentish Town Road, London NW1 9QB	Number BH2	
<b>Excavation Method</b> Drive-in Window Sampler	Dimensions		Ground	Level (mOD)	Client Ahig Ltd	Job Number J15359
	Location		Dates 21/12/2015		Engineer Parmarbrook	Sheet 1/1
Depth (m) Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend Nater
3.00-3.45 SPT N=13 3.50 D 4.00-4.45 SPT N=10 4.50 D 5.00-5.45 SPT N=13 5.50 D 6.00-6.45 SPT N=34 6.50 D 7.00 D		1,1/2,3,4,4 1,1/2,2,3,3 1,2/3,3,4,3 2,4/6,14,8,6		(0.20) 0.20 1.175) 1.95 1.95 1.95 1.95 1.95 1.95 1.95 1.95	CONCRETE (reinforced with approx. 4 mm diameter mesh at 130 mm depth)  MADE GROUND (pale brown and reddish brown very silty very sandy gravelly clay with frequent brick, concrete and occasional coal fragments and whole bricks from 1.8 m depth)  Firm brown and dark grey mottled silty very sandy very gravelly CLAY with partings of dark orange-brown sand and occasional roots, gravel is fine to coarse subangular to angular  Firm becoming stiff fissured dark brown and grey mottled slightly silty slightly sandy CLAY with orange-brown clayey silty sand partings, decayed rootlets at 7.0 m depth, fine to coarse selenite crystals, occasional shells and pale grey silty clay partings  Complete at 7.00m	
Remarks Borehole noted as wet between 6 Groundwater monitoring standpip	.1 m and e installed	6.4 m depth d to 7.0 m depth			Scale (approx)  1:50  Figure  J15	CA

<u> </u>	Geotechnical & Environmental Associates				Widbury Hill Ware,Herts SG12 7QE	152-156 Kentish Town Road, London NW1 9QB	Numbe BH3	
Excavation  Orive-in Wind	<b>Method</b> dow Sampler	Dimens	ions	Ground	Level (mOD)	Client Ahig Ltd	Job Number J15359 Sheet	
		Locatio	n	Dates 21	/12/2015	Engineer		
Donth		Water		Lovol	Donth	Parmarbrook	1/1	
Depth (m)	Sample / Tests	Water Depth (m)	Field Records	(mOD)	Depth (m) (Thickness)	Description	Legend	
					0.10	CONCRETE (reinforced with approx. 4 mm mesh at 130 mm and 160 mm depth)	,;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	
50	D				0.70	MADE GROUND (brown silty clay with sand, gravel, brick fragments, coal, ash, mortar, concrete and tarmac)  MADE GROUND (crushed tarmac)		
.00	D				1.00	Soft becoming firm orange-brown and brown mottled silty CLAY with occasional fine to medium gravel	× ×	
50	D				1.60	Firm brown and grey mottled silty gravelly CLAY becoming clayey silty sandy gravel from 1.8 m depth, gravel of fine to	××	
.00	D					clayey sifty sandy gravel from 1.8 m depth, gravel of fine to coarse angular to rounded flint with a silty sandy clay matrix	× - ×	
.50	D				(1.70)		× • • ×	
.00-3.45	SPT N=21		2,4/4,5,7,5		<u> </u>		× - ×	
.50	D D				3.30	Stiff fissured brown and grey mottled silty CLAY with fine selenite crystals and a band of gravel between 6.0 m and 6.5 m depth	××	
.00-4.45	SPT N=15		2 2/2 2 4 5		= = = = =	o.s m depui	× × × × × × × × × × × × × × × × × × ×	
.00	D		2,3/3,3,4,5		<u> </u>		×x	
.50	D						××	
5.00-5.45 5.00	SPT N=15 D		1,2/4,3,4,4		(3.70)		×	
.50	D				<u>-</u>		××	
.00-6.45 .00 .30	SPT N=19 D D		3,3/4,5,5,5		<u>-</u> - - -		× × × × × × × × × × × × × × × × × × ×	
.50	D				<u> </u>		××	
.00	D				7.00	Complete at 7.00m	×	
					<u> </u>			
					<u>-</u> 			
					<u> </u>			
					<u> </u>			
Remarks roundwater	r encountered during	drilling be	etween 5.5 m and 6.0 m dep	oth	<u> </u>	Scale (approx)	Logge By	
						1:50	CA	
						Figure		



#### **SUMMARY OF GEOTECHNICAL TESTING**

			Sample of	details		Class	ification	n Tests	;	Densit	y Tests	Undraine	d Triaxial Co	mpression	CI	nemical Te	sts	
Borehole / Trial Pit	Sample Ref	Depth (m)	Туре	Description	МС	LL	PL	PI	<425 μm	Bulk	Dry	Cell Pressure	Deviator Stress	Shear Stress	pН	2:1 W/S SO4	W/S Mg	Other tests and comments
					(%)	(%)	(%)	(%)	(%)	Mg/m³	Mg/m³	kPa	kPa	kPa		(g/L)	(mg/L)	
BH1	В3	2.00	В												7.8	0.05		
BH1	U1	4.00	U	Stiff fissured brown CLAY with rare grey veins, rootlets and gypsum.	29.2					1.97	1.52	80	189	94				
BH1	D4	4.80	D	Brown silty CLAY.	29.8	71	27	44	100						7.7	2.40		
BH1	U2	6.00	U	Very stiff fissured brown CLAY with rare gypsum.	29.4					1.93	1.49	120	187	94				
BH1	S2	7.50	D	Brown silty CLAY.	29.2	77	28	49	100									
BH1	U3	9.00	U	Very stiff fissured brownish grey CLAY.	30.5					1.96	1.50	180	176	88				
BH1	\$3	10.50	D	Brown silty CLAY.	27.9	75	27	48	100									
BH1	U4	12.00	C	Very stiff fissured brownish grey CLAY.	29.7					1.98	1.53	240	220	110				
BH1	U5	14.50	U	Very stiff fissured brownish grey CLAY.	26.6					2.03	1.60	290	290	145				
BH2		3.00	D	Orangish brown gravelly silty CLAY.	16.2	61	26	35	63						8.1	0.19		

Sample type: B (Bulk disturb.) BLK (Block) C (Core) D (Disturbed) LB (Large Bulk dist.) U (Undisturbed)

Checked and Approved by

Project Number:

GEO / 23592

S Burke - Senior Technician

01/02/2016

Project Name:

152-156 KENTISH TOWN ROAD, LONDON NW1 9QB J15359 GEOLABS

#### **SUMMARY OF GEOTECHNICAL TESTING**

			Sample	details		Class	ification	n Tests	;	Densit	y Tests	Undrained	d Triaxial Co	mpression	С	hemical Te	sts	
Borehole / Trial Pit	Sample Ref	Depth (m)	Туре	Description	МС		PL	PI	<425 µm	Bulk	Dry	Cell Pressure	Deviator Stress	Shear Stress	рН	2:1 W/S SO4	W/S Mg	Other tests and comments
					(%)	(%)	(%)	(%)	(%)	Mg/m³	Mg/m³	kPa	kPa	kPa		(g/L)	(mg/L)	
BH2		5.00	D	Brown silty CLAY with rare fine gravel.	28.4	75	27	48	98						7.8	2.60		
ВН3		1.50	D	Orangish brown slightly gravelly silty CLAY.	25.8	56	20	36	82						7.4	0.07		
ВН3		2.00	D	Yellowish brown slightly clayey sandy flint GRAVEL.														Particle Size Distribution
ВН3		2.50	D	Orangish brown with grey mottling very gravelly silty CLAY. Gravel is flint.	9.9	42	17	25	33									
ВН3		4.50	D	Brown silty CLAY.	30.2										7.7	2.30		

Sample type: B (Bulk disturb.) BLK (Block) C (Core) D (Disturbed) LB (Large Bulk dist.) U (Undisturbed)

Checked and Approved by

Project Number:

Project Name:

GEO / 23592

152-156 KENTISH TOWN ROAD, LONDON NW1 9QB J15359

S Burke - Senior Technician 01/02/2016 **GEOLABS** 

BS1377: Part 2: Clause 9: 1990

#### PARTICLE SIZE DISTRIBUTION

BH/TP No: BH3
Depth (m): 2.00
Sample Type D


Description:

Yellowish brown slightly clayey sandy flint GRAVEL.

Insufficient material supplied to be representative in accordance with BS1377 requirements.

#### BS1377: Part 2: Clause 9.2: 1990 Wet Sieving Method

Siev	Sieve					
Sieve (mm)	% pass					
200	100					
125	100					
90	100					
75	100					
63	100					
50	100					
37.5	100					
28	100					
20	85					
14	70					
10	56					
6.3	39					
5	36					
3.35	31					
2	26					
1.18	22					
0.6	19					
0.425	16					
0.3	11					
0.212	9					
0.15	8					
0.063	6					



Particle Proportions						
Cobbles	0.0 %					
Gravel	73.9 %					
Sand	20.0 %					
Silt & Clay	6.1 %					

Checked and Approved by

5 Burke Senior Technician

01/02/2016

Project Number:

GEO / 23592

Project Name:

152-156 KENTISH TOWN ROAD, LONDON NW1 9QB J15359



### **Quick Undrained Triaxial Compression Test**

 BH/TP No
 BH1

 Sample Ref
 U1

 Depth (m)
 4.00


 Sample Type
 U

Description:

Stiff fissured brown CLAY with rare grey veins, rootlets and gypsum.

#### **Specimen Details**

Specimen conditions		Undisturbed
Length	(mm)	201.4
Diameter	(mm)	102.3
Moisture Content	(%)	29.2
Bulk Density	(Mg/m³)	1.97
Dry Density	(Mg/m³)	1.52
Test Details		
Latex membrane thickness	(mm)	0.3
Membrane correction	(kPa)	1.1
Axial displacement rate	(%/min)	2.0
Cell pressure	(kPa)	80
Strain at failure	(%)	19.9
Maximum Deviator Stress	(kPa)	189
Shear Stress Cu	(kPa)	94



Orientation of the sample	Vertical
Distance from top of tube mm	30

Checked and Approved by:

5 Burke

Project Number:

GEO / 23592

Project Name:

152-156 KENTISH TOWN ROAD, LONDON NW1 9QB J15359



### **Quick Undrained Triaxial Compression Test**


BH/TP No BH1 Sample Ref U2 Depth (m) 6.00 Sample Type U

Description:

Very stiff fissured brown CLAY with rare gypsum.

#### **Specimen Details**

Specimen conditions		Undisturbed
Length	(mm)	201.7
Diameter	(mm)	102.5
Moisture Content	(%)	29.4
Bulk Density	(Mg/m³)	1.93
Dry Density	(Mg/m³)	1.49
Test Details		
Latex membrane thickness	(mm)	0.3
Membrane correction	(kPa)	0.8
Axial displacement rate	(%/min)	2.0
Cell pressure	(kPa)	120
Strain at failure	(%)	11.9
Maximum Deviator Stress	(kPa)	187
Shear Stress Cu	(kPa)	94



Orientation of the sample	Vertical
Distance from top of tube mm	40

Checked and Approved by:

Project Number:

GEO / 23592

Project Name:

152-156 KENTISH TOWN ROAD, LONDON NW1 9QB J15359



### **Quick Undrained Triaxial Compression Test**


BH/TP No BH1
Sample Ref U3
Depth (m) 9.00
Sample Type U

Description:

Very stiff fissured brownish grey CLAY.

#### **Specimen Details**

Specimen conditions		Undisturbed
Length	(mm)	201.0
Diameter	(mm)	103.9
Moisture Content	(%)	30.5
Bulk Density	(Mg/m³)	1.96
Dry Density	(Mg/m³)	1.50
Test Details		
Latex membrane thickness	(mm)	0.3
Membrane correction	(kPa)	0.3
Axial displacement rate	(%/min)	2.0
Cell pressure	(kPa)	180
Strain at failure	(%)	3.2
Maximum Deviator Stress	(kPa)	176
Shear Stress Cu	(kPa)	88



Orientation of the sample	Vertical
Distance from top of tube mm	40

Checked and Approved by:

5 Burke

Project Number:

GEO / 23592

Project Name:

152-156 KENTISH TOWN ROAD, LONDON NW1 9QB J15359



### **Quick Undrained Triaxial Compression Test**


BH/TP No BH1
Sample Ref U4
Depth (m) 12.00
Sample Type U

Description:

Very stiff fissured brownish grey CLAY.

#### **Specimen Details**

Specimen conditions		Undisturbed
Length	(mm)	201.3
Diameter	(mm)	102.5
Moisture Content	(%)	29.7
Bulk Density	(Mg/m³)	1.98
Dry Density	(Mg/m³)	1.53
Test Details		
Latex membrane thickness	(mm)	0.3
Membrane correction	(kPa)	0.3
Axial displacement rate	(%/min)	2.0
Cell pressure	(kPa)	240
Strain at failure	(%)	3.5
Maximum Deviator Stress	(kPa)	220
Shear Stress Cu	(kPa)	110



Orientation of the sample	Vertical
Distance from top of tube mm	100

Checked and Approved by:

5 Burke

Project Number:

GEO / 23592

Project Name:

152-156 KENTISH TOWN ROAD, LONDON NW1 9QB J15359



### **Quick Undrained Triaxial Compression Test**

BH/TP No BH1 Sample Ref U5 Depth (m) 14.50 Sample Type U

Description:

Very stiff fissured brownish grey CLAY.

#### **Specimen Details**

Specimen conditions		Undisturbed
Length	(mm)	201.8
Diameter	(mm)	102.2
Moisture Content	(%)	26.6
Bulk Density	(Mg/m³)	2.03
Dry Density	(Mg/m³)	1.60
Test Details		
Latex membrane thickness	(mm)	0.3
Membrane correction	(kPa)	0.2
Axial displacement rate	(%/min)	2.0
Cell pressure	(kPa)	290
Strain at failure	(%)	2.5
Maximum Deviator Stress	(kPa)	290
Shear Stress Cu	(kPa)	145

Mode of failure	

Orientation of the sample	Vertical
Distance from top of tube mm	130

Checked and Approved by:

Project Number:

GEO / 23592

Project Name:

152-156 KENTISH TOWN ROAD, LONDON NW1 9QB J15359







Chemtest Ltd.
Depot Road
Newmarket
CB8 0AL

Tel: 01638 606070 Email: info@chemtest.co.uk

# **Final Report**

**Report No.:** 16-00178-1

Initial Date of Issue: 12-Jan-2016

Client GEA

Client Address: Widbury Barn

Widbury Hill

Ware

Hertfordshire SG12 7QE

Contact(s): Caroline Anderson

Project J15359-2 152-156 Kentish Town Road

Quotation No.: Date Received: 07-Jan-2016

Order No.: Date Instructed: 07-Jan-2016

No. of Samples: 1 Target Date: 11-Jan-2016

Turnaround (Wkdays): 5 Results Due: 13-Jan-2016

Date Approved: 12-Jan-2016

Approved By:

and CTDI

**Details:** Keith Jones, Technical Manager



Client: GEA		Chemtest Job No.:					
Quotation No.:		Chemtest Sample ID.:					
		Cli	ent Sam	ple ID.: e Type:	BH1		
		SOIL					
			Top Dep	oth (m):	0.50		
			Date Sa	ampled:	04-Jan-2016		
Determinand	Accred.	SOP	Units	LOD			
Moisture	N	2030	%	0.020	13		
Stones	N	2030	%	0.020	< 0.020		
Soil Colour	N	2040		N/A	Brown		
Other Material	N	2040		N/A	Stones		
Soil Texture	N	2040		N/A	Loam		
рН	M	2010		N/A	8.6		
Sulphate (2:1 Water Soluble) as SO4	М	2120	g/l	0.010	0.067		
Chloride (Extractable)	М	2220	g/l	0.010	< 0.010		
Cyanide (Total)	М	2300	mg/kg	0.50	0.60		
Sulphide (Easily Liberatable)	M	2325	mg/kg	0.50	1.7		
Sulphate (Total)	М	2430	mg/kg	100	1400		
Arsenic	М	2450	mg/kg	1.0	41		
Cadmium	М	2450	mg/kg	0.10	0.12		
Chromium	М	2450		1.0	30		
Copper	М	2450		0.50	170		
Mercury	М		mg/kg	0.10	4.3		
Nickel	М	2450		0.50	32		
Lead	М	2450		0.50	750		
Selenium	М	2450		0.20	0.27		
Zinc	М	2450		0.50	160		
Total Organic Carbon	М	2625	%	0.20	5.0		
TPH >C5-C6	N	2670	mg/kg	1.0	< 1.0		
TPH >C6-C7	N	2670	mg/kg	1.0	< 1.0		
TPH >C7-C8	N		mg/kg	1.0	< 1.0		
TPH >C8-C10	N		mg/kg	1.0	< 1.0		
TPH >C10-C12	N	2670	mg/kg	1.0	< 1.0		
TPH >C12-C16	N	2670		1.0	< 1.0		
TPH >C16-C21	N	2670		1.0	8.9		
TPH >C21-C35	N	2670		1.0	25		
Total TPH >C5-C35	N		mg/kg	10	34		
Naphthalene	М	2700		0.10	0.17		
Acenaphthylene	М	2700	mg/kg	0.10	0.95		
Acenaphthene	М	_	mg/kg	0.10	0.13		
Fluorene	М	2700		0.10	0.33		
Phenanthrene	М	2700	0		4.5		
Anthracene	М	2700			2.5		
Fluoranthene	М	2700		0.10	15		
Pyrene	M	2700		0.10	15		
Benzo[a]anthracene	M	2700			8.2		
Chrysene	M		mg/kg		7.7		



Client: GEA		Che	ob No.:	16-00178			
Quotation No.:	(	Chemte	ple ID.:	237673			
		Cli	ple ID.:	BH1			
			Sample	е Туре:	SOIL		
			Top Dep	oth (m):	0.50		
			Date Sa	ampled:	04-Jan-2016		
Determinand	Accred.	Accred. SOP Units LOD					
Benzo[b]fluoranthene	М	2700	mg/kg	0.10	9.1		
Benzo[k]fluoranthene	М	2700	mg/kg	0.10	4.1		
Benzo[a]pyrene	М	2700	mg/kg	0.10	8.1		
Indeno(1,2,3-c,d)Pyrene	M	2700	5.2				
Dibenz(a,h)Anthracene	М	M 2700 mg/kg 0.10					
Benzo[g,h,i]perylene	М	2700	mg/kg	0.10	4.3		
Total Of 16 PAH's	М	2700	mg/kg	2.0	87		
Total Phenols	М	2920	mg/kg	0.30	< 0.30		



#### **Report Information**

#### Key

- U UKAS accredited
- M MCERTS and UKAS accredited
- N Unaccredited
- S This analysis has been subcontracted to a UKAS accredited laboratory that is accredited for this analysis
- SN This analysis has been subcontracted to a UKAS accredited laboratory that is not accredited for this analysis
- T This analysis has been subcontracted to an unaccredited laboratory
- I/S Insufficient Sample
- U/S Unsuitable Sample
- N/E not evaluated
  - < "less than"
  - > "greater than"

Comments or interpretations are beyond the scope of UKAS accreditation

The results relate only to the items tested

Uncertainty of measurement for the determinands tested are available upon request

None of the results in this report have been recovery corrected

All results are expressed on a dry weight basis

The following tests were analysed on samples as received and the results subsequently corrected to a dry weight basis TPH, BTEX, VOCs, SVOCs, PCBs, Phenols

For all other tests the samples were dried at < 37°C prior to analysis

All Asbestos testing is performed at our Coventry laboratory

Issue numbers are sequential starting with 1 all subsequent reports are incremented by 1

#### **Sample Deviation Codes**

- A Date of sampling not supplied
- B Sample age exceeds stability time (sampling to extraction)
- C Sample not received in appropriate containers
- D Broken Container

#### Sample Retention and Disposal

All soil samples will be retained for a period of 60 days from the date of receipt

All water samples will be retained for 14 days from the date of receipt

Charges may apply to extended sample storage

If you require extended retention of samples, please email your requirements to: <u>customerservices@chemtest.co.uk</u>





Chemtest Ltd.
Depot Road
Newmarket
CB8 0AL

Tel: 01638 606070 Email: info@chemtest.co.uk

### **Final Report**

**Report No.:** 15-29990-1

Initial Date of Issue: 06-Jan-2016

**Client** GEA

Client Address: Widbury Barn

Widbury Hill

Ware

Hertfordshire SG12 7QE

Contact(s): Caroline Anderson

**Project** J15359 152-156 Kentish Town Road,

London NW1 9QB

Quotation No.: Date Received: 22-Dec-2015

Order No.: Date Instructed: 22-Dec-2015

No. of Samples: 2 Target Date: 06-Jan-2016

Turnaround (Wkdays): 10 Results Due: 06-Jan-2016

Date Approved: 06-Jan-2016

Approved By:

**Details:** Robert Monk, Technical Development

Chemist



Project: J15359 152-156 Kentish Town Road, London NW1 9QB

Project: J15359 152-156 Kentish Town Road, London NW1 9QB							
Client: GEA Chemtest Job No					15-29990	15-29990	
Quotation No.:	Chemtest Sample ID.:				236064	236065	
	Client Sample ID.:			BH2	BH3		
				е Туре:	SOIL	SOIL	
			Top De		0.50	0.50	
			Date Sa	ampled:	21-Dec-2015	21-Dec-2015	
Determinand	Accred.	SOP	Units	LOD			
Moisture	N	2030	%	0.020	14	22	
Stones	N	2030	%	0.020	< 0.020	< 0.020	
Soil Colour	N	2040		N/A	Brown	Black	
Other Material	N	2040		N/A	Stones	Stones	
Soil Texture	N	2040		N/A	Sand	Sand	
рН	М	2010		N/A	8.8	8.6	
Sulphate (2:1 Water Soluble) as SO4	M	2120	g/l	0.010	< 0.010	0.024	
Chloride (Extractable)	M	2220	g/l	0.010	0.068	< 0.010	
Cyanide (Total)	M	2300	mg/kg	0.50	< 0.50	< 0.50	
Sulphide (Easily Liberatable)	M	2325	mg/kg	0.50	1.8	2.7	
Sulphate (Total)	M	2430	mg/kg	100	850	1200	
Arsenic	M	2450	mg/kg	1.0	16	34	
Cadmium	M	2450	mg/kg	0.10	< 0.10	0.93	
Chromium	М	2450	mg/kg	1.0	14	27	
Copper	М	2450	mg/kg	0.50	37	140	
Mercury	М	2450	mg/kg	0.10	0.79	3.2	
Nickel	М	2450	mg/kg	0.50	12	58	
Lead	М	2450	mg/kg	0.50	290	750	
Selenium	М	2450	mg/kg	0.20	< 0.20	0.32	
Zinc	М	2450	mg/kg	0.50	33	210	
Total Organic Carbon	М	2625	%	0.20	0.45	15	
TPH >C5-C6	N	2670	mg/kg	1.0	< 1.0	< 1.0	
TPH >C6-C7	N	2670	mg/kg	1.0	< 1.0	< 1.0	
TPH >C7-C8	N	2670	mg/kg	1.0	< 1.0	< 1.0	
TPH >C8-C10	N	2670	mg/kg	1.0	< 1.0	< 1.0	
TPH >C10-C12	N	2670	mg/kg	1.0	< 1.0	< 1.0	
TPH >C12-C16	N	2670	mg/kg	1.0	< 1.0	< 1.0	
TPH >C16-C21	N	2670	mg/kg	1.0	< 1.0	< 1.0	
TPH >C21-C35	N	2670	mg/kg	1.0	< 1.0	< 1.0	
Total TPH >C5-C35	N	2670	mg/kg	10	< 10	< 10	
Naphthalene	М	2700	mg/kg	0.10	< 0.10	< 0.10	
Acenaphthylene	М	2700	mg/kg	0.10	< 0.10	< 0.10	
Acenaphthene	М	2700	mg/kg	0.10	< 0.10	< 0.10	
Fluorene	М	2700	mg/kg	0.10	< 0.10	< 0.10	
Phenanthrene	M	2700	mg/kg	0.10	< 0.10	< 0.10	
Anthracene	M	2700	mg/kg	0.10	< 0.10	< 0.10	
Fluoranthene	M	2700	mg/kg	0.10	< 0.10	0.52	
Pyrene	M	2700	mg/kg	0.10	< 0.10	0.57	
Benzo[a]anthracene	M	2700		0.10	< 0.10	0.27	



Project: J15359 152-156 Kentish Town Road, London NW1 9QB

Client: GEA		Che	mtest Jo	15-29990	15-29990	
Quotation No.:	(	Chemte	st Sam	236064	236065	
		Cli	ent Sam	BH2	BH3	
			Sample	SOIL	SOIL	
			Top Dep	oth (m):	0.50	0.50
			Date Sa	ampled:	21-Dec-2015	21-Dec-2015
Determinand	Accred.	SOP	Units LOD			
Chrysene	M	2700	mg/kg	0.10	< 0.10	0.40
Benzo[b]fluoranthene	M	2700	mg/kg 0.10		< 0.10	0.32
Benzo[k]fluoranthene	M	2700	mg/kg 0.10		< 0.10	0.12
Benzo[a]pyrene	M	2700	mg/kg 0.10		< 0.10	0.28
Indeno(1,2,3-c,d)Pyrene	M	2700	mg/kg 0.10		< 0.10	< 0.10
Dibenz(a,h)Anthracene	M	2700	mg/kg 0.10		< 0.10	< 0.10
Benzo[g,h,i]perylene	M	2700 mg/kg 0.10		< 0.10	< 0.10	
Total Of 16 PAH's	M	2700	mg/kg	2.0	< 2.0	2.5
Total Phenols	M	2920	mg/kg	0.30	< 0.30	< 0.30



Widbury Barn Widbury Hill Ware Herts SG12 7QE

#### Generic Risk-Based Soil **Screening Values**

152-156 Kentish Town Road, London NW1 9QB

Job Number J15359

Client Ahig Ltd

Engineer Parmarbrook Sheet 1/2

#### Proposed End Use Residential without plant uptake

Soil pH 8

Soil Organic Matter content % 6.0

Contaminant	Screening Value mg/kg	Data Source
	Metals	
Arsenic	40	C4SL
Cadmium	149	C4SL
Chromium (III)	3000	LQM/CIEH
Chromium (VI)	21	C4SL
Copper	2,330	LQM/CIEH
Lead	310	C4SL
Elemental Mercury	1.02	SGV
Inorganic Mercury	235	SGV
Nickel	99	LQM/CIEH
Selenium	595	SGV
Zinc	3,750	LQM/CIEH
Ну	drocarbons	
Benzene	3.3	C4SL
Toluene	610	SGV
Ethyl Benzene	350	SGV
Xylene	230	SGV
Aliphatic C5-C6	110	LQM/CIEH
Aliphatic C6-C8	370	LQM/CIEH
Aliphatic C8-C10	110	LQM/CIEH
Aliphatic C10-C12	540	LQM/CIEH
Aliphatic C12-C16	3000	LQM/CIEH
Aliphatic C16-C35	76,000	LQM/CIEH
Aromatic C6-C7	See Benzene	LQM/CIEH
Aromatic C7-C8	See Toluene	LQM/CIEH
Aromatic C8-C10	151	LQM/CIEH
Aromatic C10-C12	346	LQM/CIEH
Aromatic C12-C16	593	LQM/CIEH
Aromatic C16-C21	770	LQM/CIEH
Aromatic C21-C35	1230	LQM/CIEH
PRO (C <sub>5</sub> –C <sub>10</sub> )	1354	Calc
DRO (C <sub>12</sub> -C <sub>28</sub> )	80,363	Calc
Lube Oil (C <sub>28</sub> –C <sub>44</sub> )	77,230	Calc
ТРН	1000	Trigger for speciated testing

Screening D					
Contaminant	Value mg/kg	Data Source			
Anions					
Soluble Sulphate	500 mg/l	Structures			
Sulphide	50	Structures			
Chloride	400	Structures			
	Others				
Organic Carbon (%)	6	Methanogenic potential			
Total Cyanide	140	WRAS			
Total Mono Phenols	520	SGV			
	PAH	0.404			
Naphthalene	13.10	C4SL exp & LQM/CIEH			
Acenaphthylene	3,870	LQM/CIEH			
Acenaphthene	3,910	LQM/CIEH			
Fluorene	2,870	LQM/CIEH			
Phenanthrene	970	LQM/CIEH			
Anthracene	23,300	LQM/CIEH			
Fluoranthene	1,000	LQM/CIEH			
Pyrene	2,400	LQM/CIEH			
Benzo(a) Anthracene	9.4	C4SL exp & LQM/CIEH			
Chrysene	15	C4SL exp & LQM/CIEH			
Benzo(b) Fluoranthene	11.2	C4SL exp & LQM/CIEH			
Benzo(k) Fluoranthene	15.8	C4SL exp & LQM/CIEH			
Benzo(a) pyrene	5.30	C4SL			
Indeno(1 2 3 cd) Pyrene	6.7	C4SL exp & LQM/CIEH			
Dibenzo(a h) Anthracene	1.41	C4SL exp & LQM/CIEH			
Benzo (g h i) Perylene	72	C4SL exp & LQM/CIEH			
Screening value for PAH	75.7	B(a)P / 0.15			
Chlorina	ted Solven	ts			
1,1,1 trichloroethane (TCA)	57.9	LQM/CIEH			
tetrachloroethane (PCA)	15.3	LQM/CIEH			
tetrachloroethene (PCE)	6.58	LQM/CIEH			
trichloroethene (TCE)	0.673	LQM/CIEH			
1,2-dichloroethane (DCA)	0.016	LQM/CIEH			
vinyl chloride (Chloroethene)	0.00447	LQM/CIEH			
tetrachloromethane (Carbon tetra	0.18	LQM/CIEH			
trichloromethane (Chloroform)	7.52	LQM/CIEH			

Concentrations measured below the above values may be considered to represent 'uncontaminated conditions' which pose 'LOW' risk to human

health. Concentrations measured in excess of these valuesindicate a potential risk which require further, site specific risk assessment.

SGV - Soil Guideline Value, derived from the CLEA model and published by Environment Agency 2009

LQM/CIEH - Generic Assessment Criteria for Human Health Risk Assessment 2nd edition (2009)derived using CLEA 1.04 model 2009

C4SL - Defra Category 4 Screening value based on Low Level of Toxicological Risk

C4SL exp & LQM/CIEH calculated using C4SL revisions to exposure assessment but LQM/CIEH health croiteria values

Calc - sum of nearest available carbon range specified including BTEX for PRO fraction

B(a)P / 0.15 - GEA experince indicates that Benzo(a) pyrene (one of the most common and most carcenogenic of the PAHs) rarely exceeds 15% of the total PAH concentration, hence this Total PAH threshold is regarded as being conservative



#### **Report Information**

#### Key

- U UKAS accredited
- M MCERTS and UKAS accredited
- N Unaccredited
- S This analysis has been subcontracted to a UKAS accredited laboratory that is accredited for this analysis
- SN This analysis has been subcontracted to a UKAS accredited laboratory that is not accredited for this analysis
- T This analysis has been subcontracted to an unaccredited laboratory
- I/S Insufficient Sample
- U/S Unsuitable Sample
- N/E not evaluated
  - < "less than"
  - > "greater than"

Comments or interpretations are beyond the scope of UKAS accreditation

The results relate only to the items tested

Uncertainty of measurement for the determinands tested are available upon request

None of the results in this report have been recovery corrected

All results are expressed on a dry weight basis

The following tests were analysed on samples as received and the results subsequently corrected to a dry weight basis TPH, BTEX, VOCs, SVOCs, PCBs, Phenols

For all other tests the samples were dried at < 37°C prior to analysis

All Asbestos testing is performed at our Coventry laboratory

Issue numbers are sequential starting with 1 all subsequent reports are incremented by 1

#### **Sample Deviation Codes**

- A Date of sampling not supplied
- B Sample age exceeds stability time (sampling to extraction)
- C Sample not received in appropriate containers
- D Broken Container

#### Sample Retention and Disposal

All soil samples will be retained for a period of 60 days from the date of receipt

All water samples will be retained for 14 days from the date of receipt

Charges may apply to extended sample storage

If you require extended retention of samples, please email your requirements to: <u>customerservices@chemtest.co.uk</u>



# **Envirocheck® Report:**

### **Datasheet**

### **Order Details:**

**Order Number:** 

77302396\_1\_1

**Customer Reference:** 

J15359

**National Grid Reference:** 

528980, 184710

Slice:

Α

Site Area (Ha):

0.1

Search Buffer (m):

1000

#### **Site Details:**

152-156 Kentish Town Road LONDON NW1 9QB

#### **Client Details:**

Mr S Branch GEA Ltd Widbury Barn Widbury Hill Ware Herts SG12 7QE







Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	15
Hazardous Substances	-
Geological	17
Industrial Land Use	23
Sensitive Land Use	-
Data Currency	56
Data Suppliers	63
Useful Contacts	64

#### Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.

In the attached datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

#### **Copyright Notice**

© Landmark Information Group Limited 2015. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.

A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

#### **Natural England Copyright Notice**

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

#### **Ove Arup Copyright Notice**

The Data provided in this report was obtained on Licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The information and data supplied in the product are derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

#### Peter Brett Associates Copyright Notice

The cavity data presented has been extracted from the PBA enhanced version of the original DEFRA national cavity databases. PBA/DEFRA retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by PBA. In no event shall PBA/DEFRA or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

#### Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Report Version v50.0



### **Summary**

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
Contaminated Land Register Entries and Notices	pg 1				6
Discharge Consents	pg 1				3
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 2		1	8	19
Local Authority Pollution Prevention and Control Enforcements	pg 6			1	
Nearest Surface Water Feature	pg 6				Yes
Pollution Incidents to Controlled Waters	pg 6			1	
Prosecutions Relating to Authorised Processes					
Prosecutions Relating to Controlled Waters					
Registered Radioactive Substances	pg 6				5
River Quality	pg 7				2
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register	pg 7				1
Water Abstractions	pg 8		6		4 (*13)
Water Industry Act Referrals					
Groundwater Vulnerability	pg 13	Yes	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 13	Yes	n/a	n/a	n/a
Superficial Aquifer Designations			n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
Detailed River Network Lines	pg 14		Yes		n/a
Detailed River Network Offline Drainage					n/a



# **Summary**

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)	pg 15			1	1
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites	pg 15				3
Registered Waste Treatment or Disposal Sites	pg 16			1	
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 17	Yes	n/a	n/a	n/a
BGS Estimated Soil Chemistry	pg 17	Yes	Yes	Yes	Yes
BGS Recorded Mineral Sites					
BGS Urban Soil Chemistry	pg 18		Yes	Yes	Yes
BGS Urban Soil Chemistry Averages	pg 21	Yes			
Brine Compensation Area			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 21	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards				n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 22	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards				n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 22	Yes		n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a



### **Summary**

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries	pg 23		23	77	275
Fuel Station Entries	pg 54			1	7
Sensitive Land Use					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones					
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					



Page 1 of 64

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	Location:  Notice Type:  Reference: Dated:	Register Entries and Notices  Even Numbers 14-20 Ascham Street, Odd Numbers 15-33 Lady Margaret Road, And Odd Numbers 37-41 Falkland Road, London, Nw5 Environmental Protection Act (1990) Section 78A(2) And 78(B) Determination That Land Is Contaminated Not Supplied 12th September 2005 Positioned by the supplier Good	A18SE (N)	619	3	529165 185322
2	Location:  Notice Type:  Reference: Dated:	Register Entries and Notices  Even Numbers 2-10 Ascham Street, Odd Numbers 15-31 Falkland Road And Even Numbers 34-48 Leverton Street, London, Nw5  Environmental Protection Act (1990) Section 78A(2) And 78(B) Determination That Land Is Contaminated Not Supplied 12th September 2005 Positioned by the supplier Good	A18SE (N)	627	3	529087 185347
3	Location: Notice Type: Reference: Dated:	Register Entries and Notices  29 Falkland Road, London, Nw5 2pu Environmental Protection Act (1990) Section 78A(2) And 78(B) Determination That Land Is Contaminated Not Supplied 31st July 2005 Positioned by the supplier Good	A18SE (N)	629	3	529128 185341
4	Location: Notice Type: Reference: Dated:	Register Entries and Notices 31 Falkland Road, London, Nw5 2pu Environmental Protection Act (1990) Section 78A(2) And 78(B) Determination That Land Is Contaminated Not Supplied 31st July 2005 Positioned by the supplier Go	A18SE (N)	629	3	529133 185340
5	Location: Notice Type: Reference: Dated:	Register Entries and Notices  33 Falkland Road, London, Nw5 2pu Environmental Protection Act (1990) Section 78A(2) And 78(B) Determination That Land Is Contaminated Not Supplied 12th September 2005 Positioned by the supplier Good	A18SE (N)	630	3	529143 185339
6	Location: Notice Type: Reference: Dated:	Register Entries and Notices 35 Falkland Road, London, Nw5 2pu Update on Remediation Statement - Remediation Work Completed Not Supplied 31st July 2005 Positioned by the supplier Good	A18SE (N)	630	3	529146 185338
7	Discharge Consents Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	The Jim Henson Studio Recreational & Cultural 30 Oval Road, Camden Town, London, Nw1 7de Environment Agency, Thames Region Not Given CATM.2853 1 1st April 1997 1st April 1997 30th September 2005 Trade Discharges - Cooling Water Canal  Guc - Paddington Arm Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Located by supplier to within 10m	A7NE (SW)	743	4	528600 184050



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Discharge Consent	s				
7	Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	Rushes Motion Control Recreational & Cultural 30 Oval Road, Camden Town, London, Nw1 7de Environment Agency, Thames Region Not Given Cntm.1566 1 1st September 1994 1st September 1994 1st October 1996 Trade Discharges - Cooling Water Freshwater Stream/River  Guc - Paddington Arm Lapsed (under Environment Act 1995, Schedule 23) Located by supplier to within 100m	A7NE (SW)	743	4	528600 184050
8	Discharge Consent Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status:	National Grid Company Plc. Production & Distribution Of Electricity Fitzroy Bridge Outlet, Primrosehill, Camden, London Environment Agency, Thames Region Not Given CTMR.0387 1 28th March 1980 28th March 1980 Not Supplied Trade Discharges - Cooling Water Canal Grand Unioncanal Transferred from Rivers (Prevention of Pollution) Act 1951-1961	A7SE (SW)	984	4	528360 183920
	Positional Accuracy:	Located by supplier to within 100m				
9	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status:	Iution Prevention and Controls  Prince Of Wales Dry Cleaners 17 Prince Of Wales Road, London, Nw5 3lh London Borough of Camden, Pollution Projects Team PPC/DC12 12th January 2007 Local Authority Pollution Prevention and Control PG6/46 Dry cleaning Permitted Located by supplier to within 10m	A13SW (W)	182	3	528777 184696
	Local Authority Pol	lution Prevention and Controls				
10	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status:	D P Enamellers Imperial Works, Perren Street, London, NW5 3ED London Borough of Camden, Pollution Projects Team Not Given 27th July 1997 Local Authority Air Pollution Control PG6/23 Coating of metal and plastic Authorisation revokedRevoked Manually positioned to the address or location	A12NE (W)	356	3	528610 184784
	Local Authority Pol	lution Prevention and Controls				
10	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status: Positional Accuracy:	L G Coachworks 61-65 Wilkin Street Mews, Wilkin Street, London, NW5 3NN London Borough of Camden, Pollution Projects Team NOT GIVEN 9th December 1997 Local Authority Air Pollution Control PG6/34 Respraying of road vehicles Authorised Manually positioned to the road within the address or location	A12NE (W)	383	3	528586 184806
	Local Authority Pol	lution Prevention and Controls				
11	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status:	Royal Mail Property Holdings Ltd 1 Regis Road, LONDON, NW5 3EW London Borough of Camden, Pollution Projects Team Not Given Not Supplied Local Authority Air Pollution Control PG6/10 Coating manufacturing Authorisation revokedRevoked Manually positioned to the road within the address or location	A18SW (N)	365	3	528875 185083



Page 3 of 64

		Details	Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Pol	lution Prevention and Controls				
12	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status: Positional Accuracy:	J T Coachworks 52A Prince Wales Road, LONDON, NW5 3LR London Borough of Camden, Pollution Projects Team Not Given 30th April 1993 Local Authority Air Pollution Control PG6/34 Respraying of road vehicles Authorisation revokedRevoked Automatically positioned to the address	A12SE (W)	366	3	528594 184700
	Local Authority Pol	lution Prevention and Controls				
13	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status:	The Kleen Machine 347 Kentish Town Road, London, Nw5 2tj London Borough of Camden, Pollution Projects Team PPC/DC44 26th January 2007 Local Authority Pollution Prevention and Control PG6/46 Dry cleaning Permitted Located by supplier to within 10m	A18SE (N)	439	3	528988 185167
	Local Authority Pol	lution Prevention and Controls				
14	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status: Positional Accuracy:	Hexagon Of Highgate Ltd 1 Browns Lane, Regis Road, LONDON, NW5 3EX London Borough of Camden, Pollution Projects Team PPC4 30th April 1993 Local Authority Pollution Prevention and Control PG6/34 Respraying of road vehicles Permitted Automatically positioned to the address	A17SE (NW)	479	3	528626 185072
	Local Authority Pol	lution Prevention and Controls				
15	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status: Positional Accuracy:	Eventech Ltd 3 - 6 Spring Place, LONDON, NW5 3BA London Borough of Camden, Pollution Projects Team PPC2 30th April 1993 Local Authority Pollution Prevention and Control PG6/34 Respraying of road vehicles Permitted Manually positioned to the address or location	A12NE (NW)	480	3	528569 185005
	Local Authority Pol	lution Prevention and Controls				
16	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status: Positional Accuracy:	Post Office Vehicle Services Unit A Kentish Town Business Park, Regis Road, LONDON, NW5 3RR London Borough of Camden, Pollution Projects Team PPC2 27th February 1996 Local Authority Pollution Prevention and Control PG6/34 Respraying of road vehicles Permitted Automatically positioned to the address	A18SW (N)	484	3	528820 185192
	Local Authority Pol	lution Prevention and Controls				
17	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status:	W Starling 9 -11 Leybourne Road, CAMDEN, NW1 8QY London Borough of Camden, Pollution Projects Team PPC1 9th January 1996 Local Authority Pollution Prevention and Control PG6/34 Respraying of road vehicles Permitted Automatically positioned to the address	A8NW (S)	514	3	528811 184208
	Local Authority Pol	lution Prevention and Controls				
18	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status:	Camden Cleaners 122 Camden Road, London, Nw1 9ee London Borough of Camden, Pollution Projects Team PPC/DC32/06 25th January 2007 Local Authority Pollution Prevention and Control PG6/46 Dry cleaning Permitted Located by supplier to within 10m	A8NE (SE)	526	3	529240 184236



Page 4 of 64

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Pol	lution Prevention and Controls				
19	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status: Positional Accuracy:	Fairways Camden 135-143 Camden Road, LONDON, NW1 9HA London Borough of Camden, Pollution Projects Team Not Given 11th December 1998 Local Authority Air Pollution Control PG1/14 Petrol filling station Site Closed Manually positioned to the address or location	A14SW (E)	528	3	529516 184646
	Local Authority Pol	lution Prevention and Controls				
20	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status: Positional Accuracy:	Zappeo Dry Cleaners 310 Kentish Town Road, London, Nw5 2th London Borough of Camden, Pollution Projects Team PPC/DC2 12th January 2007 Local Authority Pollution Prevention and Control PG6/46 Dry cleaning Permitted Located by supplier to within 10m	A18SE (N)	529	3	529009 185256
	Local Authority Pol	lution Prevention and Controls				
21	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status: Positional Accuracy:	Tesco 196-206 Camden Road, LONDON, NW1 9HG London Borough of Camden, Pollution Projects Team PPC14 12th September 1998 Local Authority Pollution Prevention and Control PG1/14 Petrol filling station Authorised Automatically positioned to the address	A14SW (E)	560	3	529541 184593
	Local Authority Pol	lution Prevention and Controls				
22	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status: Positional Accuracy:	Esso 29 Chalk Farm Road, LONDON, NW1 8AG London Borough of Camden, Pollution Projects Team PPC15 24th December 1998 Local Authority Pollution Prevention and Control PG1/14 Petrol filling station Permitted Manually positioned to the address or location	A7NE (SW)	567	3	528567 184291
	Local Authority Pol	lution Prevention and Controls				
23	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status: Positional Accuracy:	Perk Clean 20 Fortress Road, London, Nw5 2hb London Borough of Camden, Pollution Projects Team PPC/DC21 12th January 2007 Local Authority Pollution Prevention and Control PG6/46 Dry cleaning Permitted Located by supplier to within 10m	A18SE (N)	648	3	529004 185375
	Local Authority Pol	lution Prevention and Controls				
23	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: <b>Status:</b> Positional Accuracy:	M & A Coachworks Fortess Grove, London, Nw5 2HE London Borough of Camden, Pollution Projects Team PPC3 15th May 1997 Local Authority Pollution Prevention and Control PG6/34 Respraying of road vehicles Permitted Manually positioned to the address or location	A18NE (N)	689	3	529031 185415
	Local Authority Pol	lution Prevention and Controls				
23	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status:	M & A Coachworks 36/52 Fortress Road, LONDON, NW5 1AD London Borough of Camden, Pollution Projects Team NOT GIVEN 15th May 1997 Local Authority Air Pollution Control PG6/34 Respraying of road vehicles Authorisation revokedRevoked Manually positioned to the address or location	A18NE (N)	717	3	529036 185443



Page 5 of 64

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
24	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status:	Iution Prevention and Controls  Wm Morrisons Supermarkets Plc Chalk Farm Road, London, Nw1 8aa London Borough of Camden, Pollution Projects Team PPC/DC1 26th January 2007 Local Authority Pollution Prevention and Control PG6/46 Dry cleaning Permitted Located by supplier to within 10m	A7NE (SW)	760	3	528439 184146
24	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status:	With Morrisons Supermarkets Plc Chalk Farm Road, LONDON, NW1 8AA London Borough of Camden, Pollution Projects Team PPC19 22nd December 1998 Local Authority Pollution Prevention and Control PG1/14 Petrol filling station Permitted Located by supplier to within 10m	A7NE (SW)	760	3	528439 184146
25	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status:	Iution Prevention and Controls Texaco 81-85 Chalk Farm Road, LONDON, NW1 8AR London Borough of Camden, Pollution Projects Team NOT GIVEN 24th December 1998 Local Authority Air Pollution Control PG1/14 Petrol filling station Site Closed Manually positioned to the address or location	A12SW (SW)	760	3	528269 184381
26	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status:	Iution Prevention and Controls  Moderna Dry Cleaners 70 Queens Crescent, London, Nw5 4ee London Borough of Camden, Pollution Projects Team PPC/DC16 12th January 2007 Local Authority Pollution Prevention and Control PG6/46 Dry cleaning Permitted Located by supplier to within 10m	A12NW (W)	795	3	528216 185005
27	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status:	Universal Dry Cleaners 9-11 Brecknock Road, London, N7 0bl London Borough of Camden, Pollution Projects Team PPC/DC30 29th January 2007 Local Authority Pollution Prevention and Control PG6/46 Dry cleaning Permitted Located by supplier to within 10m	A14NE (E)	821	3	529761 185015
28	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status:	Lution Prevention and Controls  Empire Professional Dry Cleaners 173 York Way, London, N7 9In London Borough of Camden, Pollution Projects Team PPC/DC43 26th January 2007 Local Authority Pollution Prevention and Control PG6/46 Dry cleaning Permitted Located by supplier to within 10m	A14NE (E)	877	3	529843 184942
29	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status:	Jution Prevention and Controls  J Murphy & Sons Ltd 81 Highgate Road, London, Nw5 1ts London Borough of Camden, Pollution Projects Team PPC10 1st March 2007 Local Authority Pollution Prevention and Control PG6/34 Respraying of road vehicles Permitted Located by supplier to within 10m	A18NW (N)	933	3	528642 185605



Page 6 of 64

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
30	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status:	Iution Prevention and Controls  Paradise Cleaners Ltd  58 Parkway, London, Nw1 7ah London Borough of Camden, Pollution Projects Team PPC/DC39  12th January 2007 Local Authority Pollution Prevention and Control PGG/46 Dry cleaning Permitted Located by supplier to within 10m	A8SW (S)	961	3	528753 183762
31	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status:	lution Prevention and Controls  Lex Volvo 1 Dumpton Place, Gloucester Avenue, Chalk Farm, LONDON, NW1 8JB London Borough of Camden, Pollution Projects Team Not Given 7th January 1994 Local Authority Air Pollution Control PG6/34 Respraying of road vehicles Authorised Manually positioned to the address or location	A7NW (SW)	973	3	528165 184138
32	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status:	Iution Prevention and Controls  Totalfinaelf 109-113 York Way, LONDON, N7 9QE London Borough of Camden, Pollution Projects Team PPC20 4th January 1999 Local Authority Pollution Prevention and Control PG1/14 Petrol filling station Permitted Automatically positioned to the address	A14SE (E)	981	3	529973 184699
33	Location: Type: Reference: Date Issued: Enforcement Date: Details:	lution Prevention and Control Enforcements 3 - 6 Spring Place, London, Nw5 3ba Air Pollution Control Enforcement Notice Not Given 16th November 2001 Not Supplied Failure To Maintain Proper Paperwork For Organic Compounds Manually positioned to the address or location	A12NE (NW)	480	3	528569 185005
	Nearest Surface Wa	nter Feature	A8NW (S)	521	-	528866 184188
34	Property Type: Location: Authority: Pollutant: Note: Incident Date: Incident Reference: Catchment Area: Receiving Water: Cause of Incident: Incident Severity:	to Controlled Waters  Not Given LONDON Environment Agency, Thames Region Oils - Unknown Not Supplied 15th January 1996 SE960036 Not Given Not Given Not Given Category 3 - Minor Incident Located by supplier to within 100m	A8NE (S)	462	4	529100 184250
35	Registered Radioac Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status: Positional Accuracy:	Unilabs Clinical Pathology Bewlay House, 32 Jamestown Road, LONDON, Greater London, NW1 7BY Environment Agency, Thames Region BC2742 21st October 1998 Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Authorisation under RSA Application made in error	A8SW (SW)	740	4	528671 184018
35	Registered Radioac Name: Location: Authority: Permit Reference: Dated: Process Type:  Description: Status: Positional Accuracy:	Omnilabs (Uk) Ltd Bewlay House, 32 Jamestown Road, LONDON, Greater London, NW1 7BY Environment Agency, Thames Region AE8755 31st March 1991 Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Authorisation under RSA Authorisation either revoked or cancelledCancelled	A8SW (SW)	749	4	528642 184022



Page 7 of 64

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
36	Registered Radioac	rtive Substances Proxima Concepts	A9SW	815	4	529326
30	Location: Authority: Permit Reference: Dated: Process Type: Description: Status:	Royal College Street,, LONDON, NW1 0TU Environment Agency, Thames Region Br9600 5th September 2002 Registration under S7 RSA for the keeping and use of Radioactive materials (was RSA60 S1) Registration under the Act of an open source which is also the subject of an authorisation Application has been authorised and any conditions apply to the operatorAuthorised Manually positioned to the road within the address or location	(SE)	013	<del>-</del>	183956
	Registered Radioac	tive Substances				
37	Name: Location: Authority: Permit Reference: Dated: Process Type: Description:	Spirogen Ltd 2, Royal College Street, London, NW1 0NH Environment Agency, Thames Region CA5052 20th December 2006 Registration under S7 RSA for the keeping and use of Radioactive materials (was RSA60 S1) Registration under the Act of an open source which is also the subject of an authorisation Authorisation either revoked or cancelledCancelled Automatically positioned to the address	A8SW (S)	902	4	528965 183798
	Registered Radioac	tive Substances				
37	Name: Location: Authority: Permit Reference: Dated: Process Type:  Description: Status: Positional Accuracy:	Spirogen Ltd 2, Royal College Street, London, NW1 0NH Environment Agency, Thames Region CA5079 20th December 2006 Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Authorisation under RSA Authorisation either revoked or cancelledCancelled Automatically positioned to the address	A8SW (S)	902	4	528965 183798
	River Quality					
	Name: GQA Grade: Reach: Estimated Distance (km): Flow Rate: Flow Type: Year:	Guc (Paddington Arm) River Quality E Canal Feeder - Camden Road 10.5 Flow greater than 80 cumecs Canal 2000	A8NW (S)	622	4	528802 184098
	River Quality					
	Name: GQA Grade: Reach: Estimated Distance (km): Flow Rate: Flow Type: Year:	Guc (Regent'S Canal) River Quality C Camden Road - Hertford Union 7.1  Flow greater than 80 cumecs Canal 2000	A8SE (S)	699	4	529172 184024
	Substantiated Pollu	tion Incident Register				
38	Authority: Incident Date: Incident Reference: Water Impact: Air Impact: Land Impact: Positional Accuracy: Pollutant:	Environment Agency - Thames Region, North East Area 9th February 2008 562771 Category 4 - No Impact Category 2 - Significant Incident Category 4 - No Impact Located by supplier to within 10m Atmospheric Pollutants And Effects: Smoke	A8NW (SW)	602	4	528712 184151



Page 8 of 64

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
39	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	Greenwich Leisure Limited 28/39/39/0091 101 Kentish Town Sports Centre, Prince Of Wales St Environment Agency, Thames Region Commercial/Industrial/Public Services: Drinking; Cooking; Sanitary; Washing; (Small Garden) Water may be abstracted from a single point Groundwater Not Supplied Not Supplied Not Supplied Kentish Town Sports Centre, Prince Of Wales Road, London 01 January 31 December 25th May 2012 Not Supplied Located by supplier to within 100m	A13SW (W)	159	4	528800 184700
39	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	Greenwich Leisure Limited 28/39/39/0091 101 Kentish Town Sports Centre, Prince Of Wales St Environment Agency, Thames Region Other Industrial/Commercial/Public Services: Process Water Water may be abstracted from a single point Groundwater Not Supplied Not Supplied St. Pancras Public Baths, Prince Of Wales Road, London Nw1 01 January 31 December 25th May 2012 Not Supplied Located by supplier to within 100m	A13SW (W)	159	4	528800 184700
39	,	Greenwich Leisure Ltd 28/39/39/0091 101 Two Bores At Kentish Town Sports Centre, Prince Of Wales St Environment Agency, Thames Region Other Industrial/Commercial/Public Services: Process Water Water may be abstracted from a single point Groundwater Not Supplied Not Supplied St. Pancras Public Baths, Prince Of Wales Road, London Nw1 01 January 31 December 5th April 2012 Not Supplied Located by supplier to within 100m	A13SW (W)	159	4	528800 184700
39	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	London Borough Of Camden 28/39/39/0091 100 Two Bores At Kentish Town Sports Centre, Prince Of Wales St Environment Agency, Thames Region Commercial/Industrial/Public Services: Drinking; Cooking; Sanitary; Washing; (Small Garden) Water may be abstracted from a single point Groundwater 605 76509 Kentish Town Sports Centre, Prince Of Wales Road, London 01 January 31 December 13th June 1966 Not Supplied Located by supplier to within 100m	A13SW (W)	159	4	528800 184700



Page 9 of 64

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
39	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	London Borough Of Camden 28/39/39/0091 100 Two Bores At Kentish Town Sports Centre, Prince Of Wales St Environment Agency, Thames Region Industrial; Commercial And Public Services: Laundry Use Water may be abstracted from a single point Groundwater Not Supplied Not Supplied St. Pancras Public Baths, Prince Of Wales Road, London Nw1 01 January 31 December 13th June 1966 Not Supplied Located by supplier to within 10m	A13SW (W)	159	4	528800 184700
39	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	London Borough Of Camden 28/39/39/0091 100 Two Bores At Kentish Town Sports Centre, Prince Of Wales St Environment Agency, Thames Region Other Industrial/Commercial/Public Services: Process Water Water may be abstracted from a single point Groundwater Not Supplied Not Supplied St. Pancras Public Baths, Prince Of Wales Road, London Nw1 01 January 31 December 13th June 1966 Not Supplied Located by supplier to within 10m	A13SW (W)	159	4	528800 184700
40	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	Canal And River Trust 28/39/39/0164 101 Southampton Bridge, London, Nw8 - Regents Canal Environment Agency, Thames Region Amenity: Spray Irrigation - Direct Water may be abstracted from a single point Surface Not Supplied Not Supplied Pipeline Alongside The Regents Canal, London 01 January 31 December 17th December 2007 Not Supplied Located by supplier to within 10m	A7SE (SW)	821	4	528500 184020
40	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	British Waterways Board 28/39/39/0164 100 Southampton Bridge, London, Nw8 - Regents Canal Environment Agency, Thames Region Amenity: Spray Irrigation - Direct Water may be abstracted from a single point Surface 3840 1 Pipeline Alongside The Regents Canal, London 01 January 31 December 25th April 1983 Not Supplied Located by supplier to within 10m	A7SE (SW)	821	4	528500 184020



Page 10 of 64

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
40	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	British Waterways Board 28/39/39/0173 100 Oval Road, Camden - Grand Union Regents Canal Environment Agency, Thames Region Other Industrial/Commercial/Public Services: Non-Evaporative Cooling Water may be abstracted from a single point Surface 20 7000 Land At Oval Road, Camden, London 01 January 31 December 8th December 1994 Not Supplied Located by supplier to within 10m	A7SE (SW)	826	4	528490 184020
40	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	British Waterways 28/39/39/0164B Not Supplied Southampton Bridge, LONDON, Nw8 Environment Agency, Thames Region Industrial Cooling (Cegb) Not Supplied River 3840 1 Annual Abstraction Total Aggregated To Another Licence For Quantity Purposes. Not Supplied Located by supplier to within 100m	A7SE (SW)	837	4	528500 184000
	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	Hanson Quarry Products Europe Ltd Th/039/0039/027 2 Kings Cross Concrete Plant-Borehole Environment Agency, Thames Region Mineral Products: General use relating to Secondary Category (High Loss) Water may be abstracted from a single point Groundwater Not Supplied Not Supplied Kings Cross Concrete Plant, Off York Way, London. 01 January 31 December 13th August 2012 Not Supplied Located by supplier to within 10m	A9NE (SE)	1139	4	529920 184040
	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	Hanson Quarry Products Europe Ltd Th/039/0039/027 1 Kings Cross Concrete Plant-Borehole Environment Agency, Thames Region Mineral Products: General use relating to Secondary Category (High Loss) Water may be abstracted from a single point Groundwater Not Supplied Not Supplied Kings Cross Concrete Plant, Off York Way, London. 01 January 31 December 21st April 2010 Not Supplied Located by supplier to within 10m	A9NE (SE)	1139	4	529920 184040



Page 11 of 64

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator:	Hanson Quarry Products Europe Ltd	A9NE	1139	4	529920
	Licence Number:	28/39/39/0222	(SE)			184040
	Permit Version: Location:	1 Kings Cross Concrete Plant-Borehole				
	Authority:	Environment Agency, Thames Region				
	Abstraction:	Mineral Products: General use relating to Secondary Category (High Loss)				
	Abstraction Type: Source:	Water may be abstracted from a single point Groundwater				
	Daily Rate (m3):	Not Supplied				
	Yearly Rate (m3): Details:	Not Supplied Kings Cross Concrete Plant, Off York Way, London.				
	Authorised Start:	01 January				
	Authorised End:	31 December				
	Permit Start Date: Permit End Date:	31st August 2006 Not Supplied				
		Located by supplier to within 10m				
	Water Abstractions					
	Operator: Licence Number:	British Waterways Board 28/39/39/0172	A4NE (SE)	1336	4	529750 183600
	Permit Version:	100	(SL)			103000
	Location:	Grand Union Canal At Camley Street Nature Park, London				
	Authority: Abstraction:	Environment Agency, Thames Region Environmental: Non-remedial River/Wetland Support: Make-Up or Top Up				
		Water				
	Abstraction Type: Source:	Water may be abstracted from a single point Surface				
	Daily Rate (m3):	16				
	Yearly Rate (m3):	2273				
	Details: Authorised Start:	Camley Street Nature Park, Camden, London, Nw1 01 January				
	Authorised End:	31 December				
	Permit Start Date: Permit End Date:	18th September 1991 Not Supplied				
		Located by supplier to within 10m				
	Water Abstractions					
	Operator: Licence Number:	Zoological Society Of London 28/39/39/0035	A2NW	1616	4	528000
	Permit Version:	100	(SW)			183400
	Location:	Borehole At Regent'S Park, London Nw1				
	Authority: Abstraction:	Environment Agency, Thames Region Zoos/Kennels/Stables: Animal Watering & General Use (Non Agricultural)				
	Abstraction Type:	Water may be abstracted from a single point				
	Source:	Groundwater 59				
	Daily Rate (m3): Yearly Rate (m3):	681				
	Details:	Regent'S Park, London Nw1				
	Authorised Start: Authorised End:	01 January 31 December				
	Permit Start Date:	4th April 1966				
	Permit End Date:	Not Supplied Located by supplier to within 100m				
	Water Abstractions					
	Operator:	Thames Water Utilities Ltd	A1NE	1660	4	527636
	Licence Number: Permit Version:	Th/039/0039/058	(SW)			183697
	Location:	1 Borehole At Barrow Hill				
	Authority:	Environment Agency, Thames Region				
	Abstraction: Abstraction Type:	Public Water Supply: Potable Water Supply - Direct Water may be abstracted from a single point				
	Source:	Groundwater				
	Daily Rate (m3):	Not Supplied				
	Yearly Rate (m3): Details:	Not Supplied Not Supplied				
	Authorised Start:	01 April				
	Authorised End:	31 March				
	Permit Start Date: Permit End Date:	1st April 2013 Not Supplied				
		Located by supplier to within 10m				



Page 12 of 64

Map ID	Details		Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Thames Water Utilities Ltd		A1NE	1661	4	527640
	Licence Number: Permit Version: Location: Authority:	28/39/39/0231  1  Barrow Hill Pumping Station - Borehole Environment Agency, Thames Region	(SW)		·	183690
	Abstraction: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3):	Public Water Supply: Potable Water Supply - Direct Water may be abstracted from a single point Groundwater Not Supplied Not Supplied				
	Details: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	Barrow Hill Pumping Station 01 January 31 December 1st April 2007 Not Supplied Located by supplier to within 10m				
	Water Abstractions					
	Operator: Licence Number: Permit Version: Location: Authority: Abstraction: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised Start: Authorised End: Permit Start Date: Permit End Date:	Thames Water Utilities Ltd 28/39/39/0202  1 Barrow Hill Pumping Station - Borehole Environment Agency, Thames Region Public Water Supply: Potable Water Supply - Direct Water may be abstracted from a single point Groundwater Not Supplied Not Supplied Not Supplied Barrow Hill Pumping Station 01 January 31 December 26th September 2002 Not Supplied Located by supplier to within 10m	A1NE (SW)	1661	4	527640 183690
	Water Abstractions	Canal And River Trust	Λ <b>5</b> ΝΙΛ/	1769	4	530310
	-	28/39/39/0164 101 Maiden Lane Bridge, London, Nw1 - Regents Canal Environment Agency, Thames Region Amenity: Spray Irrigation - Direct Water may be abstracted from a single point Surface Not Supplied Not Supplied Pipeline Alongside The Regents Canal, London 01 January 31 December 17th December 2007 Not Supplied Located by supplier to within 10m	A5NW (SE)	1769	4	530310 183520
	Water Abstractions		4 = 1 11 4	4700		
	Operator: Licence Number: Permit Version: Location: Authority: Abstraction: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised End: Permit Start Date: Permit End Date:	British Waterways Board 28/39/39/0164 100 Maiden Lane Bridge, London, Nw1 - Regents Canal Environment Agency, Thames Region Amenity: Spray Irrigation - Direct Water may be abstracted from a single point Surface 3840 1 Pipeline Alongside The Regents Canal, London 01 January 31 December 25th April 1983 Not Supplied Located by supplier to within 10m	A5NW (SE)	1769	4	530310 183520



# **Agency & Hydrological**

Page 13 of 64

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details:  Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	British Waterways 28/39/39/0164C Not Supplied Maiden Lane Bridge, LONDON, Nw1 Environment Agency, Thames Region Industrial Cooling (Cegb) Not Supplied River 3840 1 Annual Abstraction Total Aggregated To Another Licence For Quantity Purposes. Not Supplied	A5NW (SE)	1775	4	530300 183500
		Bnp Paribas Jersey Trust Corp Ltd And Anley Trustees Ltd Th/039/0039/055 2 Regent Quarter - Borehole A Environment Agency, Thames Region Other Industrial/Commercial/Public Services: Heat Pump Water may be abstracted from a single point Groundwater Not Supplied Not Supplied Regent Quarter, Kings Cross, London 01 April 31 March 25th June 2014 Not Supplied Located by supplier to within 10m	A5SE (SE)	1967	4	530368 183294
	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	Bnp Paribas Jersey Trust Corp Ltd And Anley Trustees Ltd Th/039/0039/055 1 Regent Quarter - Borehole A Environment Agency, Thames Region Other Industrial/Commercial/Public Services: Heat Pump Water may be abstracted from a single point Groundwater Not Supplied Not Supplied Not Supplied Not Supplied O1 April 31 March 6th February 2013 Not Supplied Located by supplier to within 10m	A5SE (SE)	1967	4	530368 183294
	Groundwater Vulne Soil Classification: Map Sheet: Scale:	rability  Not classified Sheet 39 West London 1:100,000	A13SE (SE)	0	4	528976 184714
	Drift Deposits None					
	Bedrock Aquifer De Aquifer Designation:		A13SE (SE)	0	2	528976 184714
	Superficial Aquifer I No Data Available Extreme Flooding fr	Designations rom Rivers or Sea without Defences				
	None	rs or Sea without Defences				
	None					
	None	e Areas				
	Flood Defences None					



# **Agency & Hydrological**

Map ID		Details		Estimated Distance From Site	Contact	NGR
	Detailed River Netw	rork Lines				
41	River Type: River Name: Hydrographic Area: River Flow Type: River Surface Level: Drain Feature: Flood Risk Management Status: Water Course Name: Water Course Reference:	Not a Drain Other Rivers	A13SW (SW)	60	4	528904 184676
	<b>Detailed River Netw</b>	ork Offline Drainage				
	None					





Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
42	Licence Number: Location: Operator Name: Operator Location: Authority: Site Category: Licence Status: Issued: Last Modified: Expires: Suspended: Revoked: Surrendered: IPPC Reference:	Recycling Centre, Regis Road, Kentish Town, London, NW5 3EP LondonWaste Ltd Not Supplied Environment Agency - Thames Region, North East Area Household Waste Amenity Sites Transferred 10th December 1996 25th January 2002 Not Supplied	A18SW (NW)	465	4	528740 185138
43	Licensed Waste Ma Licence Number: Location: Operator Name: Operator Location: Authority: Site Category: Licence Status: Issued: Last Modified: Expires:	Located by supplier to within 10m  nagement Facilities (Locations)  80482 28 Jamestown Road, London, NW1 7BY Camden London Borough Council Not Supplied Environment Agency - Thames Region, North East Area Household Waste Amenity Sites Surrendered 15th October 1994 Not Supplied Not Supplied Not Supplied	A8SW (SW)	726	4	528667 184035
	Suspended: Revoked: Surrendered: IPPC Reference: Positional Accuracy: Local Authority Lan Name:	Not Supplied Not Supplied 25th July 1997 Not Supplied Located by supplier to within 10m  dfill Coverage  London Borough of Camden - Has no landfill data to supply		0	7	528976 184714
	Local Authority Lan Name:	dfill Coverage London Borough of Islington - Has no landfill data to supply		828	8	529749 185064
44	Registered Waste T Licence Holder: Licence Reference: Site Location: Operator Location: Authority: Site Category: Max Input Rate: Waste Source Restrictions: Licence Status: Dated: Preceded By Licence: Superseded By Licence: Positional Accuracy: Boundary Quality: Authorised Waste	ransfer Sites L.B. of Camden	A8SW (S)	731	4	528690 184020





Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Registered Waste T	ransfer Sites				
44	Licence Holder: Licence Reference: Site Location: Operator Location: Authority: Site Category: Max Input Rate: Waste Source Restrictions: Licence Status: Dated: Preceded By Licence: Superseded By Licence:	L.B. of Camden	A8SW (S)	731	4	528690 184020
	Prohibited Waste	Metal Scrap Waste Mineral Oil Clinical Wastes Notifiable Wastes Special Wastes				
	Registered Waste T	ransfer Sites				
45	Boundary Quality: Authorised Waste Prohibited Waste	Jamestown Road, CAMDEN, London, NW1 Camden Town Hall, Euston Road, CAMDEN, London, NW1 2RU Environment Agency - Thames Region, North East Area Transfer - Road Medium (Equal to or greater than 25,000 and less than 75,000 tonnes per year) No known restriction on source of waste  Record supersededSuperseded 1st June 1977 Not Given  DL251  Manually positioned to the road within the address or location Not Supplied Civic Amenity/Refuse Amenity Waste House, Com + Ind.Waste Waste Oil Clinical Wastes Difficult Waste N.O.S	A8SW (S)	731	4	528750 184000
46	Licence Holder: Licence Reference: Site Location: Operator Location: Authority: Site Category: Max Input Rate: Waste Source Restrictions: Licence Status: Dated: Preceded By Licence: Superseded By Licence:	Camden L.B.C T/NE/0475090 (CAM070) Regis Road Recycling Centre, CAMDEN, London, NW5 3EP Environment Department, Town Hall Extension, Argyle Street, London, Greater London, Wc1h 8eq Environment Agency - Thames Region, North East Area Recycling / Reclamation Very Small (Less than 10,000 tonnes per year) No known restriction on source of waste  Operational as far as is knownOperational 10th December 1996 Not Given  Manually positioned to the road within the address or location Not Supplied Elec/Onic Compts/Fix/Fit/App/Photocopi Empty Used Containers Lead/Acid Batteries Lighting Lamps/Tubes/Fluorescents Lwra Cat Bii Gen. Scrap Metal Waste Lwra Cat. A = Inert Wastes Lwra Cat. C 'Putresc' Mineral Oils Waste N.O.S.	A18SW (NW)	487	4	528700 185140





Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid	d Geology				
	Description:	Thames Group	A13SE (SE)	0	2	528976 184714
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium	Chemistry  British Geological Survey, National Geoscience Information Service London no data no data	A13SE (SE)	0	2	528976 184714
	Concentration: Lead Concentration: Nickel Concentration:					
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	British Geological Survey, National Geoscience Information Service London no data no data	A13SE (E)	8	2	529000 184714
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	British Geological Survey, National Geoscience Information Service London no data no data	A13NE (N)	272	2	528976 185000
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	British Geological Survey, National Geoscience Information Service London no data no data	A13NE (N)	273	2	529000 185000
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	British Geological Survey, National Geoscience Information Service London no data no data	A8SE (S)	700	2	528976 184000
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	British Geological Survey, National Geoscience Information Service London no data no data	A8SE (S)	700	2	529000 184000





Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration:	Chemistry British Geological Survey, National Geoscience Information Service London no data no data	A12SW (W)	959	2	528000 184714
	Chromium Concentration: Lead Concentration: Nickel Concentration:	no data no data no data				
	BGS Estimated Soil	Chemistry				
	Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration:	British Geological Survey, National Geoscience Information Service London no data no data	A12NW (W)	999	2	528000 185000
	Chromium Concentration: Lead Concentration: Nickel Concentration:	no data no data no data				
	BGS Measured Urba	an Soil Chemistry				
	Source: Grid: Soil Sample Type: Sample Area: Arsenic Measured Concentration: Cadmium Measured Concentration: Chromium Measured Concentration: Lead Measured Concentration: Nickel Measured Concentration:	96.00 mg/kg 766.00 mg/kg 37.00 mg/kg	A13NE (E)	135	2	529127 184723
	BGS Measured Urba	-	440004	404		500000
	Concentration: Cadmium Measured Concentration: Chromium Measured Concentration: Lead Measured Concentration: Nickel Measured Concentration:	22.00 mg/kg 22.00 mg/kg 9.00 mg/kg	A13SW (W)	161	2	528802 184667
	BGS Measured Urba					
	Source: Grid: Soil Sample Type: Sample Area: Arsenic Measured Concentration: Cadmium Measured Concentration: Chromium Measured Concentration: Lead Measured Concentration: Nickel Measured		A8NW (S)	412	2	528869 184298





Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Measured Urba	an Soil Chemistry				
	Source: Grid: Soil Sample Type: Sample Area: Arsenic Measured	British Geological Survey, National Geoscience Information Service 528958, 185156 Topsoil London 16.00 mg/kg	A18SW (N)	428	2	528958 185156
	Concentration: Cadmium Measured Concentration: Chromium Measured Concentration: Lead Measured					
	Concentration: Nickel Measured Concentration:	23.00 mg/kg				
	BGS Measured Urba	an Soil Chemistry				
	Source: Grid: Soil Sample Type: Sample Area: Arsenic Measured Concentration: Cadmium Measured Concentration: Chromium Measured Concentration: Lead Measured Concentration: Nickel Measured		A8NE (SE)	505	2	529298 184298
	Concentration:					
	BGS Measured Urba Source: Grid: Soil Sample Type: Sample Area: Arsenic Measured Concentration: Cadmium Measured Concentration: Chromium Measured Concentration: Lead Measured	British Geological Survey, National Geoscience Information Service 529215, 185284 Topsoil London 20.00 mg/kg 0.60 mg/kg	A18SE (NE)	600	2	529215 185284
	Concentration: Nickel Measured Concentration:	33.00 mg/kg				
	BGS Measured Urba	an Soil Chemistry				
	Source: Grid: Soil Sample Type: Sample Area: Arsenic Measured Concentration: Cadmium Measured Concentration:	British Geological Survey, National Geoscience Information Service 529673, 184585 Topsoil London 21.00 mg/kg	A14SE (E)	691	2	529673 184585
	Chromium Measured Concentration:	104.00 mg/kg				
	Lead Measured Concentration:	286.00 mg/kg				
	Nickel Measured Concentration:	69.00 mg/kg				
	BGS Measured Urba	an Soil Chemistry				
	Source: Grid: Soil Sample Type: Sample Area: Arsenic Measured Concentration: Cadmium Measured Concentration: Chromium Measured Concentration:	British Geological Survey, National Geoscience Information Service 528324, 184426 Topsoil London 14.00 mg/kg 71.00 mg/kg	A12SE (SW)	692	2	528324 184426
	Lead Measured Concentration: Nickel Measured Concentration:	1103.00 mg/kg 29.00 mg/kg				



Page 20 of 64



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Measured Urba Source: Grid:	British Geological Survey, National Geoscience Information Service 528240, 184781	A12NW (W)	723	2	528240 184781
	Soil Sample Type: Sample Area: Arsenic Measured Concentration:	Topsoil London 17.00 mg/kg				
	Cadmium Measured Concentration: Chromium Measured					
	Concentration: Lead Measured Concentration:	994.00 mg/kg				
	Nickel Measured Concentration:	26.00 mg/kg				
	BGS Measured Urba	-	4.01/5	0.40		500705
	Source: Grid: Soil Sample Type: Sample Area:	British Geological Survey, National Geoscience Information Service 529735, 184296 Topsoil London	A9NE (SE)	846	2	529735 184296
	Arsenic Measured Concentration:	14.00 mg/kg				
	Cadmium Measured Concentration: Chromium Measured Concentration:					
	Lead Measured Concentration:	168.00 mg/kg				
	Nickel Measured Concentration:	33.00 mg/kg				
	BGS Measured Urba Source:	-	A17SW	855	2	528266
	Grid: Soil Sample Type: Sample Area:	British Geological Survey, National Geoscience Information Service 528266, 185227 Topsoil London	(NW)	600	2	185227
	Arsenic Measured Concentration: Cadmium Measured	25.00 mg/kg 24.70 mg/kg				
	Concentration: Chromium Measured Concentration:	202.00 mg/kg				
	Lead Measured Concentration: Nickel Measured	431.00 mg/kg 68.00 mg/kg				
	Concentration:					
	BGS Measured Urba Source:	-	A8SE	887	2	529183
	Grid: Soil Sample Type: Sample Area:	British Geological Survey, National Geoscience Information Service 529183, 183833 Topsoil London	(S)	007	2	183833
	Arsenic Measured Concentration: Cadmium Measured	16.00 mg/kg				
	Concentration: Chromium Measured					
	Concentration: Lead Measured Concentration:	248.00 mg/kg				
	Nickel Measured Concentration:	37.00 mg/kg				
	BGS Measured Urba	-	40000	204	2	F00=0=
	Source: Grid: Soil Sample Type: Sample Area:	British Geological Survey, National Geoscience Information Service 528707, 183811 Topsoil London	A8SW (S)	924	2	528707 183811
	Arsenic Measured Concentration: Cadmium Measured	20.00 mg/kg				
	Concentration: Chromium Measured					
	Concentration: Lead Measured Concentration:	2415.00 mg/kg				
	Nickel Measured Concentration:	30.00 mg/kg				





ар D		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Measured Urba	an Soil Chemistry				
	Source: Grid: Soil Sample Type: Sample Area:	British Geological Survey, National Geoscience Information Service 528670, 185654 Topsoil London 29.00 mg/kg	A18NW (N)	970	2	528670 185654
	Concentration: Chromium Measured Concentration: Lead Measured Concentration:					
	Nickel Measured Concentration:	50.00 mg/kg				
	BGS Measured Urba	an Soil Chemistry				
	Source: Grid: Soil Sample Type: Sample Area: Arsenic Measured Concentration: Cadmium Measured Concentration: Chromium Measured Concentration: Lead Measured Concentration: Nickel Measured	British Geological Survey, National Geoscience Information Service 529833, 185232 Topsoil London 29.00 mg/kg 3.70 mg/kg	A19SE (NE)	981	2	529833 185232
	Concentration:					
	Count Id: Arsenic Minimum Concentration: Arsenic Average Concentration: Arsenic Maximum Concentration: Cadmium Minimum Concentration:	British Geological Survey, National Geoscience Information Service London 7189 1.00 mg/kg 17.00 mg/kg 161.00 mg/kg 0.30 mg/kg 0.90 mg/kg 165.20 mg/kg 13.00 mg/kg 79.00 mg/kg	A13SE (SE)	0	2	528976 184714
	Concentration:  Coal Mining Affected In an area that might	d Areas not be affected by coal mining				
	Non Coal Mining Ard No Hazard	eas of Great Britain				
	Potential for Collaps Hazard Potential: Source:	sible Ground Stability Hazards Very Low British Geological Survey, National Geoscience Information Service	A13SE (SE)	0	2	528976 184714
	Potential for Compre	essible Ground Stability Hazards No Hazard	A13SE	0	2	528976



## **Geological**

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Groun	d Dissolution Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	A13SE (SE)	0	2	528976 184714
	Potential for Landsl	lide Ground Stability Hazards				
	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	A13SE (SE)	0	2	528976 184714
	Potential for Runnin	Potential for Running Sand Ground Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	A13SE (SE)	0	2	528976 184714
	Potential for Shrink	ing or Swelling Clay Ground Stability Hazards				
	Hazard Potential: Source:	Moderate British Geological Survey, National Geoscience Information Service	A13SE (SE)	0	2	528976 184714
	Radon Potential - R	adon Protection Measures				
	Protection Measure: Source:	No radon protective measures are necessary in the construction of new dwellings or extensions British Geological Survey, National Geoscience Information Service	A13SE (SE)	0	2	528976 184714
	Radon Potential - R	adon Affected Areas				
	Affected Area: Source:	The property is in a lower probability radon area, as less than 1% of homes are above the action level British Geological Survey, National Geoscience Information Service	A13SE (SE)	0	2	528976 184714



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
47	Contemporary Trad Name: Location: Classification:	e Directory Entries Franchi Plc 144-146, Kentish Town Road, London, NW1 9QB Hardware	A13SW (S)	21	-	528963 184680
	Status: Positional Accuracy:	Active Automatically positioned to the address				
47	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	The Smart Line 142, Kentish Town Road, London, NW1 9QB Dry Cleaners Active Manually positioned to the address or location	A13SW (S)	26	-	528964 184674
47	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  J D Cleaning 140-142, Kentish Town Road, London, NW1 9QB Cleaning Services - Domestic Active Automatically positioned to the address	A13SW (S)	32	-	528966 184668
48	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries  Kall Kwik 191, Kentish Town Road, London, NW5 2JU Printers Active Automatically positioned to the address	A13NW (W)	32	-	528928 184725
49	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Sansone A, 24, Bartholomew Villas, London, NW5 2LL Antiques - Repairing & Restoring Inactive Automatically positioned to the address	A13NE (E)	46	-	529038 184732
50	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Jewson 2a, Bartholomew Road, London, NW5 2AJ Builders' Merchants Active Automatically positioned to the address	A13SE (S)	66	-	529008 184635
50	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  North London Cleaners 46, Rochester Road, London, NW1 9JJ Cleaning Services - Domestic Inactive  Automatically positioned to the address	A13SE (S)	110	-	528991 184590
51	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	Pro Cleaners Kentish Town 207-209, Kentish Town Road, London, NW5 2JU Cleaning Services - Domestic Active Automatically positioned to the address	A13NW (NW)	68	-	528936 184792
51	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Cleaning Services Kentish Town 6, Anglers Lane, London, NW5 3DG Cleaning Services - Domestic Active  Automatically positioned to the address	A13NW (NW)	85	-	528909 184795
52	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Cresta Motors 3, Patshull Road, London, NW5 2JX Mechanical Engineers Inactive Automatically positioned to the address	A13NE (N)	104	-	529018 184828
53	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries K T Auto Services Bartholomew Rd, London, NW5 2AR Garage Services Active Manually positioned to the road within the address or location	A13SE (SE)	141	-	529120 184642
54	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  North London Cleaners  46 Rochester Road, London, Nw1 9JJ  Cleaning Services - Domestic  Active  Manually positioned within the geographical locality	A13SE (SE)	142	-	529090 184597



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
55	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries S & A Electricals 245, Kentish Town Road, London, NW5 2JT Domestic Appliances - Servicing, Repairs & Parts Inactive Automatically positioned to the address	A13NW (N)	168	-	528964 184897
55	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries S & A Elecricals 245, Kentish Town Road, London, NW5 2JT Domestic Appliances - Servicing, Repairs & Parts Inactive Automatically positioned to the address	A13NW (N)	168	-	528964 184897
55	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries Greetings From The Heart 251, Kentish Town Road, London, NW5 2JT Greeting Card Publishers & Wholesalers Inactive Manually positioned to the address or location	A13NW (N)	187	-	528960 184915
55	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries Superdrug 218-220, Kentish Town Road, London, NW5 2AD Chemists' & Pharmacists' Suppliers & Wholesalers Active Automatically positioned to the address	A13NE (N)	196	-	529006 184923
56	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	Prince Of Wales 17, Prince of Wales Road, London, NW5 3LH Dry Cleaners Active Automatically positioned to the address	A13SW (W)	183	-	528777 184696
57	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries  M D A Motors 60, Rochester Place, London, NW1 9JX Garage Services Active Automatically positioned to the address	A13SE (SE)	198	-	529067 184516
57	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	Mda Motors 50, Rochester Place, London, NW1 9JX Garage Services Inactive Automatically positioned to the address	A13SE (SE)	233	-	529097 184492
58	Contemporary Trad Name: Location: Classification: Status:		A13SE (E)	214	-	529200 184650
59	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries Spick 'N' Span 121, Kentish Town Road, London, NW1 8PB Dry Cleaners Inactive Automatically positioned to the address	A13SW (S)	226	-	528958 184474
59	Contemporary Trad Name: Location: Classification: Status:		A13SE (S)	239	-	528987 184460
59	Contemporary Trad Name: Location: Classification: Status:		A13SW (S)	258	-	528960 184442
60	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries  Kcj Preservations Builders 12, Inkerman Road, London, NW5 3BT Damp & Dry Rot Control  Active  Automatically positioned to the address	A13NW (NW)	246	-	528846 184947



Page 25 of 64

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
61	Contemporary Trad Name: Location:	Frank W Marshall & Co Ltd 25, Wolsey Mews, London, NW5 2DX	A13NE (N)	269	-	529040 184992
	-	Joinery Manufacturers Inactive Automatically positioned to the address				
62	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries D 2 W 61-63, Rochester Place, London, NW1 9JU Printers Active Automatically positioned to the address	A13SE (SE)	295	-	529116 184432
62	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Brian Crisp 1, Wilmot Place, London, NW1 9JS Photographic Processors Inactive Automatically positioned to the address	A13SE (SE)	322	-	529141 184414
63	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Snappy Snaps 170 299 Kentish Town Rd, London, NW5 2TJ Photographic Processors Inactive Manually positioned to the address or location	A13NE (N)	302	-	528976 185030
64	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Elizabeth Street Antiques & Restoration Services  22, Holmes Road, London, NW5 3AB  Antiques - Repairing & Restoring  Inactive  Automatically positioned to the address	A18SW (N)	341	-	528865 185056
64	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Olive Maintenance 32 Holmes Rd, London, NW5 3AB Air Conditioning Equipment & Systems Inactive Manually positioned within the geographical locality	A18SW (N)	370	-	528831 185075
65	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Carmel Clothing 55-57, Holmes Road, LONDON, NW5 3AN Clothing & Fabrics - Manufacturers Active  Automatically positioned to the address	A13NW (NW)	348	-	528792 185033
65	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Pc Clothing Ltd  Flat 14, 55-57, Holmes Road, London, NW5 3AN  Clothing & Fabrics - Manufacturers  Inactive  Automatically positioned to the address	A13NW (NW)	348	-	528792 185033
65	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Hampstead Crash Repairs 75, Holmes Road, London, NW5 3AU Car Body Repairs Inactive  Automatically positioned to the address	A13NW (NW)	363	-	528762 185033
65	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Magnet Trade 75, Holmes Road, London, NW5 3AU Joinery Manufacturers Inactive  Automatically positioned to the address	A13NW (NW)	363	-	528762 185033
65	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Magnet Trade 75, Holmes Road, London, NW5 3AU Joinery Manufacturers Inactive Automatically positioned to the address	A13NW (NW)	363	-	528762 185033
66	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  D P Enamellers Imperial Works, Perren Street, London, NW5 3ED Powder Coatings Inactive Automatically positioned to the address	A12NE (W)	355	-	528611 184784



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
66	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Jack Bedoyian 66, Wilkin Street Mews, Wilkin Street, London, NW5 3NN Garage Services Inactive Automatically positioned to the address	A12NE (W)	383	-	528586 184807
66	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Seb Ford (Coachworks) Ltd 57-59, Wilkin Street Mews, Wilkin Street, London, NW5 3NN Car Body Repairs Inactive Automatically positioned in the proximity of the address	A12NE (W)	384	-	528585 184804
66	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  L G Coachworks 61-65, Wilkin Street Mews, Wilkin Street, London, NW5 3NN Car Body Repairs Inactive Automatically positioned in the proximity of the address	A12NE (W)	384	-	528585 184804
67	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Express Garage Services 51-53, Islip Street, London, NW5 2DL Garage Services Inactive Automatically positioned to the address	A13NE (NE)	355	-	529208 185009
67	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Motor Crash Repairs (London) Ltd 51-53, Islip Street, London, NW5 2DL Car Body Repairs Inactive Automatically positioned to the address	A13NE (NE)	355	-	529208 185009
68	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Acquisitions 24-26, Holmes Road, London, NW5 3AB Fireplaces & Mantelpieces Active  Automatically positioned to the address	A18SW (N)	355	-	528856 185067
68	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Howden'S Joinery Ltd  Regis Road, London, NW5 3EW  Builders' Merchants  Inactive  Automatically positioned to the address	A18SW (N)	389	-	528879 185109
69	Contemporary Trad Name: Location: Classification: Status:		A12NE (NW)	359	-	528631 184869
69	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Delbanco Meyer & Co Ltd  Portland House, Ryland Road, London, NW5 3EB  Linen Manufacturers & Wholesalers  Inactive  Automatically positioned to the address	A12NE (W)	381	-	528604 184861
69	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Wheels Abroad Ltd 68-70 Wilkin St, London, NW5 3NP Classic Car Specialists Inactive Manually positioned to the road within the address or location	A12NE (W)	396	-	528591 184868
69	Contemporary Trad Name: Location: Classification: Status:	• • • • • • • • • • • • • • • • • • • •	A12NE (W)	410	-	528573 184861
70	Contemporary Trad Name: Location: Classification: Status:		A13NE (NE)	360	-	529311 184895



Page 27 of 64

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
71	Contemporary Trad Name: Location: Classification: Status:	le Directory Entries Solus Norwich Union 102a, Grafton Road, London, NW5 4BA Car Body Repairs Inactive	A12SE (W)	363	-	528596 184707
		Automatically positioned to the address				
72	Name: Location: Classification: Status: Positional Accuracy:	Breeze (Uk) Ltd 1, Rochester Mews, LONDON, NW1 9JB Clothing & Fabrics - Manufacturers Inactive Automatically positioned to the address	A13SE (SE)	366	-	529243 184433
72	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Lookers 85-89, Camden Road, London, NW1 9EX Car Dealers Inactive Automatically positioned to the address	A13SE (SE)	399	-	529285 184429
73	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Bartholomew Commercials A, 90, Bartholomew Road, London, NW5 2AS Car Dealers Inactive Automatically positioned to the address	A14NW (E)	398	-	529382 184804
74	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Henry Bertrand Ltd 52, Holmes Road, London, NW5 3AB Clothing & Fabrics - Manufacturers Active Automatically positioned to the address	A18SW (NW)	403	-	528789 185093
74	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries Unity Kitchen H Q 60, Holmes Road, London, NW5 3AQ Car Customisation & Conversion Specialists Active Automatically positioned to the address	A18SW (NW)	426	-	528759 185104
74	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	Magnet Trade Mary Brancker House, 54-74, Holmes Road, London, NW5 3AQ Joinery Manufacturers Inactive Manually positioned to the address or location	A18SW (NW)	426	-	528759 185104
74	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	Get Alpha House, Regis Road, London, NW5 3EW Clothing & Fabrics - Manufacturers Inactive Manually positioned to the address or location	A18SW (NW)	448	-	528777 185137
75	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries Stitch & Clean 71, Prince of Wales Road, London, NW5 3LT Dry Cleaners Active Automatically positioned to the address	A12SE (W)	405	-	528562 184625
76	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Holmes Road Coachworks A, 74, Holmes Road, London, NW5 3AT Car Body Repairs Inactive Automatically positioned to the address	A18SW (NW)	407	-	528729 185063
76	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  M A Motors A, 74, Holmes Road, London, NW5 3AT Car Body Repairs Inactive Automatically positioned to the address	A18SW (NW)	407	-	528729 185063
77	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	ke Directory Entries Key Production 7-8, Jeffreys Place, LONDON, NW1 9PP Record, Tape & CD Manufacturers & Wholesalers Active Automatically positioned to the address	A8NE (S)	428	-	529057 184277



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
77	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries Think Tank Media 7-8, Jeffreys Place, London, NW1 9PP Printers Inactive Automatically positioned to the address	A8NE (S)	428	-	529057 184277
77	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries Sun & Seed 7, Ivor Street, London, NW1 9PL Food Products - Manufacturers Active Automatically positioned to the address	A8NE (S)	443	-	529071 184264
77	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Motorweld 11-14, Ivor Street, London, NW1 9PJ Garage Services Inactive Automatically positioned in the proximity of the address	A8NE (S)	472	-	529064 184233
77	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Warren Evans 3a, Prowse Place, London, NW1 9PH Bed & Mattress Manufacturers Inactive Automatically positioned to the address	A8NE (S)	521	-	529063 184184
78	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Melrose & Morgan  Unit 23, Hartland Road Arches, Hartland Road, London, NW1 8HR Food Products - Manufacturers  Active  Automatically positioned to the address	A8NW (SW)	432	-	528696 184358
79	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	Athlone Press 61, Grafton Road, London, NW5 3EN Printers Inactive Automatically positioned to the address	A12NE (NW)	434	-	528576 184929
79	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	c Directory Entries Christo Print & Design Ltd 61, Grafton Road, London, NW5 3EN Printers Active Automatically positioned to the address	A12NE (NW)	434	-	528576 184929
79	Contemporary Trad Name: Location: Classification: Status:		A12NE (NW)	437	-	528556 184893
79	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	Pier Tarrant Willis Piat 3, Leonard Day House, Athlone Street, London, NW5 4LN Antiques - Repairing & Restoring Inactive Automatically positioned to the address	A12NE (NW)	437	-	528556 184893
79	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	Le Directory Entries Carpet Cleaning Nw5 Flat 18, Priestley House, Wilkin Street, London, NW5 4LP Carpet, Curtain & Upholstery Cleaners Active Automatically positioned to the address	A12NE (W)	446	-	528541 184879
80	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	James Phelps Ltd 9, Hawley Road, London, NW1 8RP Builders' Merchants Inactive Automatically positioned to the address	A8NW (S)	436	-	528852 184278
80	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	Phelps 9, Hawley Road, London, NW1 8RP Builders' Merchants Inactive Automatically positioned to the address	A8NW (S)	436	-	528852 184278



Page 29 of 64

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
80	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Mikes Coachworks Ltd 8, Torbay Street, London, NW1 8RR Car Body Repairs Inactive Automatically positioned to the address	A8NW (S)	457	-	528875 184251
81	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Russell Motors 1, Oseney Crescent, London, NW5 2AT Garage Services Inactive Automatically positioned to the address	A14NW (E)	438	-	529411 184855
81	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries S & M Cleaning 3, Oseney Crescent, London, NW5 2AT Commercial Cleaning Services Inactive Automatically positioned to the address	A14NW (E)	444	-	529417 184858
82	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Kleen Machine 347, Kentish Town Road, London, NW5 2TJ Dry Cleaners Inactive Automatically positioned to the address	A18SE (N)	442	-	528994 185170
82	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Drycleaning Collections 347, Kentish Town Road, London, NW5 2TJ Dry Cleaners Active Automatically positioned to the address	A18SE (N)	442	-	528994 185170
83	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Ottolenghi Ltd Unit 22,Hartland Rd Arches,Hartland Rd, London, NW1 8HR Food Products - Manufacturers Inactive Manually positioned to the road within the address or location	A8NW (SW)	455	-	528659 184358
83	Contemporary Trad Name: Location: Classification: Status:		A7NE (SW)	472	-	528626 184366
83	Contemporary Trad Name: Location: Classification: Status:		A7NE (SW)	496	-	528607 184350
84	Contemporary Trad Name: Location: Classification: Status:		A8NE (S)	467	-	529006 184233
84	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Urgent Detergent 160, Camden Street, London, NW1 9PT Cleaning Services - Domestic Inactive Automatically positioned to the address	A8NE (S)	467	-	529006 184233
85	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Camden Metal Recycling 49a Kentish Town Road, 1 The Arches, London, NW1 8NX Scrap Metal Merchants Active Manually positioned within the geographical locality	A8NW (S)	476	-	528926 184225
85	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Arthur'S 49 Kentish Town Rd, London, NW1 8NX Car Body Repairs Inactive Manually positioned to the road within the address or location	A8NW (S)	507	-	528947 184193



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Contemporary Trad	e Directory Entries				
86	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	Jacks Motors 2, Torbay Street, London, NW1 8RR Mot Testing Centres Inactive Automatically positioned to the address	A8NW (S)	477	-	528876 184230
86	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  J F S 2a, Torbay Street, London, NW1 8RR Car Body Repairs Inactive Automatically positioned to the address	A8NW (S)	477	-	528876 184230
86	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Prowers Place Autos 2, Torbay Street, London, NW1 8RR Car Body Repairs Inactive Automatically positioned to the address	A8NW (S)	477	-	528876 184230
86	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  E Supplier Ltd  49, Kentish Town Road, London, NW1 8NX T-Shirts Inactive  Automatically positioned to the address	A8NW (S)	486	-	528914 184217
86	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Adam Engineering Ltd  49, Kentish Town Road, London, NW1 8NX Metal Workers  Active  Automatically positioned to the address	A8NW (S)	486	-	528914 184217
86	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Victory Motorcycles 49, Kentish Town Road, London, NW1 8NX Motor Cycle Repairs Active Automatically positioned to the address	A8NW (S)	486	-	528914 184217
86	Contemporary Trad Name: Location: Classification: Status:		A8NW (S)	495	-	528866 184214
86	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Stars Digital Ltd 47, Kentish Town Road, London, NW1 8NX Photo & Digital Imaging Bureaus Inactive Automatically positioned to the address	A8NW (S)	507	-	528930 184194
86	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Cross Design & Print 47, Kentish Town Road, London, NW1 8NX Printers Inactive Manually positioned to the address or location	A8NW (S)	507	-	528930 184194
86	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries The Fremantle Corporation 2, Water Lane, London, NW1 8NZ Distribution Services Inactive Automatically positioned to the address	A8NW (S)	514	-	528886 184192
87	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Hexagon Of Highgate Ltd  1, Browns Lane, London, NW5 3EX Garage Services  Active  Automatically positioned to the address	A17SE (NW)	479	-	528626 185072
88	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Moth Trap Regis Rd, London, NW5 3EW Pest & Vermin Control Inactive Manually positioned within the geographical locality	A18SW (NW)	482	-	528723 185148



Page 31 of 64

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
89	Contemporary Trade Directory Entries  Name: R J Motors Location: 8, Leybourne Road, London, NW1 8QY Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned in the proximity of the address	A8NW (S)	488	-	528830 184230
89	Contemporary Trade Directory Entries  Name: Morton Stockwell Location: 14, Leybourne Road, London, NW1 8QY Classification: Classic Car Specialists Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (S)	507	-	528831 184210
89	Contemporary Trade Directory Entries  Name: K & P Coachwork  Location: 12, Leybourne Road, London, NW1 8QY  Classification: Car Body Repairs  Status: Inactive  Positional Accuracy: Automatically positioned to the address	A8NW (S)	511	-	528817 184209
89	Contemporary Trade Directory Entries  Name: F & A Motors Location: 10, Leybourne Road, London, NW1 8QY Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (S)	514	-	528811 184208
89	Contemporary Trade Directory Entries  Name: W Starling Location: 9-11, Leybourne Road, London, NW1 8QY Classification: Car Body Repairs Status: Active Positional Accuracy: Automatically positioned to the address	A8NW (S)	514	-	528811 184208
89	Contemporary Trade Directory Entries  Name: Ardi Location: 9-11, Leybourne Road, London, NW1 8QY Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (S)	514	-	528811 184208
89	Contemporary Trade Directory Entries  Name: Totos Car Clinic Location: 10-11 Leybourne Rd, London, NW1 8QY Classification: Car Body Repairs Status: Inactive Positional Accuracy: Manually positioned to the address or location	A8NW (S)	514	-	528810 184208
89	Contemporary Trade Directory Entries  Name: Davey Autos Ltd Location: 6, Haven Street, London, NW1 8QX Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (S)	546	-	528782 184184
89	Contemporary Trade Directory Entries  Name: A J Autos Location: 6, Haven Street, London, NW1 8QX Classification: Car Engine Tuning & Diagnostic Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (S)	546	-	528782 184184
90	Contemporary Trade Directory Entries  Name: Terminix Peter Cox Ltd Location: 231, Royal College Street, London, NW1 9LT Classification: Damp & Dry Rot Control Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (S)	492	-	529153 184235
91	Contemporary Trade Directory Entries  Name: Photograph Wholesale Ltd Location: 15 Leighton PI, London, NW5 2QL Classification: Clothing & Fabrics - Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the address or location	A18SE (NE)	493	-	529274 185132
92	Contemporary Trade Directory Entries  Name: A & B Recovery Location: 47, Forge Place, London, NW1 8DQ Classification: Breakdown and Recovery Status: Active Positional Accuracy: Automatically positioned to the address	A12SE (W)	494	-	528484 184563



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Contemporary Trad	e Directory Entries				
93	Name: Location: Classification: Status:	Jansen Uk 65, Camden Road, London, NW1 9EU Hardware Active Automatically positioned to the address	A8NE (SE)	496	-	529203 184251
	Contemporary Trad	e Directory Entries				
93	Name: Location: Classification: Status:	D Jansen 65, Camden Road, London, NW1 9EU Gas Suppliers Inactive Automatically positioned to the address	A8NE (SE)	496	-	529203 184251
	Contemporary Trad	e Directory Entries				
93	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	Home Cleaning (London) 69, Camden Road, London, NW1 9EU Cleaning Services - Domestic Inactive Automatically positioned to the address	A8NE (SE)	496	-	529214 184257
	Contemporary Trad	e Directory Entries				
93	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	Nk Print & Design 186, Royal College Street, London, NW1 9NN Printers Active Automatically positioned to the address	A8NE (SE)	498	-	529181 184240
	Contemporary Trad	e Directory Entries				
93	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	Radiance Printers Execo House, 182, Royal College Street, London, NW1 9NN Printers Inactive Automatically positioned to the address	A8NE (SE)	505	-	529189 184234
	Contemporary Trad					
93	Name: Location: Classification: Status:	Camden Scaffolding 114, Camden Road, London, NW1 9EE Scaffolding & Work Platforms Active Automatically positioned to the address	A8NE (SE)	541	-	529224 184211
	-					
93	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	Heaven Dry Cleaners 112, Camden Road, London, NW1 9EE Dry Cleaners Active Automatically positioned to the address	A8NE (SE)	543	-	529222 184208
	Contemporary Trad					
94	Name: Location: Classification: Status:	S & A Electricals Ltd 107a, Bartholomew Road, LONDON, NW5 2AR Domestic Appliances - Servicing, Repairs & Parts Inactive Automatically positioned to the address	A14NW (NE)	500	-	529422 184982
	Contemporary Trad	le Directory Entries				
95	Name: Location: Classification: Status:	Buchanan Motors 128a, Camden Road, London, NW1 9EE Garage Services Inactive Automatically positioned to the address	A8NE (SE)	506	-	529263 184273
96	Contemporary Trad Name: Location: Classification: Status:	e Directory Entries Chico Ltd 110-114, Grafton Road, London, NW5 4BA Clothing & Fabrics - Manufacturers Inactive	A12NE (NW)	508	-	528530 184996
	Positional Accuracy:	Automatically positioned to the address				
96	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries  Zem Ltd  110-114, Grafton Road, London, NW5 4BA Clothing & Forics - Manufacturers Inactive  Automatically positioned to the address	A12NE (NW)	508	-	528530 184996
	-					
96	Contemporary Trad Name: Location: Classification: Status:	Mimonic Ltd 118-122, Grafton Road, London, NW5 4BA Footwear Manufacturers & Wholesale Inactive Automatically positioned to the address	A12NE (NW)	533	-	528511 185014



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Contemporary Trad	e Directory Entries				
97	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	Lucky Motors 17, Camden Mews, London, NW1 9DB Garage Services Active Automatically positioned to the address	A14SW (SE)	517	-	529453 184466
97	Contemporary Trad Name: Location: Classification:	e Directory Entries Laboratory Glassware Supplies 2b, Camden Mews, London, NW1 9DB Glass Products - Manufacturers	A14SW (SE)	533	-	529456 184438
	Status: Positional Accuracy:	Inactive Automatically positioned to the address				
98	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Cameron Graphics Services Ltd Studio 10,James Cameron House,Castlehaven Rd, London, NW1 8QW Digital Printing Inactive Manually positioned to the address or location	A8NW (SW)	519	-	528752 184224
99	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Cardinall Flat 6, London, NW5 2UT Greeting Card Publishers & Wholesalers Active Manually positioned within the geographical locality	A18SE (NE)	521	-	529222 185195
100	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Normsbridge Filling Station 139-143, Camden Road, London, NW1 9HA Petrol Filling Stations - 24 Hour Inactive  Manually positioned to the address or location	A14SW (E)	528	-	529516 184646
	Contemporary Trad	e Directory Entries				
100	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	Auto Deutsche 139-147, Camden Road, London, NW1 9HA Garage Services Inactive Automatically positioned to the address	A14SW (E)	540	-	529530 184658
	Contemporary Trad	• • • • • • • • • • • • • • • • • • • •				
100	Name: Location: Classification: Status: Positional Accuracy:	Chris Jenkins Cars 145-147, Camden Road, London, NW1 9HA Car Dealers Inactive Automatically positioned in the proximity of the address	A14SW (E)	550	-	529541 184672
101	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Transformation 17-19, Bonny Street, London, NW1 9PE Refrigeration Equipment - Commercial Inactive Automatically positioned to the address	A8NE (S)	530	-	529127 184187
101	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Clearest Colour Print 17-19, Bonny Street, London, NW1 9PE Printers Active Automatically positioned to the address	A8NE (S)	530	-	529127 184187
101	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Compass & Diamond Print Solutions Ltd 17-19, Bonny Street, London, NW1 9PE Printers Active Automatically positioned to the address	A8NE (S)	530	-	529127 184187
102	Contemporary Trad Name: Location: Classification: Status:		A18SE (N)	530	-	529008 185257
102	Contemporary Trad Name: Location: Classification: Status:		A18SE (N)	551	-	528997 185278



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
102	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  London Boys Scrap Yards In Kentish Town 4, Fortess Road, London, NW5 2ES Car Breakers & Dismantlers Inactive Automatically positioned to the address	A18SE (N)	575	-	528992 185303
103	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Central London Building Supplies 19, Talacre Road, London, NW5 3PH Builders' Merchants Inactive Automatically positioned to the address	A12SE (W)	531	-	528429 184714
104	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Diamond Roach 1a, Bonny Street, London, NW1 9PE Printers Inactive Automatically positioned to the address	A8NE (S)	533	-	529074 184173
105	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Camden Boxframe Co Ltd  110, Camden Road, London, NW1 9EE  Joinery Manufacturers  Active  Automatically positioned to the address	A8NE (SE)	547	-	529221 184203
105	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Camden Bike Breakers  178b, Royal College Street, London, NW1 0SP  Motor Cycle Breakers & Dismantlers  Inactive  Automatically positioned to the address	A8NE (SE)	565	-	529212 184179
105	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Blaire Air Conditioning 176, Royal College Street, London, NW1 0SP Air Conditioning & Refrigeration Contractors Inactive Manually positioned to the address or location	A8NE (SE)	581	-	529223 184166
105	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Camden Tyre Services 166, Royal College Street, London, NW1 0SP Tyre Dealers Active Automatically positioned to the address	A8NE (SE)	603	-	529242 184151
106	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Medical Optics Ltd Unit 1, Dove Commercial Centre, 109, Bartholomew Road, London, NW5 2BJ Medical Equipment Maintenance & Repairs Active Automatically positioned to the address	A19SW (NE)	548	-	529426 185063
106	Contemporary Trad Name: Location: Classification: Status:		A19SW (NE)	548	-	529426 185063
106	Contemporary Trad Name: Location: Classification: Status:	**	A19SW (NE)	548	-	529426 185063
106	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  H & B Motor Engineers Ltd 111-113, Bartholomew Road, London, NW5 2BJ Mot Testing Centres Inactive Automatically positioned in the proximity of the address	A19SW (NE)	573	-	529432 185095



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
106	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries  Conspel Ltd Osborne House, 111-113, Bartholomew Road, LONDON, NW5 2BJ Engineering Services Inactive Automatically positioned to the address	A19SW (NE)	592	-	529436 185119
107	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries  Caraselle Ltd  Unit 4, Kentish Town Industrial Estate, Regis Road, London, NW5 3EW Laundry & Dry Cleaning Supplies Inactive  Automatically positioned to the address	A18SW (NW)	555	-	528670 185201
107	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries  Caraselle Unit 4, Kentish Town Industrial Estate, Regis Road, London, NW5 3EW Laundries & Launderettes Inactive Automatically positioned to the address	A18SW (NW)	555	-	528670 185201
107	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries  Caraselle  Unit 4, Kentish Town Industrial Estate, Regis Road, London, NW5 3EW Laundry & Dry Cleaning Supplies Inactive  Automatically positioned to the address	A18SW (NW)	555	-	528670 185201
107	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	Le Directory Entries  Caraselle  Unit 4, Kentish Town Industrial Estate, Regis Road, London, NW5 3EW  Clothing Accessory Manufacturers  Inactive  Automatically positioned to the address	A18SW (NW)	555	-	528670 185201
107	Contemporary Trad Name: Location: Classification: Status:		A18SW (NW)	555	-	528670 185201
107	Contemporary Trad Name: Location: Classification: Status:		A18SW (NW)	579	-	528652 185218
108	Contemporary Trad Name: Location: Classification: Status:	le Directory Entries  Esso 196-206, Camden Road, London, NW1 9HG Petrol Filling Stations Active Automatically positioned to the address	A14SW (E)	560	-	529541 184593
108	Contemporary Trad Name: Location: Classification: Status:	• • • • • • • • • • • • • • • • • • • •	A14SW (E)	560	-	529541 184593
109	Contemporary Trad Name: Location: Classification: Status:		A12SE (SW)	560	-	528467 184433
110	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	Chalk Farm Service Station 29 Chalk Farm Rd, London, NW1 8AJ Petrol Filling Stations - 24 Hour Inactive Manually positioned to the address or location	A7NE (SW)	567	-	528567 184291
111	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries Pink Piranha 21, Chalk Farm Road, London, NW1 8AG Laundries & Launderettes Inactive Automatically positioned to the address	A7NE (SW)	572	-	528622 184238



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
112	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Aktiva Spring House, 10, Spring Place, London, NW5 3BH Lighting Manufacturers Active Automatically positioned to the address	A17SE (NW)	575	-	528505 185079
112	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries The Fibre-Base Spring House, 10, Spring Place, London, NW5 3BH Photographic Processors Inactive Manually positioned to the address or location	A17SE (NW)	575	-	528505 185079
112	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  The Fielding Group Ltd Spring House, 10, Spring Place, London, NW5 3BH Clothing & Fabrics - Manufacturers Inactive Manually positioned to the address or location	A17SE (NW)	575	-	528505 185079
113	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Featherclean 3, Grand Union Walk, Kentish Town Road, London, NW1 9LP Cleaning Services - Domestic Active Automatically positioned to the address	A8NW (S)	595	-	528957 184106
114	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  T A  Flat 24, Langridge, Rhyl Street, London, NW5 4LY Cleaning Materials & Equipment Inactive  Automatically positioned to the address	A12NE (W)	595	-	528380 184855
115	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Coin Laundry 1, Fortess Road, London, NW5 1AA Laundries & Launderettes Active Automatically positioned to the address	A18SW (N)	601	-	528966 185330
116	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Morrisons Petrol Station Chalk Farm Rd, London, NW1 8AA Petrol Filling Stations Active Manually positioned to the road within the address or location	A8NW (SW)	607	-	528706 184148
117	Contemporary Trad Name: Location: Classification: Status:		A12SE (W)	608	-	528352 184665
117	Contemporary Trad Name: Location: Classification: Status:		A12SE (W)	611	-	528350 184658
117	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Camden Cleaners 2, Malden Road, London, NW5 3HR Cleaning Services - Domestic Active Automatically positioned to the address	A12SE (W)	623	-	528339 184640
117	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Malden Dry Cleaner 8, Malden Road, London, NW5 3HR Dry Cleaners Inactive Automatically positioned to the address	A12SE (W)	630	-	528331 184656
118	Contemporary Trad Name: Location: Classification: Status:		A17SE (NW)	609	-	528530 185159



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Contemporary Trad	e Directory Entries				
118	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	The Car Surgery Ltd Unit 2 3 & 4 Arctic St, London, NW5 4DJ Garage Services Active Manually positioned to the address or location	A17SE (NW)	610	-	528526 185156
	Contemporary Trad	e Directory Entries				
118	Name: Location: Classification: Status:	D S M Flat 1, Carlton Chapel House, 1, Arctic Street, London, NW5 4DJ Commercial Vehicle Bodybuilders & Repairers Inactive Automatically positioned to the address	A17SE (NW)	610	-	528515 185145
	Contemporary Trad	e Directory Entries				
118	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	Lewis Motors 3, Arctic Street, London, NW5 4DJ Car Body Repairs Inactive Automatically positioned to the address	A17SE (NW)	611	-	528522 185153
	Contemporary Trad	e Directory Entries				
119	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	Stock Motors Co 77-79 Randolph St, London, NW1 0SR Garage Services Inactive Manually positioned to the road within the address or location	A9NW (SE)	611	-	529324 184187
	Contemporary Trad	e Directory Entries				
119	Name: Location: Classification: Status: Positional Accuracy:	Burlington Camden 90-94, Baynes Street, London, NW1 0TZ Garage Services Inactive Automatically positioned to the address	A9NW (SE)	652	-	529352 184157
	Contemporary Trad	•				
119	Name: Location: Classification: Status:	Burlingtons Camden 90-94, Baynes Street, London, NW1 0TZ Garage Services Active Automatically positioned to the address	A9NW (SE)	652	-	529352 184157
	Contemporary Trad	•				
119	Name: Location: Classification: Status:	88 Car Repairs 87 Baynes St, London, NW1 0TZ Garage Services Inactive Manually positioned to the road within the address or location	A9NW (SE)	665	-	529360 184146
	Contemporary Trad	e Directory Entries				
120	Name: Location: Classification: Status: Positional Accuracy:	Ideal Cars Randolph St, London, NW1 0SS Car Body Repairs Inactive Manually positioned to the road within the address or location	A8NE (SE)	613	-	529282 184160
	Contemporary Trad	e Directory Entries				
120	Name: Location: Classification: Status:	Panther Office Ltd 38, Bruges Place, London, NW1 0TL Office Furniture & Equipment Inactive Automatically positioned to the address	A8NE (SE)	646	-	529303 184134
	Contemporary Trad	e Directory Entries				
121	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	Venue Hack Flat 11, Highstone Mansions, 84, Camden Road, LONDON, NW1 9DY Catering Equipment Active Automatically positioned to the address	A8NE (S)	615	-	529177 184113
	Contemporary Trad	e Directory Entries				
121	Name: Location: Classification: Status:	E D C Technology 88-90, Camden Road, London, NW1 9EA Carpet, Curtain & Upholstery Cleaners Active Manually positioned to the address or location	A8NE (S)	615	-	529177 184113
	Contemporary Trad					
121	Name: Location: Classification: Status:	Proform Uk Ltd 88-90, Camden Road, London, NW1 9EA Plastic Products - Manufacturers Inactive Automatically positioned to the address	A8NE (S)	615	-	529177 184113



121	Contemporary Trad		Direction)	From Site	Contact	NGR
121	Name:	e Directory Entries				
	Location: Classification: <b>Status:</b> Positional Accuracy:	Service Point 203, Royal College Street, London, NW1 0SG Copying & Duplicating Machines & Supplies Inactive Automatically positioned to the address	A8NE (SE)	633	-	529226 184112
	Contemporary Trad	e Directory Entries				
122	Name: Location: Classification: Status:	I Do Clean 7, Canal Boulevard, London, NW1 9AQ Cleaning Services - Domestic Active Automatically positioned to the address	A14NW (E)	619	-	529603 184829
	Contemporary Trad	e Directory Entries				
123	Name: Location: Classification: Status:	Fabulously French A, 15, Falkland Road, London, NW5 2PU Confectionery Manufacturers Inactive Automatically positioned to the address	A18SE (N)	623	-	529086 185343
	Contemporary Trad	e Directory Entries				
	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	Rileys Electricians Ltd 210, Camden High Street, London, NW1 8QR Domestic Appliances - Servicing, Repairs & Parts Active Automatically positioned to the address	A8NW (SW)	627	-	528679 184140
	Contemporary Trad	e Directory Entries				
	Name: Location: Classification: Status: Positional Accuracy:	Silk Shop 45/46, Middle Yard, Camden Lock Place, London, NW1 8AF Clothing & Fabrics - Manufacturers Inactive Automatically positioned to the address	A8NW (SW)	654	-	528651 184124
124	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	Car Scraping Scrap Yards In North West London 94, West Yard, Camden Lock Place, London, NW1 8AF Car Breakers & Dismantlers Active Automatically positioned to the address	A7NE (SW)	699	-	528630 184084
	Contemporary Trade					
124	Name: Location: Classification: Status:	Scrap Yard In Camden Town Camden Lock Place, London, nw1 8af Car Breakers & Dismantlers Active Manually positioned within the geographical locality	A7NE (SW)	699	-	528630 184084
	Contemporary Trad					
	Name: Location: Classification: Status:	World Panorama Ltd West Yard, Camden Lock PI, London, NW1 8AF Photo & Digital Imaging Bureaus Inactive Manually positioned to the address or location	A7NE (SW)	699	-	528630 184083
	Contemporary Trad	· · · · · · · · · · · · · · · · · · ·				
125	Name: Location: Classification: Status:	Oven Clean Team Rhyl Street, London, NW5 3HB Oven cleaning Active Manually positioned within the geographical locality	A12NE (W)	634	-	528334 184823
126	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Urban Clothing 99D The Stables Market, Chalk Farm Rd, London, NW1 8AH Printers Textile Inactive Manually positioned within the geographical locality	A7NE (SW)	636	-	528535 184226
126	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	Cactus London 54 The Stables Market, Chalk Farm Road, London, NW1 8AH Leather Merchants & Wholesalers Active Manually positioned within the geographical locality	A7NE (SW)	644	-	528524 184225
126	Contemporary Trad Name: Location: Classification: Status:	Tribu Unit 99e, The Stables Market, Chalk Farm Road, London, NW1 8AH Jewellery Manufacturers & Repairers Inactive Manually positioned within the geographical locality	A7NE (SW)	644	-	528524 184225



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
126	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  X-Ray Fog Unit 711,The Stables Market,Chalk Farm Rd, London, NW1 8AH T-Shirts Inactive Manually positioned within the geographical locality	A7NE (SW)	644	-	528524 184225
126	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Eye On Design The Stables Market, Chalk Farm Rd, London, NW1 8AH Homefurnishings - Manufacturers Inactive Manually positioned within the geographical locality	A7NE (SW)	645	-	528524 184224
126	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Hooky The Stables Market, Chalk Farm Rd, London, NW1 8AH Printers Textile Inactive Manually positioned within the geographical locality	A7NE (SW)	645	-	528524 184224
126	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Hazara Enterprise 14D The Stables Market, Chalk Farm Rd, London, NW1 8AH Furniture - Repairing & Restoring Inactive  Manually positioned within the geographical locality	A7NE (SW)	670	-	528478 184234
126	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Hard Floor Cleaning Camden Unit 90, The Stables Market, Chalk Farm Road, London, NW1 8AH Floor Cleaning & Polishing Equipment - Manufacturers & Distributors Active Automatically positioned to the address	A7NE (SW)	674	-	528483 184223
126	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  2m Design 2 Camon Lock Market, London, NW1 8AH Mirrors & Decorative Glass Inactive Manually positioned within the geographical locality	A7NE (SW)	682	-	528523 184176
127	Contemporary Trade Name: Location: Classification: Status:		A7NE (SW)	637	-	528574 184192
127	Contemporary Trad Name: Location: Classification: Status:		A7NE (SW)	637	-	528574 184192
127	Contemporary Trade Name: Location: Classification: Status:		A7NE (SW)	637	-	528574 184192
127	Contemporary Trad Name: Location: Classification: Status:		A7NE (SW)	638	-	528574 184192
128	Contemporary Trad Name: Location: Classification: Status:		A8NW (S)	641	-	528791 184081
128	Contemporary Trad Name: Location: Classification: Status:		A8NW (S)	666	-	528819 184049



Map ID	Details		Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
128	Contemporary Trade Directory Entries  Name: Leather Clad Location: 247, Camden High Street, London, NW1 Classification: Leather Garments & Products Status: Inactive Positional Accuracy: Manually positioned to the address or loc		A8SW (S)	713	-	528807 184004
129	Contemporary Trade Directory Entries  Name: Camden Cab Co Location: 5a, Agar Place, London, NW1 0RG Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address		A9NW (SE)	645	-	529429 184226
130	Contemporary Trade Directory Entries  Name: Infectious Distribution Location: 25, Ferdinand Street, London, NW1 8EU Classification: Distribution Services Status: Inactive Positional Accuracy: Automatically positioned to the address		A12SE (SW)	645	-	528387 184403
130	Contemporary Trade Directory Entries  Name: S B Z Foods Location: 10a Belmont St, London, NW1 8HH Classification: Food Products - Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the address or locations.	ation	A12SE (SW)	685	-	528344 184399
130	Contemporary Trade Directory Entries  Name: Austrian Sausage Centre Location: 10a, Belmont Street, London, NW1 8HH Classification: Meat Product Manufacturers & Wholesale Status: Inactive Positional Accuracy: Automatically positioned to the address	ers	A12SE (SW)	685	-	528344 184399
131	Contemporary Trade Directory Entries  Name: Perk Clean Location: 20 Fortess Rd, London, NW5 2HB Classification: Dry Cleaners Status: Active Positional Accuracy: Manually positioned to the address or locations.	ation	A18SE (N)	647	-	529006 185374
132	Contemporary Trade Directory Entries  Name: Wiloth Ltd Location: 47, Abingdon Close, Camden Square, Lo Classification: Cleaning Services - Domestic Status: Active Positional Accuracy: Automatically positioned to the address	ndon, NW1 9UX	A14SW (E)	654	-	529644 184661
133	Contemporary Trade Directory Entries  Name: C & M Cars & Ecobikes Location: 152 Royal College St, London, NW1 0TA Classification: Car Dealers - Used Status: Inactive Positional Accuracy: Manually positioned to the address or loc	ation	A8NE (SE)	660	-	529262 184098
134	Contemporary Trade Directory Entries  Name: Reject Pot Shop Location: 56, Chalk Farm Road, London, NW1 8AN Classification: Catering Equipment Status: Active Positional Accuracy: Automatically positioned to the address		A7NE (SW)	664	-	528408 184330
134	Contemporary Trade Directory Entries  Name: Reject Pot Shop Location: 56, Chalk Farm Road, London, NW1 8AN Classification: Tableware Status: Inactive Positional Accuracy: Automatically positioned to the address		A7NE (SW)	664	-	528408 184330
134	Contemporary Trade Directory Entries  Name: Marine Ices Location: 61, Chalk Farm Road, London, NW1 8AN Classification: Ice Cream Manufacturers & Suppliers Status: Active Positional Accuracy: Automatically positioned to the address		A7NE (SW)	679	-	528386 184337
134	Contemporary Trade Directory Entries  Name: Select Canvas Location: The Stables Market, Chalk Farm Rd, Lond Classification: Printers Status: Inactive Positional Accuracy: Manually positioned to the road within the		A7NE (SW)	686	-	528392 184314



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Contemporary Trad	e Directory Entries				
135	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	Jr Quintess Cleaning Services 11, Murray Street, London, NW1 9RE Commercial Cleaning Services Inactive Automatically positioned to the address	A14SW (SE)	672	-	529586 184387
	Contemporary Trad	e Directory Entries				
135	Name: Location: Classification: Status:	Subway Murray St, London, NW1 9RE Diamond Tool Manufacturers Inactive Manually positioned to the road within the address or location	A9NW (SE)	712	-	529624 184374
	Contemporary Trad	e Directory Entries				
136	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	Figgy Flat 1, 240, Camden Road, London, NW1 9HE Oils - Edible Active Automatically positioned to the address	A14NE (E)	676	-	529667 184764
	Contemporary Trad	e Directory Entries				
136	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	Franklin Autos 97, Camden Mews, London, NW1 9BU Garage Services Inactive Automatically positioned to the address	A14NE (E)	724	-	529714 184777
	Contemporary Trad	e Directory Entries				
137	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	Alexander Green Ltd 19, Greenwood Place, London, NW5 1LB Children & Babywear - Manufacturers & Wholesalers Inactive Manually positioned to the address or location	A18NW (N)	684	-	528848 185403
	Contemporary Trad	**				
138	Name: Location: Classification: Status:	M P Snelling Refrigeration Ltd 59, Torriano Avenue, London, NW5 2SG Refrigeration Equipment - Commercial Inactive Automatically positioned to the address	A19SW (NE)	685	-	529559 185112
	Contemporary Trad	• • • • • • • • • • • • • • • • • • • •				
139	Name: Location: Classification: Status:	Overland Shoes Ltd Unit 1-15 Lawfords Wharf, Lyme Street, London, NW1 0SF Footwear Manufacturers & Wholesale Active Manually positioned within the geographical locality	A8NE (S)	688	-	529246 184060
	Contemporary Trad					
139	Name: Location: Classification: Status:	Pegram Bianco 183, Royal College Street, London, NW1 0SG Cabinet Makers Inactive Automatically positioned to the address	A8NE (SE)	711	-	529260 184041
	Contemporary Trad	e Directory Entries				
139	Name: Location: Classification: Status:	S E I Bass 142, Royal College Street, London, NW1 0TA Musical Instrument - Manufacturers Active Automatically positioned to the address	A8NE (SE)	715	-	529290 184049
140	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Car Care 50, Leverton Street, London, NW5 2PG Garage Services Inactive Automatically positioned to the address	A18NE (N)	693	-	529108 185411
	Contemporary Trad	• • • • • • • • • • • • • • • • • • • •				
141	Name: Location: Classification: Status:	Crystal Express Services 46, Malden Road, London, NW5 3HG Dry Cleaners Inactive Automatically positioned to the address	A12NW (W)	694	-	528270 184790
	-					
141	Contemporary Trad Name: Location: Classification: Status:	R P M Motors Malden Rd, London, NW5 3HP Garage Services Inactive Manually positioned to the road within the address or location	A12NW (W)	732	-	528235 184820



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
142	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries Chalk Farm Tyres 66, Chalk Farm Road, London, NW1 8AN Tyre Dealers Inactive Automatically positioned to the address	A7NE (SW)	695	-	528359 184350
142	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries  Chalk Farm Ford 74-77, Chalk Farm Road, London, NW1 8AN Car Dealers Inactive Automatically positioned to the address	A7NE (SW)	730	-	528314 184358
143	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries  Nuco Ltd  30, Northpoint Square, London, NW1 9AW  Oil Recycling & Disposal Services  Active  Automatically positioned to the address	A14NE (E)	699	-	529681 184847
144	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries  World Classics Deane House, 27, Greenwood Place, London, NW5 1LB T-Shirts Inactive Manually positioned to the address or location	A18NW (N)	704	-	528780 185409
144	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries  Billi Co  Unit 5A, 33, Greenwood Place, London, NW5 1LB  Candle Manufacturers & Suppliers  Inactive  Manually positioned to the address or location	A18NW (N)	735	-	528791 185444
144	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	Angelic Candles Ltd Angelic Candles Ltd Unit 5A, 33, Greenwood Place, London, NW5 1LB Candle Manufacturers & Suppliers Inactive Manually positioned to the address or location	A18NW (N)	735	-	528791 185444
144	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	Alan Pharmaceuticals 33, Greenwood Place, London, NW5 1LB Pharmaceutical Manufacturers & Distributors Active Automatically positioned to the address	A18NW (N)	736	-	528791 185444
144	Contemporary Trad Name: Location: Classification: Status:		A18NW (N)	736	-	528791 185444
144	Contemporary Trad Name: Location: Classification: Status:		A18NW (N)	736	-	528791 185444
144	Contemporary Trad Name: Location: Classification: Status:		A18NW (N)	736	-	528791 185444
144	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries Tango Group International Linton House, 39-51, Highgate Road, London, NW5 1RT Clothing Accessory Manufacturers Active Automatically positioned to the address	A18NW (N)	749	-	528813 185463
144	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	le Directory Entries  Dictate I T  Linton House, 39-51, Highgate Road, London, NW5 1RT  Waterproof Clothing & Rainwear  Inactive  Automatically positioned to the address	A18NW (N)	749	-	528813 185463



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
144	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Millenium Designs Ltd 39-51, Highgate Road, London, NW5 1RS Clothing & Fabrics - Manufacturers Inactive Automatically positioned to the address	A18NW (N)	749	-	528813 185463
144	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Regalfield Ltd 39-51, Highgate Road, London, NW5 1RS Clothing & Fabrics - Manufacturers Inactive Automatically positioned to the address	A18NW (N)	749	-	528813 185463
144	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries The Constance Wood Group 39-51, Highgate Road, London, NW5 1RS Clothing & Fabrics - Manufacturers Inactive Automatically positioned to the address	A18NW (N)	749	-	528813 185463
145	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  A S Hepburn 30a, Highgate Road, London, NW5 1QB Fasteners & Fixing Devices Inactive Automatically positioned to the address	A18NW (N)	722	-	528938 185451
146	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Stonegate Cleaning Flat 4, Stonegate, St. Silas Place, London, NW5 3QP Commercial Cleaning Services Inactive Automatically positioned to the address	A12SW (W)	726	-	528235 184657
147	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Dr Clive Medical Ltd Apartment 303, 226, Arlington Road, London, NW1 7HY Pharmaceutical Manufacturers & Distributors Active Automatically positioned to the address	A8SW (S)	727	-	528736 184009
147	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Serviceteam Ltd 28 Jamestown Rd, London, NW1 7BY Waste Disposal Services Inactive Manually positioned to the road within the address or location	A8SW (S)	736	-	528708 184008
148	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Holydivineltd Flat 9, Ashmore, Agar Grove, London, NW1 9SX Cleaning Services - Domestic Active  Automatically positioned to the address	A9NW (SE)	731	-	529579 184264
149	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Andros Fashions Hampshire St, London, NW5 2TE Clothing & Fabrics - Manufacturers Inactive Manually positioned to the road within the address or location	A14NE (E)	740	-	529696 184956
149	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Larke 1, Long Meadow, Torriano Avenue, London, NW5 2SU Cleaning Services - Domestic Inactive Automatically positioned to the address	A14NE (E)	748	-	529693 184990
149	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Electricomms Ltd 23 Hampshire St, London, NW5 2TE  Electrical Engineers  Inactive  Manually positioned to the road within the address or location	A14NE (E)	758	-	529710 184970
149	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Starquest Ltd 1, Hampshire Street, London, NW5 2TE Sheet Metal Work Inactive Automatically positioned in the proximity of the address	A14NE (E)	778	-	529730 184975



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Contemporary Trad	e Directory Entries				
149	Name: Location: Classification: Status:	Camden Joinery 3, Hampshire Street, London, NW5 2TE Joinery Manufacturers Inactive Manually positioned to the address or location	A14NE (E)	778	-	529730 184975
	Contemporary Trad	e Directory Entries				
150	Name: Location: Classification: Status:	Mccrone Scientific Ltd McCrone House, 155a, Leighton Road, London, NW5 2RD Laboratory Equipment, Instruments & Supplies Inactive Automatically positioned to the address	A19SW (NE)	741	-	529547 185219
	Contemporary Trad	e Directory Entries				
151	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	Queens 201, Queens Crescent, London, NW5 4DS Dry Cleaners Inactive Automatically positioned to the address	A17SE (NW)	747	-	528351 185160
	Contemporary Trad	e Directory Entries				
151	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	Cufflinks 201, Queens Crescent, London, NW5 4DS Laundries & Launderettes Inactive Automatically positioned to the address	A17SE (NW)	747	-	528351 185160
	Contemporary Trad	e Directory Entries				
151	Name: Location: Classification: Status:	A A Gold 155-161, Grafton Road, London, NW5 4AY Car Customisation & Conversion Specialists Active Automatically positioned to the address	A17SE (NW)	777	-	528335 185189
	Contemporary Trad					
152	Name: Location: Classification: Status:	Cleaning Services Camden 13, Kentish Town Road, London, NW1 8NH Carpet, Curtain & Upholstery Cleaners Inactive Automatically positioned to the address	A8SW (S)	749	-	528916 183953
	Contemporary Trad					
153	Name: Location: Classification: Status:	Rapha Racing 22-24, Camden Road, London, NW1 9DP Leisure & Sportswear Manufacturers & Wholesalers Inactive Automatically positioned to the address	A8SE (S)	751	-	529009 183949
	Contemporary Trad					
154	Name: Location: Classification: Status:	Lewis Scaffolding Limton House, Kentish Town, NW5 1AD Scaffolding & Work Platforms Active Manually positioned within the geographical locality	A18NE (N)	758	-	528982 185486
	Contemporary Trad					
155	Name: Location: Classification: Status:	Stop The Press Unit 2, Burmarsh Workshops, 71, Marsden Street, London, NW5 3JA Screen Process Printers Inactive Manually positioned to the address or location	A12NW (W)	768	-	528192 184738
155	Contemporary Trad Name: Location: Classification: Status:	Hope & Piaget Unit 12/13, Burmarsh Workshops, 71, Marsden Street, London, NW5 3JA Antiques - Repairing & Restoring Inactive	A12NW (W)	769	-	528192 184738
	-	Automatically positioned to the address				
155	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Jayne Ormonde Ltd Unit 14, Burmarsh Workshops, 71, Marsden Street, London, NW5 3JA Candle Manufacturers & Suppliers Inactive Automatically positioned to the address	A12NW (W)	769	-	528192 184738
	-					
156	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Cuttingcolours 5a, Burghley Road, London, NW5 1UD Stained Glass Designers & Producers Inactive  Automatically positioned to the address	A18NW (N)	771	-	528870 185495



Page 45 of 64

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
157	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  C Mcnicoll Unit 3, Apollo Studios, Charlton Kings Road, London, NW5 2SB Ceramic Manufacturers, Supplies & Services Inactive Automatically positioned to the address	A19SW (NE)	777	-	529589 185225
157	Contemporary Trad Name: Location: Classification: Status:	**	A19SW (NE)	786	-	529600 185227
158	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Alexander Technique 3, Countess Road, London, NW5 2NS Cabinet Makers Active Automatically positioned to the address	A18NE (N)	780	-	529137 185493
159	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  N T A Cleaning Services Ltd 78, Queens Crescent, London, NW5 4EB Cleaning Services - Domestic Active Automatically positioned to the address	A12NW (NW)	780	-	528243 185034
159	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Moderna Dry Cleaners 70, Queens Crescent, London, NW5 4EE Dry Cleaners Active Automatically positioned to the address	A12NW (W)	799	-	528213 185010
159	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	Bubbles Launderette 106, Malden Road, London, NW5 4DA Dry Cleaners Active Automatically positioned to the address	A12NW (W)	810	-	528187 184969
160	Contemporary Trad Name: Location: Classification: Status:		A9NW (SE)	783	-	529626 184241
161	Contemporary Trad Name: Location: Classification: Status:		A14NE (NE)	786	-	529713 185041
161	Contemporary Trad Name: Location: Classification: Status:	•••	A14NE (E)	795	-	529735 185009
161	Contemporary Trad Name: Location: Classification: Status:		A14NE (NE)	813	-	529745 185036
161	Contemporary Trad Name: Location: Classification: Status:	••	A14NE (E)	818	-	529755 185023
161	Contemporary Trad Name: Location: Classification: Status:	•	A14NE (E)	824	-	529762 185023



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Contemporary Trad	e Directory Entries				
162	Name: Location: Classification: Status:	Switch Clothing Co Ltd 22, Inverness Street, London, NW1 7HJ Clothing & Fabrics - Manufacturers Inactive Automatically positioned to the address	A8SW (S)	788	-	528785 183932
163	Contemporary Trad Name: Location:	Key Production 2, Hargrave Place, London, N7 0BP	A19SE (NE)	792	-	529707 185070
	Classification: Status: Positional Accuracy:	Record, Tape & CD Manufacturers Inactive Automatically positioned to the address				
	Contemporary Trad	e Directory Entries				
164	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	Adnina Trading 163, Queens Crescent, London, NW5 4EA Toiletries Inactive Automatically positioned to the address	A17SW (NW)	793	-	528262 185102
	Contemporary Trad	e Directory Entries				
165	Name: Location: Classification: Status: Positional Accuracy:	Northern Lights 43-45, Fortess Road, London, NW5 1AD Domestic Appliances - Servicing, Repairs & Parts Inactive Automatically positioned to the address	A18NE (N)	798	-	528989 185526
	Contemporary Trad	e Directory Entries				
165	Name: Location: Classification: Status:	Lakis Meat Products 61, Fortess Road, London, NW5 1AD Sausage Manufacturers Active Automatically positioned to the address	A18NE (N)	837	-	529007 185564
	_					
166	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	Infolink Communications Ltd 2, Camden Road, London, NW1 9DL Telecommunications Equipment & Systems Inactive Automatically positioned to the address	A8SW (S)	798	-	528954 183902
	-	··				
167	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	Aims Plumbing & Building Services Ltd 59, Lady Margaret Road, London, NW5 2NJ Boilers - Servicing, Replacements & Repairs Inactive Automatically positioned to the address	A18NE (N)	799	-	529203 185498
	Contemporary Trad					
168	Name: Location: Classification: Status:	Animal Affinity 31, Cressfield Close, London, NW5 4BN Pet Foods & Animal Feeds Inactive Automatically positioned to the address	A17SE (NW)	799	-	528438 185333
	Contemporary Trad	· · · · · · · · · · · · · · · · · · ·				
169	Name: Location: Classification: Status:	Finesse Ltd Unit 7, St. Pancras Commercial Centre, Pratt Street, London, NW1 0BY Clothing & Fabrics - Manufacturers Inactive Automatically positioned to the address	A9SW (SE)	804	-	529376 183993
	Contemporary Trad	e Directory Entries				
169	Name: Location: Classification: Status:	Rugina Ltd Unit 7, St. Pancras Commercial Centre, Pratt Street, London, NW1 0BY Clothing & Fabrics - Manufacturers Inactive Automatically positioned to the address	A9SW (SE)	804	-	529376 183993
	Contemporary Trad	··				
169	Name: Location: Classification: Status:	Big Apple Clothing Co Ltd Unit 3, St. Pancras Commercial Centre, Pratt Street, London, NW1 0BY Clothing & Fabrics - Manufacturers Inactive	A9SW (SE)	841	-	529348 183938
		Automatically positioned to the address				
169	Contemporary Trad Name: Location: Classification: Status:	e Directory Entries  Akermans Chocolates Ltd  Unit 11, St. Pancras Commercial Centre, Pratt Street, London, NW1 0BY  Confectionery Manufacturers  Inactive	A9SW (SE)	849	-	529395 183953



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
169	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Scarlett Clothing Ltd 38-40, St. Pancras Way, London, NW1 0QG Clothing & Fabrics - Manufacturers Inactive Automatically positioned to the address	A9SW (SE)	877	-	529443 183947
169	Contemporary Trad Name: Location: Classification: Status:		A9SW (SE)	878	-	529443 183947
170	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Cleaners Chalk Farm 8, Haverstock Hill, London, NW3 2BL Cleaning Services - Domestic Active Automatically positioned to the address	A12SW (W)	810	-	528197 184426
170	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Marine Ices 8, Haverstock Hill, London, NW3 2BL Ice Cream Manufacturers & Suppliers Inactive Automatically positioned to the address	A12SW (W)	810	-	528197 184426
170	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Marine Ices 8, Haverstock Hill, London, NW3 2BL Ice Cream Manufacturers & Suppliers Inactive Automatically positioned to the address	A12SW (W)	810	-	528197 184426
171	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Foot Locker (Uk) Ltd 195, Camden High Street, London, NW1 7BT Leisure & Sportswear Manufacturers & Wholesalers Inactive Automatically positioned to the address	A8SW (S)	812	-	528864 183893
172	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Stained Glass Design 5, Rossendale Way, London, NW1 0XB Stained Glass Designers & Producers Inactive Automatically positioned to the address	A9SW (SE)	815	-	529449 184025
173	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Peplink Design Unit 4,Church Studios,Camden Pk Rd, London, NW1 9AY Leather Products - Manufacturers & Suppliers Inactive Manually positioned to the address or location	A14NE (E)	823	-	529814 184774
174	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Select Shirt & Laundry 9, Brecknock Road, London, N7 0BL Dry Cleaners Inactive Automatically positioned to the address	A14NE (E)	825	-	529764 185019
174	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Li Xin 12, Brecknock Road, London, N7 0DD Bags, Belts & Accessories - Manufacturers & Suppliers Inactive Automatically positioned to the address	A14NE (E)	857	-	529790 185040
174	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Andrews Office Equipment 229a, Camden Road, London, N7 0HR Office Furniture & Equipment Active Automatically positioned to the address	A14NE (E)	873	-	529813 185024
175	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  A W Motors 134, Camley Street, London, N1C 4PG Garage Services Inactive Automatically positioned to the address	A9NE (SE)	826	-	529676 184238



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
175	Contemporary Trad Name: Location: Classification: Status:	Aw Motors 134, Camley Street, London, NW1 0PG Garage Services Inactive	A9NE (SE)	826	-	529676 184238
175	Positional Accuracy:  Contemporary Trad  Name: Location: Classification:	Automatically positioned to the address  e Directory Entries  Jaguar Ac Classics  132, Camley Street, London, NW1 0PG  Garage Services	A9NE (SE)	833	-	529678 184229
	Status:	Inactive Automatically positioned to the address				
175		B T B Garages 128, Camley Street, London, NW1 0PG Garage Services Inactive Automatically positioned to the address	A9NE (SE)	847	-	529683 184211
175	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Euro Motors 128, Camley Street, London, NW1 0PG Garage Services Active  Automatically positioned to the address	A9NE (SE)	847	-	529683 184211
175	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries German Car Centre 126, Camley Street, London, NW1 0PG Mot Testing Centres Inactive Automatically positioned to the address	A9NE (SE)	855	-	529686 184201
175	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries German Car Centre 126, Camley Street, London, N1C 4PG Garage Services Inactive Automatically positioned to the address	A9NE (SE)	855	-	529686 184201
175	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Transauto Garage Ltd 124, Camley Street, London, N1C 4PG Mot Testing Centres Inactive Automatically positioned to the address	A9NE (SE)	861	-	529688 184192
175	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  T & S Coachworks Ltd  124, Camley Street, London, NW1 0PG Garage Services Inactive  Automatically positioned to the address	A9NE (SE)	862	-	529688 184192
175	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Bmw Auto Services 122, Camley Street, London, NW1 0PG Garage Services Inactive Automatically positioned to the address	A9NE (SE)	870	-	529691 184183
175	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  B M W Auto Services 122, Camley Street, London, N1C 4PG Garage Services Active Automatically positioned to the address	A9NE (SE)	870	-	529691 184183
176	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Caesar Fashions Ltd 53-79 Highgate Rd, London, NW5 1TL Clothing & Fabrics - Manufacturers Inactive Manually positioned to the address or location	A18NW (N)	832	-	528720 185525
176	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Freight-Linc Logistics Studio 320,Highgate Studios,53-79 Highgate Rd, London, NW5 1TL Freight Forwarders Inactive Manually positioned to the address or location	A18NW (N)	832	-	528720 185525



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
176	Contemporary Trad Name: Location: Classification: Status:	Caesar Fashions Ltd Highgate Studios Unit 801,53-79 Highgate Rd, London, NW5 1TL Clothing & Fabrics - Manufacturers Active	A18NW (N)	833	-	528721 185526
176	Contemporary Trad Name: Location: Classification: Status:	Airwaves Trading Ltd Highgate Studios,443 Highgate Rd, London, NW5 1TL Telecommunications Equipment & Systems Inactive	A18NW (N)	833	-	528720 185526
177	Contemporary Trad Name: Location: Classification: Status:	Manually positioned to the address or location  e Directory Entries  Pristine 21, Cheriton, Queens Crescent, London, NW5 4EZ  Dry Cleaners  Inactive  Automatically positioned to the address	A12NW (W)	840	-	528144 184920
178	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries P B P Services Ltd 88, Camden Street, London, NW1 0JA Commercial Cleaning Services Active Automatically positioned to the address	A8SE (S)	841	-	529204 183886
179	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Digital Bate.Net Ltd Unit 9, 43, Carol Street, London, NW1 0HT Printers Inactive Automatically positioned to the address	A8SE (S)	841	-	529041 183860
179	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Vrsion Ltd  Unit 1, 43, Carol Street, London, NW1 0HT  Photographic Equipment & Supplies - Manufacturers  Inactive  Manually positioned to the address or location	A8SE (S)	841	-	529041 183860
179	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Skin2hide Ltd Unit 6, 43, Carol Street, London, NW1 0HT Clothing Accessory Manufacturers Inactive Manually positioned to the address or location	A8SE (S)	841	-	529041 183860
180	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Hawkins & Scuffell 123, Camden Mews, London, NW1 9AH Antiques - Repairing & Restoring Inactive Automatically positioned to the address	A14NE (E)	847	-	529822 184900
180	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  W R D Worldwide Music Ltd 282, Camden Road, London, NW1 9AB Record, Tape & CD Manufacturers & Wholesalers Inactive Automatically positioned to the address	A14NE (E)	854	-	529818 184945
180	Contemporary Trad Name: Location: Classification: Status:	· · · · · · · · · · · · · · · · · · ·	A14NE (E)	879	-	529844 184945
180	Contemporary Trad Name: Location: Classification: Status:	• • • • • • • • • • • • • • • • • • • •	A14NE (E)	879	-	529844 184945
181	Contemporary Trad Name: Location: Classification: Status:		A18NW (N)	857	-	528794 185569



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
182	Contemporary Trad Name: Location: Classification: Status:	1 A Pest Control Call Centre,Regents Pk Rd, London, NW1 8BB Pest & Vermin Control Inactive	A7NW (SW)	861	-	528166 184364
	Positional Accuracy:  Contemporary Trad	Manually positioned to the road within the address or location  e Directory Entries				
183	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	The Maid Of London 181, York Way, London, N7 9LN Cleaning Services - Domestic Inactive Automatically positioned to the address	A14NE (E)	865	-	529825 184960
183	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Maid Of London  181, York Way, London, N7 9LN  Cleaning Services - Domestic  Inactive  Automatically positioned to the address	A14NE (E)	865	-	529825 184960
184	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  1st Option Representation  1, Parkway, London, NW1 7PG Photographic Processors Inactive Manually positioned to the address or location	A8SW (S)	866	-	528891 183837
185	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Max Fordham  42-43, Gloucester Crescent, London, NW1 7PE Engineering Services Active Automatically positioned to the address	A7SE (SW)	867	-	528578 183922
186	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Crankshaft Exchange & Borers Ltd 44, St. Pauls Crescent, London, NW1 9TN Engine Rebuilding & Reconditioning Active Automatically positioned to the address	A9NE (SE)	872	-	529767 184302
186	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Cane & Abel Unit F, 44, St. Pauls Crescent, London, NW1 9TN Furniture Manufacturers - Home & Office Inactive Automatically positioned to the address	A9NE (SE)	872	-	529767 184302
186	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries H G Abbott Unit A, 44, St. Pauls Crescent, London, NW1 9TN Engineers - General Inactive Manually positioned to the address or location	A9NE (SE)	872	-	529767 184302
187	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Kudos Records Ltd  77, Fortess Road, London, NW5 1AG Distribution Services  Active  Automatically positioned to the address	A18NE (N)	879	-	529022 185606
187	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Tse Europe Ltd 79, Fortess Road, London, NW5 1AG Knitwear Manufacturers & Wholesalers Inactive Automatically positioned to the address	A18NE (N)	893	-	529008 185620
188	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Luckys Deluxe Ltd 129, Weedington Road, London, NW5 4PQ Ice Cream Manufacturers & Suppliers Inactive Automatically positioned in the proximity of the address	A17SW (NW)	879	-	528231 185218
188	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  D Schuman 129 Weedington Rd, London, NW5 4PQ Garage Services Inactive Manually positioned to the address or location	A17SW (NW)	879	-	528231 185218



Page 51 of 64

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
189	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries S C Paul 165, York Way, London, N7 9LN Laundries & Launderettes Inactive Automatically positioned to the address	A14NE (E)	895	-	529866 184924
190	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  R B Cleanings Lupton St, London, NW5 2HY Carpet, Curtain & Upholstery Cleaners Active  Manually positioned to the road within the address or location	A18NE (N)	897	-	529140 185612
191	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Proxima Concepts 2, Royal College Street, London, NW1 0NH Medical & Dental Laboratories Inactive Automatically positioned to the address	A8SW (S)	902	-	528965 183798
191	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Fads 159-161, Camden High Street, London, NW1 7JY Wallpapers & Wall Coverings Inactive Automatically positioned to the address	A8SW (S)	923	-	528926 183778
191	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Camden Town Carpet Cleaners Ltd 157a, Camden High Street, London, NW1 7JY Cleaning Services - Domestic Active Automatically positioned to the address	A8SW (S)	934	-	528932 183767
192	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Ats Euromaster Ltd 70-86, Royal College Street, London, NW1 0TH Tyre Dealers Active  Automatically positioned to the address	A9SW (SE)	906	-	529386 183884
193	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Leon Paul Equipment Co Ltd  1-2, Cedar Way Industrial Estate, Cedar Way, LONDON, NW1 0PD  Sports Equipment Manufacturers & Distributors  Inactive  Automatically positioned to the address	A9NE (SE)	916	-	529670 184084
194	Contemporary Trad Name: Location: Classification: Status:		A12SW (W)	921	-	528085 184411
195	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Parkway Filling Station Oval Rd, London, NW1 7EB Petrol Filling Stations - 24 Hour Inactive Manually positioned to the road within the address or location	A7SE (SW)	924	-	528580 183858
196	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  London Boys Scrap Yards In Camden Town 33, Parkway, London, NW1 7PN Car Breakers & Dismantlers Inactive Automatically positioned to the address	A8SW (S)	929	-	528809 183784
196	Contemporary Trad Name: Location: Classification: Status:		A8SW (S)	943	-	528770 183777
196	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Paradise Cleaners 58, Parkway, London, NW1 7AH Dry Cleaners Active  Automatically positioned to the address	A8SW (S)	963	-	528756 183759



Page 52 of 64

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
196	Contemporary Trad Name: Location:	e Directory Entries It Green Unit5 Parkway, London, NW1 7AH	A8SW (S)	969	-	528769 183750
	Classification: Status: Positional Accuracy:	Computer Recycling & Disposal Active Manually positioned to the road within the address or location	, ,			
197	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Original Cleaners Camden 49, Pratt Street, London, NW1 0BJ Cleaning Services - Domestic Active Automatically positioned to the address	A8SE (S)	930	-	529187 183791
197	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Lomax Carpark  Curnock Estate Car Park 38-40, Pratt Street, London, NW1 0LY  Car Painters & Sprayers  Active  Automatically positioned to the address	A8SE (S)	975	-	529181 183743
198	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries W A Waugh 94, Highgate Road, London, NW5 1PB Printers Inactive Automatically positioned to the address	A18NW (N)	930	-	528724 185627
198	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Easy Rubbish 96a, Highgate Road, London, NW5 1PB Waste Disposal Services Inactive Manually positioned to the address or location	A18NW (N)	934	-	528722 185631
198	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Easy Rubbish 96, Highgate Road, London, NW5 1PB Waste Merchants Inactive Automatically positioned to the address	A18NW (N)	934	-	528722 185631
199	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Merit Cleaning Co 15, Lady Somerset Road, London, NW5 1UR Commercial Cleaning Services Inactive Automatically positioned to the address	A18NW (N)	932	-	528971 185661
200	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Currys Digital 136-138, Camden High Street, London, NW1 0LU Electrical Goods Sales, Manufacturers & Wholesalers Inactive Automatically positioned to the address	A8SE (S)	933	-	528988 183767
201	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Imedia Print (City) Ltd 2, Centric Close, Oval Road, London, NW1 7EP Copying & Duplicating Services Inactive Automatically positioned to the address	A7SE (SW)	940	-	528521 183868
201	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Lightning Graphics 1, Centric Close, Oval Road, London, NW1 7EP Printers Inactive Automatically positioned to the address	A7SE (SW)	946	-	528529 183857
202	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Motorway Tyres & Auto Centres 139-143, York Way, London, N7 9LG Tyre Dealers Inactive Automatically positioned to the address	A14NE (E)	946	-	529931 184850
203	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Mattacol 22, St. Pancras Way, London, NW1 0QG Photographic Processors Inactive Manually positioned to the address or location	A9SW (SE)	949	-	529508 183904



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
204	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  H R Owen 46-50, Gloucester Avenue, London, NW1 8JD Garage Services Inactive Automatically positioned to the address	A7NW (SW)	953	-	528218 184101
205	Contemporary Trad Name: Location: Classification: Status:	, , , , , , , , , , , , , , , , , , ,	A7SE (SW)	955	-	528426 183907
206	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Pacific Heights Uk Ltd  5-12, Mandela Street, London, NW1 0DU  Clothing & Fabrics - Manufacturers  Inactive  Automatically positioned to the address	A8SE (S)	958	-	529310 183796
207	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  W Business Presentations Ltd 85-87, Bayham Street, London, NW1 0AG Photographic Processors Inactive Automatically positioned to the address	A8SE (S)	966	-	529059 183736
207	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Printing.Com 85-87, Bayham Street, London, NW1 0AG Printers Active Automatically positioned to the address	A8SE (S)	966	-	529059 183736
207	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Serna Services 85-87, Bayham Street, London, NW1 0AG Commercial Cleaning Services Active Automatically positioned to the address	A8SE (S)	966	-	529059 183736
207	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Halina'S Cleaners 21, Pratt Street, London, NW1 0BG Cleaning Services - Commercial Inactive  Automatically positioned to the address	A8SE (S)	973	-	529100 183732
207	Contemporary Trad Name: Location: Classification: Status:		A8SE (S)	994	-	529061 183708
208	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries Richmond Laundries Ltd 29, Cedar Way Industrial Estate, Cedar Way, London, NW1 0PD Laundry Equipment Manufacturers & Suppliers Active Manually positioned to the address or location	A9SE (SE)	969	-	529689 184027
208	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  I M S Of Smithfield Ltd 27-28, Cedar Way Industrial Estate, Cedar Way, London, N1C 4PD Meat - Wholesale Active Automatically positioned to the address	A9SE (SE)	999	-	529692 183987
209	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Ariel Medical Ltd  4, Maitland Park Road, London, NW3 2ES  Medical Equipment Manufacturers  Inactive  Automatically positioned to the address	A12SW (W)	969	-	527991 184676
210	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Volvo Cars Regents Park  1, Dumpton Place, London, NW1 8JB  Garage Services  Inactive  Automatically positioned to the address	A7NW (SW)	972	-	528166 184138



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
210	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  Oven Cleaning Primrose Hill  90, Gloucester Avenue, London, NW1 8HX  Oven cleaning  Inactive  Automatically positioned to the address	A7NW (SW)	985	-	528158 184128
211	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries S Dawson 4, Vicars Road, London, NW5 4NL Antiques - Repairing & Restoring Inactive Automatically positioned to the address	A17SW (NW)	991	-	528191 185352
211	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  J C Press A, 12, Vicars Road, London, NW5 4NL Printers Inactive Automatically positioned to the address	A17SW (NW)	991	-	528191 185352
211	Contemporary Trad Name: Location: Classification: Status: Positional Accuracy:	e Directory Entries  P R Leer 2, Vicars Road, London, NW5 4NL Cabinet Makers Inactive Automatically positioned to the address	A17SW (NW)	991	-	528191 185352
212	Fuel Station Entries Name: Location: Brand: Premises Type: Status: Positional Accuracy:	Mark Kass 85-89, Camden Road, Camden Town,, LONDON, Greater London, NW1 9EX Obsolete Not Applicable Obsolete Manually positioned to the address or location	A13SE (SE)	400	-	529285 184428
213	Fuel Station Entries Name: Location: Brand: Premises Type: Status: Positional Accuracy:	Fairways Garage 139-143 Camden Road, Sandal Road, Camden Town, LONDON, NW1 9HA Total Not Applicable Obsolete Manually positioned to the address or location	A14SW (E)	540	-	529530 184658
214	Fuel Station Entries Name: Location: Brand: Premises Type: Status:		A14SW (E)	560	-	529541 184593
215	Fuel Station Entries Name: Location: Brand: Premises Type: Status: Positional Accuracy:	Chalk Farm Service Station 32-33, Chalk Farm Road, London, NW1 8AJ ESSO Not Applicable Obsolete Manually positioned to the address or location	A7NE (SW)	567	-	528567 184291
216	Fuel Station Entries Name: Location: Brand: Premises Type: Status: Positional Accuracy:	Morrisons Camden Chalk Farm Road, Chalk Farm, London, Greater London, NW1 8AA Morrisons Hypermarket Open Manually positioned to the address or location	A7NE (SW)	683	-	528420 184281
217	Fuel Station Entries Name: Location: Brand: Premises Type: Status: Positional Accuracy:	Star Chalk Farm 81-85 Chalk Farm Road, Chalk Farm, LONDON, NW1 8AR Texaco Not Applicable Obsolete Approximate location provided by supplier	A12SW (W)	815	-	528174 184481
218	Fuel Station Entries Name: Location: Brand: Premises Type: Status: Positional Accuracy:	Parkway Filling Station 120 Parkway, Camden Town, LONDON, NW1 7AN Obsolete Not Applicable Obsolete Approximate location provided by supplier	A7SE (SW)	895	-	528582 183889



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Fuel Station Entries	1				
219	Name: Location: Brand: Premises Type: <b>Status:</b> Positional Accuracy:	Shell Camden Town 109-113, York Way, London, N7 9QE Shell Petrol Station Open Automatically positioned to the address	A14SE (E)	981	-	529973 184699

Order Number: 77302396\_1\_1 Date: 21-Dec-2015 rpr\_ec\_datasheet v50.0 A Landmark Information Group Service Page 55 of 64



Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
London Borough of Hackney - Environmental Health Department	April 2015	Annual Rolling Update
London Borough of Islington - Public Protection	August 2013	Annual Rolling Update
ondon Borough of Barnet - Environmental Health Department	January 2015	Annual Rolling Update
ondon Borough of Camden - Pollution Projects Team	March 2013	Annual Rolling Upda
Royal Borough of Kensington And Chelsea - Environmental Services	May 2014	Annual Rolling Upda
ondon Borough of Lambeth - Environmental Health Department	November 2014	Annual Rolling Upda
City of London - Environmental Health Department	October 2014	Annual Rolling Upda
ondon Borough of Haringey - Planning and Environmental Health	October 2014	Annual Rolling Upda
ondon Borough of Tower Hamlets - Environmental Health Department	October 2014	Annual Rolling Upda
Nestminster City Council - Environmental Health Department	October 2014	Annual Rolling Upda
ondon Borough of Brent - Environmental Health Department	September 2014	Annual Rolling Upda
Discharge Consents		
Environment Agency - Thames Region	November 2015	Quarterly
Enforcement and Prohibition Notices		
Environment Agency - Thames Region	March 2013	As notified
ntegrated Pollution Controls		
Environment Agency - Thames Region	October 2008	Not Applicable
ntegrated Pollution Prevention And Control		
Environment Agency - Thames Region	October 2015	Quarterly
ocal Authority Integrated Pollution Prevention And Control		
ondon Borough of Barnet - Environmental Health Department	April 2013	Annual Rolling Upda
City of London - Environmental Health Department	August 2014	Annual Rolling Upda
ondon Borough of Brent - Environmental Health Department	January 2013	Annual Rolling Upda
ondon Borough of Islington - Environmental Health Department	January 2015	Annual Rolling Upda
ondon Borough of Haringey - Planning and Environmental Health	June 2014	Annual Rolling Upda
ondon Borough of Hackney - Environmental Health Department	March 2015	Annual Rolling Upda
Westminster City Council - Environmental Health Department	November 2015	Annual Rolling Upda
ondon Borough of Lambeth - Environmental Health Department	October 2013	Annual Rolling Upda
ondon Borough of Camden - Pollution Projects Team	October 2014	Annual Rolling Upda
ondon Borough of Tower Hamlets - Environmental Health Department	October 2014	Annual Rolling Upda
London Port Health Authority - Environmental Services	October 2014	Annual Rolling Upda
Royal Borough of Kensington And Chelsea - Environmental Health Department	September 2014	Annual Rolling Upda
ocal Authority Pollution Prevention and Controls	-	
City of London - Environmental Health Department	August 2014	Annual Rolling Upda
London Borough of Barnet - Environmental Health Department	December 2014	Annual Rolling Upda
ondon Borough of Brent - Environmental Health Department	January 2013	Annual Rolling Upda
ondon Borough of Islington - Environmental Health Department	January 2015	Annual Rolling Upda
ondon Borough of Haringey - Planning and Environmental Health	June 2014	Annual Rolling Upda
ondon Borough of Hackney - Environmental Health Department	March 2015	Annual Rolling Upda
Vestminster City Council - Environmental Health Department	November 2015	
·		Annual Rolling Upda
London Borough of Lambeth - Environmental Health Department	October 2013	Annual Rolling Upda
London Borough of Camden - Pollution Projects Team	October 2014	Annual Rolling Upda
ondon Borough of Tower Hamlets - Environmental Health Department	October 2014	Annual Rolling Upda
London Port Health Authority - Environmental Services	October 2014	Annual Rolling Upda
Royal Borough of Kensington And Chelsea - Environmental Health Department	September 2014	Annual Rolling Upda

Order Number: 77302396\_1\_1 Date: 21-Dec-2015 rpr\_ec\_datasheet v50.0 A Landmark Information Group Service Page 56 of 64



Agency & Hydrological	Version	Update Cycle
Local Authority Pollution Prevention and Control Enforcements		
City of London - Environmental Health Department	August 2014	Annual Rolling Update
ondon Borough of Barnet - Environmental Health Department	December 2014	Annual Rolling Updat
ondon Borough of Brent - Environmental Health Department	January 2013	Annual Rolling Updat
ondon Borough of Islington - Environmental Health Department	January 2015	Annual Rolling Updat
London Borough of Haringey - Planning and Environmental Health	June 2014	Annual Rolling Updat
London Borough of Hackney - Environmental Health Department	March 2015	Annual Rolling Updat
Vestminster City Council - Environmental Health Department	November 2015	Annual Rolling Updat
ondon Borough of Consider - Pollution Resident Toom	October 2013	Annual Rolling Updat
ondon Borough of Camden - Pollution Projects Team.  ondon Borough of Tower Hamlets - Environmental Health Department.	October 2014 October 2014	Annual Rolling Update Annual Rolling Update
London Borough of Tower Harmets - Environmental Nearth Department	October 2014 October 2014	Annual Rolling Update
Royal Borough of Kensington And Chelsea - Environmental Health Department	September 2014	Annual Rolling Update
learest Surface Water Feature	Ocptember 2014	Annual Rolling Opual
Ordnance Survey	July 2012	Quarterly
Pollution Incidents to Controlled Waters		
Environment Agency - Thames Region	September 1999	Not Applicable
Prosecutions Relating to Authorised Processes		
Environment Agency - Thames Region	March 2013	As notified
Prosecutions Relating to Controlled Waters Environment Agency - Thames Region	March 2013	As notified
River Quality	IVIAICII 2013	As notined
Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points		
Environment Agency - Head Office	July 2012	Annually
River Quality Chemistry Sampling Points		
Environment Agency - Head Office	July 2012	Annually
Substantiated Pollution Incident Register		
Environment Agency - Thames Region - North East Area	October 2015	Quarterly
Environment Agency - Thames Region - South East Area	October 2015	Quarterly
Nater Abstractions		
Environment Agency - Thames Region	July 2015	Quarterly
Nater Industry Act Referrals		
Environment Agency - Thames Region	October 2015	Quarterly
Groundwater Vulnerability		
Environment Agency - Head Office	April 2015	Not Applicable
Orift Deposits	1	Niet Assalisable
Environment Agency - Head Office	January 1999	Not Applicable
Bedrock Aquifer Designations British Geological Survey - National Geoscience Information Service	October 2012	As notified
Superficial Aquifer Designations	00.0001 2012	7 to Hotimod
British Geological Survey - National Geoscience Information Service	January 2015	As notified
Source Protection Zones	-	
Environment Agency - Head Office	October 2015	Quarterly
Extreme Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	November 2015	Quarterly
Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	November 2015	Quarterly
Areas Benefiting from Flood Defences	Navanak - 20045	Output state
Environment Agency - Head Office	November 2015	Quarterly
Flood Water Storage Areas	Naaaab - : 0045	O
Environment Agency - Head Office	November 2015	Quarterly

Order Number: 77302396\_1\_1 Date: 21-Dec-2015 rpr\_ec\_datasheet v50.0 A Landmark Information Group Service Page 57 of 64



Agency & Hydrological	Version	Update Cycle
Flood Defences		
Environment Agency - Head Office	November 2015	Quarterly
Detailed River Network Lines		
Environment Agency - Head Office	March 2012	Annually
Detailed River Network Offline Drainage		
Environment Agency - Head Office	March 2012	Annually
Surface Water 1 in 30 year Flood Extent		
Environment Agency - Head Office	October 2013	As notified
Surface Water 1 in 100 year Flood Extent		
Environment Agency - Head Office	October 2013	As notified
Surface Water 1 in 1000 year Flood Extent		
Environment Agency - Head Office	October 2013	As notified
Surface Water Suitability		
Environment Agency - Head Office	October 2013	As notified

Order Number: 77302396\_1\_1 Date: 21-Dec-2015 rpr\_ec\_datasheet v50.0 A Landmark Information Group Service Page 58 of 64



Waste	Version	Update Cycle
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	June 1996	Not Applicable
Integrated Pollution Control Registered Waste Sites		
Environment Agency - Thames Region	October 2008	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency - Thames Region - North East Area	August 2014	Quarterly
Environment Agency - Thames Region - South East Area	August 2014	Quarterly
Licensed Waste Management Facilities (Locations)	_	
Environment Agency - Thames Region - North East Area	October 2015	Quarterly
Environment Agency - Thames Region - South East Area	October 2015	Quarterly
Local Authority Landfill Coverage		
City of London - Environmental Health Department	May 2000	Not Applicable
London Borough of Barnet	May 2000	Not Applicable
London Borough of Brent - Environmental Health Department	May 2000	Not Applicable
London Borough of Camden	May 2000	Not Applicable
London Borough of Hackney	May 2000	Not Applicable
London Borough of Haringey - Planning Department	May 2000	Not Applicable
ondon Borough of Islington - Environmental Health Department	May 2000	Not Applicable
London Borough of Lambeth - Environmental Health Department	May 2000	Not Applicable
ondon Borough of Tower Hamlets - Environmental Health Department	May 2000	Not Applicable
Royal Borough of Kensington And Chelsea	May 2000	Not Applicable
Westminster City Council - Environmental Health Department	May 2000	Not Applicable
Local Authority Recorded Landfill Sites		
ondon Borough of Tower Hamlets - Environmental Health Department	April 2003	Not Applicable
City of London - Environmental Health Department	May 2000	Not Applicable
ondon Borough of Barnet	May 2000	Not Applicable
London Borough of Brent - Environmental Health Department	May 2000	Not Applicable
ondon Borough of Camden	May 2000	Not Applicable
London Borough of Hackney	May 2000	Not Applicable
ondon Borough of Haringey - Planning Department	May 2000	Not Applicable
ondon Borough of Islington - Environmental Health Department	May 2000	Not Applicable
London Borough of Lambeth - Environmental Health Department	May 2000	Not Applicable
Royal Borough of Kensington And Chelsea	May 2000	Not Applicable
Westminster City Council - Environmental Health Department	May 2000	Not Applicable
Registered Landfill Sites		
Environment Agency - Thames Region - North East Area	March 2003	Not Applicable
Environment Agency - Thames Region - South East Area	March 2003	Not Applicable
Registered Waste Transfer Sites		
Environment Agency - Thames Region - North East Area	March 2003	Not Applicable
Environment Agency - Thames Region - South East Area	March 2003	Not Applicable
Registered Waste Treatment or Disposal Sites		
Environment Agency - Thames Region - North East Area	June 2015	Not Applicable
Environment Agency - Thames Region - South East Area	March 2003	Not Applicable

Order Number: 77302396\_1\_1 Date: 21-Dec-2015 rpr\_ec\_datasheet v50.0 A Landmark Information Group Service Page 59 of 64



Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH)		
Health and Safety Executive	June 2015	Bi-Annually
Explosive Sites		
Health and Safety Executive	June 2015	Bi-Annually
Notification of Installations Handling Hazardous Substances (NIHHS)		
Health and Safety Executive	November 2000	Not Applicable
Planning Hazardous Substance Enforcements		
London Port Health Authority - Environmental Services	January 2008	Annual Rolling Update
Royal Borough of Kensington And Chelsea	July 2014	Annual Rolling Update
City of London	March 2014	Annual Rolling Update
Westminster City Council	March 2014	Annual Rolling Update
London Borough of Brent	November 2013	Annual Rolling Update
London Borough of Haringey	November 2014	Annual Rolling Update
London Borough of Barnet	October 2014	Annual Rolling Update
London Borough of Camden	October 2014	Annual Rolling Update
London Borough of Tower Hamlets	October 2014	Annual Rolling Update
London Borough of Islington	October 2015	Annual Rolling Update
London Borough of Hackney	September 2014	Annual Rolling Update
London Borough of Lambeth - Planning Department	September 2014	Annual Rolling Update
Planning Hazardous Substance Consents		
London Port Health Authority - Environmental Services	January 2008	Annual Rolling Update
Royal Borough of Kensington And Chelsea	July 2014	Annual Rolling Update
City of London	March 2014	Annual Rolling Update
Westminster City Council	March 2014	Annual Rolling Update
London Borough of Brent	November 2013	Annual Rolling Update
London Borough of Haringey	November 2014	Annual Rolling Update
London Borough of Barnet	October 2014	Annual Rolling Update
London Borough of Camden	October 2014	Annual Rolling Update
London Borough of Tower Hamlets	October 2014	Annual Rolling Update
London Borough of Islington	October 2015	Annual Rolling Update
London Borough of Hackney	September 2014	Annual Rolling Update
London Borough of Lambeth - Planning Department	September 2014	Annual Rolling Update

Order Number: 77302396\_1\_1 Date: 21-Dec-2015 rpr\_ec\_datasheet v50.0 A Landmark Information Group Service Page 60 of 64



Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology		
British Geological Survey - National Geoscience Information Service	January 2009	Not Applicable
BGS Estimated Soil Chemistry		
British Geological Survey - National Geoscience Information Service	January 2010	Annually
BGS Recorded Mineral Sites		
British Geological Survey - National Geoscience Information Service	November 2015	Bi-Annually
BGS Urban Soil Chemistry	hara 0044	Accessible
British Geological Survey - National Geoscience Information Service	June 2011	Annually
BGS Urban Soil Chemistry Averages	luce 0044	A
British Geological Survey - National Geoscience Information Service	June 2011	Annually
Brine Compensation Area		
Cheshire Brine Subsidence Compensation Board	August 2011	Not Applicable
Coal Mining Affected Areas		
The Coal Authority - Mining Report Service	March 2014	As notified
Mining Instability		
Ove Arup & Partners	October 2000	Not Applicable
Non Coal Mining Areas of Great Britain		
British Geological Survey - National Geoscience Information Service	July 2014	Not Applicable
Potential for Collapsible Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	June 2015	Annually
Potential for Compressible Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	June 2015	Annually
Potential for Ground Dissolution Stability Hazards		
British Geological Survey - National Geoscience Information Service	June 2015	Annually
Potential for Landslide Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	June 2015	Annually
Potential for Running Sand Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	June 2015	Annually
Potential for Shrinking or Swelling Clay Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	June 2015	Annually
Radon Potential - Radon Affected Areas		
British Geological Survey - National Geoscience Information Service	July 2011	As notified
Radon Potential - Radon Protection Measures		
British Geological Survey - National Geoscience Information Service	July 2011	As notified
Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries		
Thomson Directories	November 2015	Quarterly
Fuel Station Entries		
Catalist Ltd - Experian	August 2015	Quarterly

Order Number: 77302396\_1\_1 Date: 21-Dec-2015 rpr\_ec\_datasheet v50.0 A Landmark Information Group Service Page 61 of 64



Sensitive Land Use	Version	Update Cycle
Areas of Adopted Green Belt		
London Borough of Barnet	November 201	As notified
London Borough of Haringey	November 201	As notified
Areas of Unadopted Green Belt		
London Borough of Barnet	November 201	As notified
London Borough of Haringey	November 201	As notified
Areas of Outstanding Natural Beauty		
Natural England	October 2015	Bi-Annually
Environmentally Sensitive Areas		
Natural England	October 2015	Annually
Forest Parks		
Forestry Commission	April 1997	Not Applicable
Local Nature Reserves		
Natural England	October 2015	Bi-Annually
Marine Nature Reserves		
Natural England	October 2015	Bi-Annually
National Nature Reserves		
Natural England	October 2015	Bi-Annually
National Parks		
Natural England	August 2015	Bi-Annually
Nitrate Sensitive Areas		
Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	October 2015	Not Applicable
Nitrate Vulnerable Zones		
Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	October 2015	Annually
Ramsar Sites		
Natural England	October 2015	Bi-Annually
Sites of Special Scientific Interest		
Natural England	October 2015	Bi-Annually
Special Areas of Conservation		
Natural England	October 2015	Bi-Annually
Special Protection Areas		
Natural England	October 2015	Bi-Annually

Order Number: 77302396\_1\_1 Date: 21-Dec-2015 rpr\_ec\_datasheet v50.0 A Landmark Information Group Service Page 62 of 64



# **Data Suppliers**

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo	
Ordnance Survey	Ordnance Survey® Licensed Partner	
Environment Agency	Environment Agency	
Scottish Environment Protection Agency	SEPA Scottish Environment Protection Agency	
The Coal Authority	THE COAL AUTHORITY	
British Geological Survey	British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL	
Centre for Ecology and Hydrology	Centre for Ecology & Hydrology  NATURAL ENVIRONMENT RESEARCH COUNCIL	
Natural Resources Wales	Cyfoeth Naturiol Cymriol Naturiol Natural Resources Wales	
Scottish Natural Heritage	SCOTTISH NATURAL HERITAGE 단구하	
Natural England	NATURAL ENGLAND	
Public Health England	Public Health England	
Ove Arup	ARUP	
Peter Brett Associates	peterbrett	





#### **Useful Contacts**

Page 64 of 64

Contact	Name and Address	Contact Details
2	British Geological Survey - Enquiry Service  British Geological Survey, Kingsley Dunham Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
3	London Borough of Camden - Pollution Projects Team Seventh Floor, Town Hall Extension, Argyle Street, London, WC1H 8EQ	Telephone: 020 7278 4444 Fax: 020 7860 5713 Website: www.camden.gov.uk
4	Environment Agency - National Customer Contact Centre (NCCC)	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
5	PO Box 544, Templeborough, Rotherham, S60 1BY  Natural England  Suite D, Unex House, Bourges Boulevard, Peterborough, Cambridgeshire, PE1 1NG	Telephone: 0845 600 3078 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
6	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
7	London Borough of Camden  Town Hall, Judd Street, London, WC1H 9JE	Telephone: 020 7974 4444 Fax: 020 7974 6866 Email: info@camden.gov.uk Website: www.camden.gov.uk
8	London Borough of Islington - Environmental Health Department  159 Upper Street, Islington, London, N1 1RE	Telephone: 020 7527 2000 Fax: 020 7477 3057 Website: www.islington.gov.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.







#### **Bedrock Aquifer Designation**

#### General

Specified Site Specified Buffer(s) X Bearing Reference Point

8 Map ID Slice

#### Agency and Hydrological

#### Geological Classes

Principal Aquifer


Secondary A Aquifer

Secondary B Aquifer

Secondary Undifferentiated

Unproductive Strata

#### Site Sensitivity Context Map - Slice A





#### **Order Details**

77302396\_1\_1 J15359 528980, 184710 Order Number: Customer Ref: National Grid Reference: A 0.1

Site Area (Ha): Search Buffer (m): 1000

#### Site Details

152-156 Kentish Town Road, LONDON, NW1 9QB



0844 844 9952 0844 844 9951