



1 Detail East & South Elevation
1 : 50

2 Detail East & South Elevation @ 10th Floor
1 : 50



3 Typical Central Jamb detail - lower window of brick panel (deep sill) @ East & South
1 : 5



4 Typical Jamb detail - lower window of brick panel (deep sill) @ East, South & West Elevation
1 : 5

Masonry Wall Tie Spacing

Distance along wall	Horizontal Spacing	Vertical Spacing
Max. 900mm	Max. 450mm	Max. 450mm
Distance from end Verge	Max. 225mm	Max. 300mm
Movement Joints		

Note: Wall ties along wall may correspond to table above or alternative fix spaced section as not to be less than 200mm. All ties to be installed to manufacturer instructions.

ALL JUNCTIONS BETWEEN INTERNAL CEILING & INTERNAL WALLS AND PENETRATIONS IN AIR BARRIERS TO BE SEALED WITH LEAKABLE SEALANT. ALL PASTERBOARD JOINT LOCATIONS TO BE TAPED AND JOINT FINISH.

ALL PASTERBOARD ON DAPS TO HAVE CONTINUOUS RIBBON OF ADHESIVE AROUND ALL OPENINGS, ALONG TOP AND BOTTOM OF WALL AND AT INTERNAL AND EXTERNAL CORNERS. DETAILS TO BE READ IN CONJUNCTION WITH SECTIONS & GA PLANS - REFER TO SUITABLE PASTERBOARD TYPE.

NOTE
Wall tie secure shown indicatively. Set outs & distances between ties to be installed as per manufacturer instructions.

PROPOSED U-VALUE TO ACHIEVE

Ground Floor	0.11 W/m ² K
External Wall - Brickwork with Mastic	0.10 W/m ² K
External Wall - Brickwork with Blockwork	0.11 W/m ² K
Separating Walls: FIB / Communal Areas	TBC
Separating Walls: FIB / Lift Shaft	TBC
Separating Walls: FIB / Flat Party Walls	0.0*
Floor	0.11 W/m ² K
External Double Doors	1.0 W/m ² K
External Windows	1.3 W/m ² K (g-value of 0.69)
External Glazed Doors	1.5 W/m ² K (g-value of 0.69)
AIR PERMEABILITY	4m ³ /m ² /h

LEGEND: DO NOT SCALE

GENERAL NOTES
This drawing should be read in conjunction with all relevant consultant drawings and specifications. Setting out dimensions and sizing of all RC elements should be taken from structural engineer's drawings and documentation.

ALL penetrations to be verified on site by Main Contractor before the start of any construction. Report any discrepancies to the Contract Administrator at once. Report any discrepancies to the Contract Administrator at once. This drawing is to be read with all relevant Architects and Engineer's drawings and other relevant information. © Ingleton Wood LLP

Ingleton Wood
Vision, form and function
London

Bilfinger
1 Aile Street
London, E1 8DE
London
T: 020 7480 4400
www.ingletonwood.co.uk

Regent Park Estate
Plot 4 - Newlands
Hampstead Road
London NW1 2PS

External Window & Door details - Sheet 01

Client: Lovell Partnership Ltd.

Scale & Use: As Indicated
Status: Proposed name
Project No: 84923
Location: London
Construction

File Ref: NL - IW - XX - ZZ - DR - A - 35-171
Revision: A