


3 Typical Window Jamb detail @ North & West Elevation 1:5







Distance along wall

Distance from
Openings, Roof Verges,
Movement Joints

Note; Wall ties along wall may correspond to table above or alternatively be spaced such as not to be less than 2.5 ties/m². Wall ties to be installed to manufacturer

ALL PLASTI
CONTINUO
OPENINGS,
AND AT INT

ALL JUNCTIONS BETWEEN INTERNAL CEILING & INTERNAL WALLS AND PENETRATIONS IN AIR BARRIER TO BE SEALED WITH FLEXIBLE SEALANT.

ALL PLASTERBOARD JOINT LOCATIONS TO BE TAPED AND JOINT FINISH.

ALL PLASTERBOARD ON DABS TO HAVE CONTINUOUS RIBBON OF ADHESIVE AROUND ALL OPENINGS, ALONG TOP AND BOTTOM OF WALL, AND AT INTERNAL AND EXTERNAL CORNERS.

DETAILS TO BE READ IN CONJUNCTION WITH SECTIONS & GA PLANS - REFER TO SUITABLE PLASTERBOARD TYPE.

NOTE

Wall tie setouts shown indicatively. Set outs & distances between ties to be installed as per manufacturer instructions

Report any discrepancies to the Contract Administrator at once. This drawing is to be read with all relevant Architect's and Engine and other relevant information.
© Ingleton Wood LLP

All dimensions to be verified on site by Main Contractor before the start of any shop drawings or work whatsoever either on their own behalf or that of subcontractors.

| | LEGEND: | DO NOT SCALE |
|----|---|---------------------------------|
| | GENERAL NOTES This drawing should be read in conjunction with all relevant consultants drawings and specifications. | nction with all ecifications. |
| | Setting out dimensions and sizing of all RC elements should be taken from structural engineer's drawings and documentation. | all RC ural on. |
| Se | | |
| | PROPOSED U-VALUE TO ACHIEVE | |
| | Ground Floor | 0.11 W/m2.K |
| | External Wall - Brickwork with Mestic | 0.10 W/m2.K |
| | External Wall - Brickwork with Blockwork | 0.11 W/m2.K |
| | Separating Walls: Flat / Communal Areas | TBC |
| | Separating Walls: Flat / Lift Shaft | TBC |
| | Separating Walls: Flat / Flat Party Walls | 0.0* |
| | Roof | 0.11 W/m2.K |
| | External Opaque Doors | 1.0 W/m2.K |
| | External Windows | 1.5 W/m2.K (g-value of 0.63) |
| | External Glazed Doors | 1.5 W/m2.K (g-value of 0.63) |
| | | |

AIR PREMEABILITY

4m3/m2.h

vities to be fully filled with

| s indicated | Issuing Office: London | Project No: 84923 |
|--|-------------------------|--|
| Status: Purpose of Issue: | Construction | ם |
| Ingleton | | |
| Billericay Cambridge | Vision, for | Vision, form and function London 1 Alie Street London E1 8DE |
| Colchester London Norwich | www.ir | T: 020 7680 4400 www.ingletonwood.co.uk |
| Regents Park Estate Plot 4 - Newlands Hampstead Road London NW1 2PS | U | |
| Drawing Title: External Window & Door details - Sheet 06 | Door details - | Sheet 06 |
| Client: Lovell Partnership Ltd. | đ. | |
| File Ref: | | |