

Double Stacker



Guidelines and standard dimensions for the Allpark Ltd Double Stacker cycle parking system.

Please feel free to contact our sales team to arrange a site visit to discuss your cycle parking requirements. Our dedicated technical teams can design bespoke solutions to suit your needs.

0845 094 2217

Unit 1 & 2 May Ave Industrial Estate
May Avenue
Gravesend
Kent
DA118RU

Email: sales@allpark.co.uk

Double Stacker



Allpark Ltd Double Stacker System

- Free-standing **Hot-dipped galvanized steel** construction to BS EN ISO 1461
- Locking point, handle and tilt mechanism optionally powder coated in the colour of your choice to **ISOQAR 9001: 2008 standards**
- Centre line spacing between bikes **375mm** as standard, bespoke sizes available on request
- Dimensions: Please see attached drawings
- Bikes offset (high/low positions) with front and back wheel supports
- **Maintenance-free** 4-roller system for easy lifting on upper section
- Static gutter rails for lower bike parking with **Sloping positions to save bending. These lower Positions are liftable for the purpose of cleaning underneath**
- Unique **Depression channel** on every position to suit **all bike tyre sizes** to keep the cycles **stable and in an upright** position, double sided use does not hinder each cycle stability
- **Frame and wheel locking points** for a secure way to store your bike to enable different bike users to use 230mm U-Lock or 900mm chain lock
- Units can be assembled with **Security Fixings to enhance security** against risk of theft
- Stock availability – **2-4 Weeks**



Made in Britain

Four Roller System

Locking Points

Depression Channel



0845 094 2217

Unit 1 & 2 May Ave Industrial Estate
May Avenue
Gravesend
Kent
DA11 8RU

Email: sales@allpark.co.uk

Harrods Car Park



Milton Keynes City Centre






Allpark Ltd Double Stacker Drawings

The attached drawings demonstrate the standard dimensions and the Allpark Ltd recommended walkways for the standard Double Stacker system.

We are able to design and manufacture the racks to your own specification, please contact a member of our sales team to arrange any bespoke drawings.



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:			FINISH:	DEBUR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
					TITLE: Double Stacker Front Elevation	
	NAME	SIGNATURE	DATE	THIS DRAWING IS ISSUED SOLELY ON THE UNDERSTANDING THAT IT IS COPYRIGHT AND TO BE REGARDED AS CONFIDENTIAL. IT MUST NOT BE USED OR REPRODUCED WITHOUT THE CONSENT OF THE ABOVE COMPANY.	DWG NO. DS_FE	
DRAWN	A.Barlow		05/03/2012		A4	
CHK'D						
APPV'D						
MFG						
Q.A				Product: Double Stacker System		
				WEIGHT:	SHEET 1 OF 1	




Allpark Ltd,
Unit 2 May Industrial Estate,
May Avenue, Northfleet,
Kent, DA11 3RU
Tel: 0845 094 2217

Copyright © 2011

Double Stacker Requirements

- Height clearance of 2700mm
- Minimum walkway of 1500mm
- Suitable surface for fixing



Notes

ADDITIONS AND AMENDMENTS

Date	Description	Initials

Drawn By Date Approved By Date

A.Barlow 10.06.12 F.Groom 10.06.12


Checked By Date Approved By Date

Job Code Approved By Date

Title
Double Stacker Side Profile

Plot Details	Original Scale	Original Size
Plot Extents		A4

Drawing File Number
DS_SP






-  Wheel Protrusion
-  Top Shelf Extension
-  Recommended Minimum Walkway

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:		DEBUR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING		REVISION	
DRAWN A.Barlow		SIGNATURE		DATE 05/03/2012		<small>THIS DRAWING IS ISSUED SOLELY ON THE UNDERSTANDING THAT IT IS COPYRIGHT AND TO BE REGARDED AS CONFIDENTIAL. IT MUST NOT BE USED OR REPRODUCED WITHOUT THE CONSENT OF THE ABOVE COMPANY.</small> TITLE: Double Stacker Recommended Minimum Walkway			
CHK'D									
APPV'D						Product: Double Stacker System		DWG NO. DS_RMW	
MFG									
Q.A								A4	
						WEIGHT:		SHEET 1 OF 1	

Double Stacker Requirements

- Height clearance of 2700mm
- Minimum walkway of 1500mm
- Suitable surface for fixing



Allpark Ltd,
Unit 2 May Industrial Estate,
May Avenue, Northfleet,
Kent, DA11 3RU
Tel: 0845 094 2217

Copyright © 2011

Notes

ADDITIONS AND AMENDMENTS

Date	Description	Initials

Drawn By Date Approved By Date

A.Barlow 10.06.12 F.Groom 10.06.12

Checked By Date Approved By Date

Job Code Approved By Date

Title
Double Stacker 10 Bike –
375mm Centre

Plot Details Original Scale Original Size

Plot Extents A4

Drawing File Number




DS_375_10



Allpark Ltd,
 Unit 2 May Industrial Estate,
 May Avenue, Northfleet,
 Kent, DA11 3RU
 Tel: 0845 094 2217
 Copyright © 2011

Double Stacker Requirements

- Height clearance of 2700mm
- Minimum walkway of 1500mm
- Suitable surface for fixing



Notes

ADDITIONS AND AMENDMENTS

Date	Description	Initials

Drawn By	Date	Approved By	Date
A.Barlow	10.06.12	F.Groom	10.06.12
Checked By	Date	Approved By	Date
Job Code	Approved By	Date	

Title: Double Stacker 20 Bike - 375mm Centre

Plot Details	Original Scale	Original Size
Plot Extents		A4

Drawing File Number: DS_375_20