



- Existing & Proposed Levels**
- Existing Levels to be retained
 - Proposed Levels
 - Surface gradient / falls
 - Site Boundary
- Hardworks**
- As existing
 - Existing tarmacadam
Flake ground any damage caused by the works
 - Tarmacadam
Auro Gold: Stone mastic asphalt, vac-bladed to reveal gravel aggregate
 - Concrete block paving
Andover washed by Chartron
Colour: Silver Grey Buff
Size: 200x100x60mm and 300 x 200mm
 - Concrete sett paving
Andover washed by Chartron
Colour: Silver Grey Buff
Size: 100x100x40mm
 - Hazard Warning Tactile Textured
Natural
by Macaballs
Size: 400x400x50mm
 - Self binding gravel
Breaker Golden Amber
Grades: 12mm
 - Grass Reinforcement System
Grassgrid
 - In-situ cast concrete steps
Buff with exposed aggregate
 - Timber Deck
Canterbury style decking by Q-Deck
 - In-situ cast concrete retaining wall / seating wall
 - Bench concrete base with amber top
 - Cycle shelter and cycle hoops
Wardale cycle shelter by brooksp or similar approved
 - Reclaimed logs from felled trees
 - Boulders
 - Drop down bollard
 - Timber litter bin
eg. Sheldon litter bin by Langley design or similar approved
 - Handrail
 - 2m Black steel railings
 - Games court fence
 - Single leaf gate to match adjacent fence
 - Double leaf gate to match adjacent fence
- Fencing and Gates**
For further details regarding fencing and gates see drawing Boundary Treatments L1151-ASP-03
- Edging**
For block paving - all edgings to match adjacent block paving and be haunched accordingly
For the car park - standard 135mm PC kerbs to be used to the perimeter
Mastodon in pedestrian areas to have a 120mm PC concrete kerb
Paving led to a radius within the central courtyard to have a metal edge
- Softworks**
- Existing Trees with RPA (Root Protect Area) to be retained and protected during the construction works (refer to Arboricultural Method Statement for RPA)
 - Existing Tree to be removed (refer to Arboricultural Assessment)
 - Proposed Trees
Allowance to be made for tree stakes, gyps, urban tree soil and where annotated root director barriers as part of the tree pit detail
 - Proposed Hedge
Allowance to be made for 450mm depth of topsoil & 50mm of bark mulch.
 - Proposed Shrub Planting
Allowance to be made for 450mm depth of topsoil & 50mm of bark mulch.
 - Proposed Grass

