


## Order Acknowledgement


		Customer & Order Information	
<b>Maple Window Co Ltd</b> Unit 2 East Gate Business Park Argall Way, Leyton London E10 7PG Tel : 0208 556 8637 Fax: 0208 556 8593		Ferit       Tel : Fax	Job No : 18230 C Production Date : Delivery Date : Processed Date : 20-Apr-2015 Printed Date : 20-Apr-2015 Order Date : 20-Apr-2015
			<b>Job Spec</b> Glazed / Supply Only (Collected)
		Job Reference Third Floor	

1	Eurocell Vertical Slider (Glazed) O/A Sizes 640mm x 2090mm (V/S) Third Floor	Specification	Chk
		Frame (Head) VSW001 V/S Outerframe [ ] Frame (Cill) VSW005 Cill Adapter [ ] Frame (Left jamb) VSW001 V/S Outerframe [ ] Frame (Right jamb) VSW001 V/S Outerframe [ ] Sash VSW002 57mm Slim Sash [ ] Sash #2 VSW003 68mm Med Sash [ ] <b>Colour White</b> [ ] <b>Sash colour White</b> [ ] Bead type Ovolo Bottom V/S Bead [ ] Open in/out Open in [ ] Glazed in/out Glazed in [ ] VS Hardware Colour White [ ] VS Sash Horn with Horns [ ] VS Travel Restrictor None [ ]	


**Glazing Details & Apertures**


Energy Rated C - V/S 4-16-4 Obs Low E : 16mm Swiss V Spacer  
 Stippolyte Georgian Bar 18mm Bar White Std Joints Argon  
 Gas Filled  
 A1 - (439 x 926) A6 - (440 x 925)

2	Eurocell Vertical Slider (Glazed) O/A Sizes 940mm x 2090mm (V/S) Third Floor	Specification	Chk
		Frame (Head) VSW001 V/S Outerframe [ ] Frame (Cill) VSW005 Cill Adapter [ ] Frame (Left jamb) VSW001 V/S Outerframe [ ] Frame (Right jamb) VSW001 V/S Outerframe [ ] Sash VSW002 57mm Slim Sash [ ] Sash #2 VSW003 68mm Med Sash [ ] <b>Colour White</b> [ ] <b>Sash colour White</b> [ ] Bead type Ovolo Bottom V/S Bead [ ] Open in/out Open in [ ] Glazed in/out Glazed in [ ] VS Hardware Colour White [ ] VS Sash Horn with Horns [ ] VS Travel Restrictor None [ ]	


**Glazing Details & Apertures**

Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer Georgian  
 Bar 18mm Bar White Std Joints Argon Gas Filled  
 A1 - (739 x 926) A6 - (740 x 925)

<b>3</b>	Eurocell Vertical Slider (Glazed) O/A Sizes 800mm x 2080mm (V/S)
	Third Floor




Specification		Chk
Frame (Head)	VSW001 V/S Outerframe	[ ]
Frame (Cill)	VSW005 Cill Adapter	[ ]
Frame (Left jamb)	VSW001 V/S Outerframe	[ ]
Frame (Right jamb)	VSW001 V/S Outerframe	[ ]
Sash	VSW002 57mm Slim Sash	[ ]
Sash #2	VSW003 68mm Med Sash	[ ]
<b>Colour</b>	<b>White</b>	[ ]
<b>Sash colour</b>	<b>White</b>	[ ]
Bead type	Ovolo Bottom V/S Bead	[ ]
Open in/out	Open in	[ ]
Glazed in/out	Glazed in	[ ]
VS Hardware Colour	White	[ ]
VS Sash Horn	with Horns	[ ]
VS Travel Restrictor	None	[ ]

**Glazing Details & Apertures**

Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer Georgian  
 Bar 18mm Bar White Std Joints Argon Gas Filled  
 A1 - (599 x 921) A6 - (600 x 920)

<b>4</b>	Eurocell Vertical Slider (Glazed) O/A Sizes 630mm x 2080mm (V/S)
	Third Floor




Specification		Chk
Frame (Head)	VSW001 V/S Outerframe	[ ]
Frame (Cill)	VSW005 Cill Adapter	[ ]
Frame (Left jamb)	VSW001 V/S Outerframe	[ ]
Frame (Right jamb)	VSW001 V/S Outerframe	[ ]
Sash	VSW002 57mm Slim Sash	[ ]
Sash #2	VSW003 68mm Med Sash	[ ]
<b>Colour</b>	<b>White</b>	[ ]
<b>Sash colour</b>	<b>White</b>	[ ]
Bead type	Ovolo Bottom V/S Bead	[ ]
Open in/out	Open in	[ ]
Glazed in/out	Glazed in	[ ]
VS Hardware Colour	White	[ ]
VS Sash Horn	with Horns	[ ]
VS Travel Restrictor	None	[ ]

**Glazing Details & Apertures**

Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer Georgian  
 Bar 18mm Bar White Std Joints Argon Gas Filled  
 A1 - (429 x 921) A6 - (430 x 920)

<b>5</b>	Eurocell Vertical Slider (Glazed) O/A Sizes 950mm x 2090mm (V/S)
	Third Floor




Specification		Chk
Frame (Head)	VSW001 V/S Outerframe	[ ]
Frame (Cill)	VSW005 Cill Adapter	[ ]
Frame (Left jamb)	VSW001 V/S Outerframe	[ ]
Frame (Right jamb)	VSW001 V/S Outerframe	[ ]
Sash	VSW002 57mm Slim Sash	[ ]
Sash #2	VSW003 68mm Med Sash	[ ]
<b>Colour</b>	<b>White</b>	[ ]
<b>Sash colour</b>	<b>White</b>	[ ]
Bead type	Ovolo Bottom V/S Bead	[ ]
Open in/out	Open in	[ ]
Glazed in/out	Glazed in	[ ]
VS Hardware Colour	White	[ ]
VS Sash Horn	with Horns	[ ]
VS Travel Restrictor	None	[ ]

**Glazing Details & Apertures**

Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer Georgian  
 Bar 18mm Bar White Std Joints Argon Gas Filled  
 A1 - (749 x 926) A6 - (750 x 925)

<b>6</b>	Logik 70mm Residential Door (Glazed) O/A Sizes 830mm x 2760mm (Style 4)
	Third Floor




Specification		Chk
Frame (Head)	EWS 7006 75mm Outerframe	[ ]
Frame (Cill)	EWS 7006 75mm Outerframe	[ ]
Frame (Left jamb)	EWS 7006 75mm Outerframe	[ ]
Frame (Right jamb)	EWS 7006 75mm Outerframe	[ ]
Transom	EWS 7022/3 85mm T/Z Section	[ ]
Sash	EWS 7018/7019 105mm T/Z Sash	[ ]
Sash drip bar	EWS 102 Drip	[ ]
Cill	150mm Cill	[ ]
<b>Colour</b>	<b>White</b>	[ ]
<b>Sash colour</b>	<b>White</b>	[ ]
<b>Cill colour</b>	<b>White</b>	[ ]
Bead type	Ovolo Glazing Bead	[ ]
Handle	White Lever/Lever Handle	[ ]
Door hinge	Evolution Door Hinge	[ ]
Door lock	Mila door lock	[ ]
Cylinder	Standard Cylinder	[ ]
Door hinge quantity	3 hinges	[ ]
Open in/out	Open in	[ ]
Glazed in/out	Glazed in	[ ]

**Glazing Details & Apertures**

Energy Rated "C" 4-20-4 Clear Unit TOUGHNED : 20mm Silver Spacer  
 Argon Gas Filled  
 A1 - (712 x 514) A4 - (558 x 1893)

<b>7</b>	Eurocell Vertical Slider (Glazed) O/A Sizes 940mm x 2090mm (V/S)
	Third Floor




Specification		Chk
Frame (Head)	VSW001 V/S Outerframe	[ ]
Frame (Cill)	VSW005 Cill Adapter	[ ]
Frame (Left jamb)	VSW001 V/S Outerframe	[ ]
Frame (Right jamb)	VSW001 V/S Outerframe	[ ]
Sash	VSW002 57mm Slim Sash	[ ]
Sash #2	VSW003 68mm Med Sash	[ ]
<b>Colour</b>	<b>White</b>	[ ]
<b>Sash colour</b>	<b>White</b>	[ ]
Bead type	Ovolo Bottom V/S Bead	[ ]
Open in/out	Open in	[ ]
Glazed in/out	Glazed in	[ ]
VS Hardware Colour	White	[ ]
VS Sash Horn	with Horns	[ ]
VS Travel Restrictor	None	[ ]

**Glazing Details & Apertures**

Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer Georgian  
 Bar 18mm Bar White Std Joints Argon Gas Filled  
 A1 - (739 x 926) A6 - (740 x 925)

<b>8</b>	Eurocell Vertical Slider (Glazed) O/A Sizes 940mm x 2090mm (V/S)
	Third Floor




Specification		Chk
Frame (Head)	VSW001 V/S Outerframe	[ ]
Frame (Cill)	VSW005 Cill Adapter	[ ]
Frame (Left jamb)	VSW001 V/S Outerframe	[ ]
Frame (Right jamb)	VSW001 V/S Outerframe	[ ]
Sash	VSW002 57mm Slim Sash	[ ]
Sash #2	VSW003 68mm Med Sash	[ ]
<b>Colour</b>	<b>White</b>	[ ]
<b>Sash colour</b>	<b>White</b>	[ ]
Bead type	Ovolo Bottom V/S Bead	[ ]
Open in/out	Open in	[ ]
Glazed in/out	Glazed in	[ ]
VS Hardware Colour	White	[ ]
VS Sash Horn	with Horns	[ ]
VS Travel Restrictor	None	[ ]

**Glazing Details & Apertures**

Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer Georgian  
 Bar 18mm Bar White Std Joints Argon Gas Filled  
 A1 - (739 x 926) A6 - (740 x 925)

<b>9</b>	Eurocell Vertical Slider (Glazed) O/A Sizes 640mm x 2090mm (V/S)
	Third Floor




Specification		Chk
Frame (Head)	VSW001 V/S Outerframe	[ ]
Frame (Cill)	VSW005 Cill Adapter	[ ]
Frame (Left jamb)	VSW001 V/S Outerframe	[ ]
Frame (Right jamb)	VSW001 V/S Outerframe	[ ]
Sash	VSW002 57mm Slim Sash	[ ]
Sash #2	VSW003 68mm Med Sash	[ ]
<b>Colour</b>	<b>White</b>	[ ]
<b>Sash colour</b>	<b>White</b>	[ ]
Bead type	Ovolo Bottom V/S Bead	[ ]
Open in/out	Open in	[ ]
Glazed in/out	Glazed in	[ ]
VS Hardware Colour	White	[ ]
VS Sash Horn	with Horns	[ ]
VS Travel Restrictor	None	[ ]

**Glazing Details & Appertures**

Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer Georgian  
 Bar 18mm Bar White Std Joints Argon Gas Filled  
 A1 - (439 x 926) A6 - (440 x 925)

<b>10</b>	Eurocell Vertical Slider (Glazed) O/A Sizes 640mm x 2090mm (V/S)
	Third Floor



Specification		Chk
Frame (Head)	VSW001 V/S Outerframe	[ ]
Frame (Cill)	VSW005 Cill Adapter	[ ]
Frame (Left jamb)	VSW001 V/S Outerframe	[ ]
Frame (Right jamb)	VSW001 V/S Outerframe	[ ]
Sash	VSW002 57mm Slim Sash	[ ]
Sash #2	VSW003 68mm Med Sash	[ ]
<b>Colour</b>	<b>White</b>	[ ]
<b>Sash colour</b>	<b>White</b>	[ ]
Bead type	Ovolo Bottom V/S Bead	[ ]
Open in/out	Open in	[ ]
Glazed in/out	Glazed in	[ ]
VS Hardware Colour	White	[ ]
VS Sash Horn	with Horns	[ ]
VS Travel Restrictor	None	[ ]

**Glazing Details & Appertures**

Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer Georgian  
 Bar 18mm Bar White Std Joints Argon Gas Filled  
 A1 - (439 x 926) A6 - (440 x 925)