



General Notes

1. Drawings shall be referred to for structural work only unless otherwise stated and read in conjunction with Architects, Service Engineer's and Sub-Contractor's drawings.
2. The Contractor shall check all levels and dimensions, any errors or omissions are to be reported at once to the Engineer.

NOTE
 PODIUM SLAB THICKNESS ASSUMES MAX 500mm SOFT LANDSCAPING BUILD UP AND PEDESTRIAN ACCESS ONLY. MA TO ADVISE ON CONSTRUCTION LOADING.

NOTE
 REFER TO DRAWINGS TH-9100-SK01 TO SK03 FOR TOWN HOUSE UPPER FLOOR STRUCTURAL G.A.S.

NOTE
 SSL'S PRELIMINARY SUBJECT TO CONFIRMATION OF ARCHITECTS FFL'S & FINISHES.

NOTE
 PROVISIONALLY ALLOW FOR CAPPING BEAM TO BE FORMED IN WATERPROOF CONCRETE SUBJECT TO WATERPROOF STRATEGY.

Indicates areas of concrete to be formed in waterproof concrete.

REV	DATE	DESCRIPTION	BY	CHKD
B	26.02.16	Box notes updated. Drawing number revised to comply with clients document control system requirements.	DA	TP
A	23.12.2015	Town houses updated.	SK	TP

PRELIMINARY



TITLE:
**Car Park
 Level 0 Floor Plan Sheet 1**

PROJECT:
**Project No. 11581
 Kidderpore Avenue**

SCALE: A1@ 1:100 DATE: Nov'15 DRAWN: SK CHKD: TP
 DRG NO. REV.
9100-DRG-03ZZ-GF900 B

Tully De'Ath consultants
 Engineering at its Best

T: 01342 828 000
 E: info@tullydeath.com
 W: www.tullydeath.com