

PROPOSED SECTION AA

0 1 2 M


#### NOTE

All new timber framed windows to be double glazed and painted white.  
All new external doors to be in timber.

**NOTE**  
ALL WORK TO BE IN ACCORDANCE WITH CURRENT BUILDING REGULATIONS, HEALTH & SAFETY, BRITISH STANDARDS, I.E.E. WIRING REGULATIONS AND CDM REGULATIONS.

#### KEY

D01	Door Number
W01	Window Number
FD30S	Half hour fire/smoke resistant standard
	New cavity wall with brickwork exterior to match existing, insulation in cavity, blockwork interior with 12.7mm British Gypsum plasterboard dry lining finish. Cavity reveals to Building Regulations 14, C2, L1A.
	One layer of 12.5mm BG Gyproc Soundbloc to each side. Boards to be taper edged, tape and jointed - all to achieve half hour fire resistance.
	Two layers of 12.5mm BG Gyproc Soundbloc each side with 50mm Isowool 1200 cavity insulation. Boards to be taper edged, tape and jointed all installed to manufacturers recommendations.
	New brickwork.



#### GLA Architecture and Design

Southgate Office Village, Block E, First Floor,  
286A Chase Road, London, N14 6HF

T 020 8886 5100 F 020 8886 0669 E g@glaad.co.uk

Revision:- A1: 05.07.16: eg : Rooflight above Bedroom 2 added.

Client		
S. ASPRIS & SON LTD.		
Main Contractor		
Project CHANGE OF USE FROM A SHOP TO A FLAT 71 FALKLAND ROAD, LONDON NW5 2XB		
Drawing Title PROPOSED SECTION AA		
Scale 1:100 @ A3	Date June 2014	Drawn By EG
Project No. 1415A	Drawing No. 13	Rev. A1
DO NOT SCALE THIS DRAWING. ALL DIMENSIONS TO BE CHECKED ON SITE		
© Copyright		
DRAWING STATUS		
A SCHEME - Outline/Scheme drawings for proposals, budgets, etc.		
B DESIGN DEVELOPMENT - Evolving final design drawings for approvals, tenders, billing etc.		
C CONSTRUCTION - Fully developed drawings issued under instruction for construction.		
ONLY STATUS 'C' DRAWINGS TO BE USED FOR CONSTRUCTION PURPOSES		